XX. An Account of the Trigonometrical Survey carried on in the Years 1791, 1792, 1793, and 1794, by Order of his Grace the Duke of Richmond, late Master General of the Ordnance. By Lieut. Col. Edward Williams, and Capt. William Mudge, of the Royal Artillery; and Mr. Isaac Dalby. Communicated by the Duke of Richmond, F. R. S.

Read June 25, 1795.

INTRODUCTION.

A GENERAL survey of the island of Great Britain, at the public expence, was (as we learn from the LXXVth Vol. of the Philosophical Transactions) under the contemplation of Government as early as the year 1763, the execution of which was to have been committed to the late Major General Roy, whose public situation and talents well qualified him for such an undertaking. Various causes procrastinated this event till the year 1783, when the late M. Cassini de Thury transmitted a memoir to the French ambassador at London, which paved the way to a beginning of this important work. Calculated for the advancement of science, this memoir was presented to the King, and readily met with the approbation of a monarch, so eminently distinguished, from the æra of his reign, for his liberal patronage of the arts and sciences. By

his Majesty's command, the memoir was put into the hands of Sir Joseph Banks, P. R. S. accompanied with such marks of royal munificence, as speedily obtained all the valuable instruments and apparatus necessary for carrying the design into immediate execution.

General Rox, to whose care the conduct of this important business was committed, lived to go through the several operations pointed out in the memoir, the particulars of which have been detailed at great length in the Philosophical Transactions, where they will remain a testimony of his zeal and ability in conducting so arduous an undertaking at an advanced period of life. The further prosecution of the survey of the island, to which the operations hitherto performed might be deemed only as subservient or introductory, seemed to expire with the General.

The liberal assistance which his Grace the Duke of Richmond had on all occasions given to this undertaking; and particularly the essential services performed by Captain Fiddes, and Lieutenant Bryce, of the corps of royal engineers, in the survey and measurement of the base of verification on Romney Marsh, are acknowledged by General Roy in the strongest terms. A considerable time had elapsed since the General's decease without any apparent intention of renewing the business, when a casual opportunity presented itself to the Duke of Richmond of purchasing a very fine instrument, the workmanship of Mr. Ramsden, of similar construction to that which was used by General Roy, but with some improvements; as also two new steel chains of one hundred feet each, made by the same incomparable artist. Circumstances thus

concurring to promote the further execution of a design of such great utility, as well as honour, to the nation, his Grace, with his Majesty's approbation, immediately gave directions to prepare all the necessary apparatus for the purpose, which was accordingly provided in the most ample manner.

SECTION FIRST.

An Account of the Measurement of a Base on Hounslow Heath, with an hundred Feet Steel Chain, in the Summer of the Year 1791. Reference to be had to Tab. XLIII. and XLIV.

ARTICLE I. Preamble.

Previous to entering upon the ensuing account, it may not, perhaps, be improper to enumerate some preliminary matters relative to the subject. The first mode of mensuration adopted by General Rox was that with deal rods, which had also been used and approved of in other countries. In the course of the measurement, however, it appeared, that the sudden and irregular changes which these rods were liable to, from dryness, humidity, of other causes, rendered them totally unfit for ascertaining the length of the base with that degree of precision, of which it was at first thought they were capable. On this account they were laid aside, and glass rods substituted in their stead. These rods were contrived with great ingenuity to answer the purpose, as fully appears by the account given of them in the Philosophical Transactions. But this mode of mensuration being the first of the kind, seemed to require

some proof of its accuracy, which consideration induced General Roy to make a comparison between the glass rods and the steel chain, which Mr. Ramsden had made for the Royal Society. For this purpose a distance of one thousand feet was carefully measured with the rods and the chain. The result of these measurements appeared to be such as would have produced a difference of little more than half an inch upon the whole base, had it been measured with each of them respectively. But notwithstanding the apparent degree of accuracy which this, or any other mode of measuring may be supposed capable of, yet it seems necessary that every base, intended to become the groundwork of such nice operations, ought always (when circumstances will permit) to be measured twice at least.

The manner in which the glass rods were applied in the measurement, is supposed to have rendered the operation liable to some small errors, which lying different ways, might possibly have counterbalanced each other, and produced a true result: but this supposition ought never to be admitted in experimental inquiries, unless such errors can be nearly estimated. The principal cause of error is supposed to arise from the ends of the two adjacent rods being made to rest on the same tressel; because when the first rod is taken off, the face of the first tressel, being then pressed by the end of one rod only, will acquire a tendency to incline a little forward. The error arising from this cause will evidently tend to shorten the apparent base.

Another source of error is supposed to arise from the casual deviation of the rods from a right line, in the direction of the base, tending to increase its apparent length. And a third

error is supposed to result from the method which was used, of supporting the ends of the rods on two tressels only, by which they become liable to bend in the middle. This concave form of the rods would also tend to lengthen the base. The first of these causes of error was submitted to experimental inquiry in the garden of Richmond house, Whitehall, in the presence of his Grace the Duke of RICHMOND, Sir Joseph Banks, Mr. Ramsden, and Mr. Dalby; when it appeared evidently, that the glass rod had a small motion when the other rod, which had counterbalanced it, was taken from the tressels.

These considerations, therefore, rendered it necessary to compare the measurement with the glass rods, with that performed by some other method; not on account of any doubt being entertained of the care with which General Roy's operation had been performed, but solely with a view to bring this new mode of measuring to some proper test. No method of comparison could, perhaps, be better than measuring the same base with the steel chain. General Roy himself, in his remarks on the comparative accuracy of the two bases, that of Hounslow Heath and Romney Marsh, evidently gives the preference to the chain; which, every circumstance considered, it is certainly right to do. These reasons induced his Grace the Duke of RICHMOND to direct the base on Hounslow Heath to be remeasured with the steel chain; and although the result does not differ from the glass rods by so small a quantity as General Roy's experiment assigned, yet it does not amount to more than three inches on a base exceeding five miles.

ART. 11. Of the Apparatus provided for the Measurement of the Base

The apparatus, provided for the measurement, consisted of the following articles, viz.

- 1. A transit instrument.
- 2. A boning telescope.
- 3. Two steel chains, 100 feet each, with the apparatus for the drawing-post and weight-post.
- 4. Fifteen coffers of deal, for receiving the chain when extended in a right line.
- 5. Thirty-six strong oaken pickets of $3\frac{1}{2}$ and $4\frac{1}{2}$ feet long; shod, and hooped with iron.
- 6. Four brass register heads, carrying graduated sliders moved by finger-screws, for adjusting the ends of the chain. One of these registers has a micrometer-screw attached to it, proper for measuring small quantities expanded or contracted by the chain.
 - 7. Thirty-six cast iron heads, to fix on the pickets.

As many of these articles have been described very circumstantially by General Rov in the LXXVth and LXXXth Volumes of the Philosophical Transactions, it will only be necessary here to give a description of the transit instrument, boning telescope, and the two new chains.

1. The Transit Instrument. Tab. XIIII.

This instrument, made by Mr. RAMSDEN, may be considered as a transit combined with a telescopic level, which

makes it serve two purposes; one for determining points in the same vertical plane; the other to show how much a measured line deviates from the level. It consists of a telescope about eighteen inches long, with an achromatic object-glass of about $1\frac{6}{10}$ inches diameter. The telescope passes through an axis in the manner of a transit, and as it must be used for viewing objects at very different distances, the images from the object-glass will vary in the same proportion; it therefore becomes necessary to vary the distance of the wires, so that they may be exactly in the same place with the image. For this purpose there is a pinion, moveable by turning a milled head at A, whereby the small tube, with the wires which are contained in the box B, are made to approach, or recede from the object-glass.

The two pivots, or extremities of the axis, are made with great accuracy to the same diameter; and they turn in angles in the uprights C and D. Each of the angles is fixed in a slider; one at D, to move horizontally, by turning a finger-screw E; the other vertically, by turning the finger-screw F.

The level G is here represented as suspended by its hooks on the transverse axis. Its use is to shew when that axis is horizontal; and it is furnished with an adjusting-screw H, by which the two hooks may be made exactly of the same length, so that the axis on which it is suspended may become parallel to a tangent to the middle of the glass tube. This level also serves to set the line of collimation in the telescope horizontal; for which purpose there are two pins, K and L, attached to the side of the telescope, parallel to the axis thereof: one of these pins is furnished with an adjusting-screw M, by which the

the line of the hooks is made parallel to the line of collimation in this direction, with the greatest precision. The level may be suspended on these pins in the same manner as on the horizontal axis.

The cross wires at N, in the common focus of the object and eye-glasses, are fixed at right angles to each other; but instead of being placed horizontally and vertically, as in the common way, they make each an angle of 45° with the plane of the horizon. This mode of fixing wires is of the greatest advantage in making nice observations, as it remedies the inconvenience and error arising from their thickness. To bring the line of collimation in the telescope at right angles to the horizontal or transverse axis, there are two nuts for the purpose, one on each side of the box at N, which serve to move the intersection of these wires towards the right or left.

In the eye end of the telescope is a micrometer, which serves to measure small angles of elevation or depression. It consists of a moveable horizontal wire, placed as close as possible to the cross wires already mentioned. By turning the micrometer-screw O, this wire is moved across the field of the telescope, and the space which it moves through is shown in revolutions of the micrometer-screw, by means of an index, moveable in a slit, and the divisions on the stem Q. The parts of a revolution are shown in 100ths by an index P, on the micrometer head.

In tracing out a base by intermediate stations, the instrument must be frequently shifted to the right or left, till the telescope shows that the middle of its axis and the extremities of the base are in the same vertical plane. To expedite this operation, there are slits cut through the top of the mahogany board, for receiving the screws which fasten the supports of the telescope; by which means the telescope, with its supports, can be moved a little to the right or left, whilst the stand remains fixed. Over another slit in the top, and directly under the centre of the axis of the telescope at R, is a small hole for a wire or thread to pass through, suspending a plummet for marking a point on the ground, when the telescope is brought into the desired vertical plane.

The method of levelling the axis, adjusting the line of collimation, &c. are similar to those for the upper telescope of the great theodolite, as described in the Philosophical Transactions.

2. The Boning Telescope.

This telescope is in every respect the same as that which was made use of by General Roy, therefore it will only be necessary to explain the application of it, for fixing the pickets in the direction of the base, with the tops of those belonging to the same hypotenuse in the same right line.

A rope being stretched along the ground, in the direction of the base, distances of 100 feet were marked upon it by means of a twenty-feet deal rod. After a sufficient number of these distances were set off, the telescope was laid on a narrow piece of board, truly planed, and fixed to the top of the picket at the beginning of the hypotenuse; and another picket was driven into the ground at a convenient height at the other end. To the top of this last, a thin deal spar was fixed, and the telescope directed to it, whilst the intermediate pickets were driven to

their proper height. To determine this height more accurately, another spar, whose thickness was equal to the height of the axis of the telescope above the top of the picket, which supported it, was repeatedly laid on the top of each picket at the time of driving it, till its upper edge and the fixed spar appeared in a right line. Whilst the pickets were driving, they were moved a little to the right or left, as directed by signals from the observer at the telescope, till their tops appeared in the same right line.

3. The Chains.

These chains were made by Mr. RAMSDEN, and are of similar construction in the joints to that which he made for the Royal Society, described in the LXXVth Volume of the Philosophical Transactions; but they differ from that in other respects. Instead of one hundred links, each of these new chains contains forty, of $2\frac{1}{3}$ feet long. The link is in form of a parallelopipedon, of half an inch square, which renders it considerably stronger than that of the Royal Society; and the chain having fewer links, becomes less liable to apply itself to any irregularities which the coffers may be subject to. handles are of brass, and being perfectly flat on the under side, they move freely upon the brass register-heads, by which means the coincidence between the arrows at the extremities of the chain, and the divisions on the scales, are readily and accurately obtained. The two chains will hereafter be distinguished by the letters A and B.

On Saturday July the 23d, all the foregoing articles were conveyed from the Tower to the end of the base near King's

Arbour, where tents were pitched for a party of the royal regiment of artillery, consisting of one serjeant and ten gunners, who were to be employed in the laborious part of the operation.

ART. 111. Experiments made to ascertain the relative Lengths of the Chains, before and after they were used; and also to determine the Expansion of one Chain, or one hundred Feet of blistered Steel, by one Degree of Fahrenheit's Thermometer.

For this purpose, two strong oaken pickets were driven two feet into very firm ground, and the drawing-post was made fast to them. Five coffers were arranged in a right line, and supported upon courses of bricks. The chain was then placed in the coffers, and stretched with a weight of fifty-six pounds. Notwithstanding the great resistance which it was thought these pickets were capable of, yet it was found insufficient to counteract the friction between the coffers and the chain, when the expansion or contraction took place. Three pickets, therefore, of forty-four inches long, were driven into the ground, within six inches of their tops, and the drawing-post was fastened to them by several folds of strong rope. The pickets and rope were also covered with earth, to prevent their being warped by the sun.

The micrometer-screw, attached to the brass register-head, by means of which the expansion or contraction was measured, contains 26 threads in an inch. The circular head is divided into 10 equal parts, and consequently each division will measure $\frac{1}{260}$ th part of an inch. But as the eye readily subdivides

each of the divisions into 4 parts, the micrometer will measure the $\frac{1}{1040}$ th of an inch tolerably exact.

For finding the relative Lengths of the Chains.

In order to accomplish these experiments in the most unexceptionable manner, after the chain was properly stretched in the coffers, and the thermometers placed by it, the whole remained till all the thermometers stood steadily at the same height. The ends of the chain being then in perfect coincidence with particular divisions on the brass register-heads, the chain was quickly taken out and replaced by the other, which being properly stretched in a right line, and a coincidence made at the drawing-post end of the chain, the variation of the other end from the division on its register-head showed the difference of the lengths of the chains, which was measured by the micrometer. As it required weather particularly steady to succeed in these experiments, we were obliged to catch the most favourable opportunities that presented themselves, which happened on the 29th and 30th of July; on those days the chains were compared with each other, and the results were as follow.

July 29th. Thermometers remaining steadily at 75° during and after the operation.

The chain B was found to be $6\frac{1}{2}$ divisions of the micrometer head shorter than the chain A; and on being shifted, A was found to exceed B $6\frac{1}{2}$ divisions.

Same day. Thermometers steady at $67\frac{1}{2}^{\circ}$.

The chain B 6 divisions shorter than A; and being shifted, the chain A was 6 divisions longer than B. The mean from these experiments is, A $6\frac{1}{4}$ divisions longer than B.

In the table containing the particulars of the operation it will be found, that the chain B was laid aside after measuring 38 chains, on account of one of the links appearing to be a little bent. Before it was sent to Mr. Ramsden it was compared with the chain A (at first intended to be kept as the standard chain), when it was found to be only $4\frac{1}{2}$ divisions longer; which being $1\frac{3}{4}$ divisions less than the mean $6\frac{1}{4}$ as found above, shows, that the chain B had lengthened $1\frac{3}{4}$ divisions in measuring 38 chains; for when Mr. Ramsden afterwards straightened the link, he could not perceive any difference in its length.

The remainder of the base was measured with the chain A (the chain B being kept as a standard), and when that was completed, a comparison was again made between A and B, when it appeared that A exceeded B by $14\frac{2}{10}$ divisions of the micrometer head; therefore the wear of A, by lengthening of the joints, in measuring 236 chains, was 14.2 - 4.5 divisions = 9.7 divisions of the micrometer.

For finding the Rate of Expansion.

The chain being placed in a right line, along the horizontal bottoms of the coffers, and kept in a state of tension by a weight of fifty-six pounds, five thermometers were placed close by the chain; one in the middle of each coffer; and the whole was covered with a white linen cloth, when the sun shone out. After remaining a few minutes, till the thermometers were nearly of the same temperature, a perfect coincidence was made on the register heads, at each end of the chain, and the thermometers noted. Every thing remained in this state till the coincidence at the weight end of the chain was ob-

served to be altered, and the thermometers nearly the same; at which instant, they were again read off, and the alteration of coincidence measured by the micrometer.

August	5th.	cloudy.
TIUSust	July	cioudy.

	T	nermomete	rs.			Total contr.	Contr.	
1	93	3	4	5	Mean.	Micr. Divisis.	Inches.	Inches.
75,75 $62,5$	75,5 62,75	76 63	76,25 63	76 63	75,9 62,8 ₅	2518	,096642	,0074

Here the contraction of the chain is $25\frac{1}{8}$ divisions of the micrometer $=25\frac{1}{8} \times \frac{1}{260}$ inches =.096642 inches, and the corresponding variation of the thermometers, taking the difference of the means, is $13^{\circ}.05$; consequently the contraction on $1^{\circ} = \frac{.096642}{13.05} = .0074$ inches.

Aug. 6th, cloudy.

	·			•				
89,5 69,5	89,75 69,5	90 69,25	90 69	90,5 69,5	89,95 69,35	38,5	,148077	,00719

Aug. 7. Coffers covered with the linen cloth.

102,5 87 89 98	102,5 86 89,75 95 92	1	102 88 92 99,75	102 88 92 101 95,75	102,35 87,2 91,15 99,15 94,35	29,5 8 16,25 9,33	,030769 ,062500	,00781
-------------------------	----------------------------------	---	--------------------------	---------------------------------	---	----------------------------	--------------------	--------

	T	nermomete	rs.	~		Tatal	Contr.	
· 1	2	3	4	5	Mean.	Micr. Divisis.	Total contr. Inches.	on 1°. Inches.
90 80 67 60,75	91 80 68 62,75	89 81,5 69,5 62	91 81,5 69 62	92 81 69 62	90,6 80,8 68,5 61,8	19 23,5 13	,073077 ,090385 ,050000	,00735

Aug. 7th, in the evening. Coffers covered with the linen cloth.

The mean result from these nine experiments is 0,007492, or 0,0075 inch to 1° of Fahrenheit, on 100 feet of blistered steel; which differs only $\frac{13}{100000}$ th parts of an inch from General Roy's conclusion with the pyrometer; but the number,0075 is preferred in these measurements, as being deduced from experiments made with the chain itself.

ART. IV. Particulars relative to the Commencement of the Operation, &c.

After the chains were compared, and the rate of expansion determined, as related in the preceding article, several trials were made of arranging the pickets and coffers in such a manner as might be supposed proper for the reception of the chain. It was soon found, however, that this method of measuring would be neither so expeditious or accurate, as if the coffers were placed upon tressels, such as were made use of by General Roy in his measurement with the glass rods. An application was therefore made to Sir Joseph Banks, who very

obligingly complied with the request, and lent the tressels belonging to the Royal Society; a description of which may be seen in the LXXVth Vol. of the Philosophical Transactions.

As the upper part of the pipe at the north-west end of the base was found to be exceedingly rotten, it became necessary to saw off 13 inches of it, which left enough of the cylinder remaining to fix the brass cup in, as it had been originally bored to the depth of two feet. This cup, which was also lent by the Royal Society, being inserted in the pipe, fitted it exactly.

On the 15th of August, having previously traced out the line of the base, by means of the transit instrument, the operation commenced, in the presence of Sir Joseph Banks, Dr. MASKELYNE, and several other members of the Royal Society. The following table, which contains the particulars of it will explain the order of time in which the different parts of the measurement were performed. As it would swell this table to a great extent, were the degrees shewn by the thermometers inserted therein, it has been considered as proper to give only their sum, which is sufficient for finding the correction to be applied in the reduction of the base, on account of the lengthening or contracting of the chain by variation of temperature. It may, however, be remarked, that the five thermometers were laid close by the chain, and suffered to remain till they had nearly the same temperature, when they were read off, and registered in a field-book, whilst an observer at each end of the chain preserved a perfect coincidence between the arrow and a particular division on the brass scale. When the sun shone out, the chain was covered with a white linen cloth, the ends of which were put over the openings of 3 K MDCCXCV.

the first and last coffers, to exclude the circulation of air. The thermometers usually remained in the coffers from 7 to 15 minutes, according to circumstances; when the sky was much overcast, a shorter time generally was found to be sufficient.

ART. v. Table, containing the Particulars of the Measurement: the first Column showing the Day of the Month when each Hypotenuse was finished; the Second, the Number of Hypotenuse; the Third, the Number of Chains in each Hypotenuse; the Fourth, the Perpendicular belonging to each Hypotenuse, or the datum for reducing it to the Plane of the Horizon; the Fifth, the computed Reduction; the Sixth, the new Points of Commencement above or below the Head of the last Picket when a new Direction was taken; the Seventh, the total Descent of the Extremity of each Hypotenuse; and the Eighth, Remarks, or general Occurrences.

1791. Month.	No. of hypoten.		Perpen- dicular.	of	New point of	Total descent.	Remarks.
Month.		hypoten.	- ,"	hypotenuse	commt.]	
		/	Inches,	Inches.	Inches.	Inches	The 1st chain commenced 14
Aug. 15	1	3	5,8	0,00467	1,8	19,8	inches above the head of Ge-
16	2	3	0,0	0,00000		21,6	neral Roy's pipe before it
22	3	32	57,	0,04231		35,4	was cut off smooth.
23	4	14	26,25	0,02051	4,9	61.65	Began measuring with chain A
25	7	10	12,1	0,00610	7,9	68,85	at 4th hyp. one of the links on
29	5	19	0,0	0,00000	12	60,95	
Sept. 2		34	28,8	0,01017		89,75	little bent. 8th hypot.
•	7 8	I	3,8	0,00602		85,95	Crossed the river Coln at the
6	9	15	69,25	0,13321	4,25	155,20	Crossed the Staines road at the
8	10	17	15,3	0,00574	77-7	166,25	9th hypotenuse.
9	11	5	33,5	0,09352		199,75	3
12	12	13	1,9	0,00012	8,25	201,65	
12	13	7	54,5	0,17680	, ,,,,	247,90	-
13	14	7 6	0,0	0,00000	5,25	247,90	
14	15		7,5	0,00469	ر- را	250,15	
14	16	5 9 8	0,0	0,00000	9,5	250,15	i.
16	17	8	5,3	0,00146	1,77	245,95	*
17	18	10	2,9	0,00035		248,85	7
20	19	5	4,8	0,00192		253,65	
20	20	4	8,1	0,00683	• •	261,75	-
23	21	8	1,5	0,00012		260,25	
21	22	6	35,4	0,08703		295,65	
22	23	1	6,4	0,91707		302,05	Crossed the Wolsey river at the
23	24	10	14,5	0,00876		316,55	23d hypotenuse.
25	25	12	54,4	0,10275		370,95	
25	26	1	24,5	0,25015		346,45	
2'5	27	5	1,0	0,00001		345,45	
26	28	5	11,3	0,01064		356,75	*
26	29	i	9,0	0,03375		365,75	The head of the last picket
	-			-7-3373	- 3	3-3/13	was 21 feet above the head of
26	30	5	6,9	0,00397		372,65	the pipe before it was cut off
	J-	,		2371		5, 2	smooth.
	Tot	al reduc	tion =	1,02867	=0,089	72 feet.	

ART. VI. Further Remarks; and Reduction of the Base to the Temperature of 62°.

Remarks.

It having been our wish, that some scientific persons should be present at the completion of the measurement, his Grace the Duke of RICHMOND was pleased to desire Dr. MASKELYNE, astronomer royal, and Dr. HUTTON, professor of mathematics in the royal military academy at Woolwich, to attend upon this occasion; to whom Mr. Ramsden was necessarily joined, as his standard brass scale, and beam compasses, were requisite to conclude the business with the wished for accuracy. Accordingly, on Wednesday the 28th of September the remaining three chains were measured in their presence; and the horizontal distance from the end of the last chain to the axis of the pipe was found to be 21,055 inches, as determined by Mr. Ramsden; and consequently the apparent length of the base was 274 chains, and 21,055 inches.

The height of the last picket above the pipe was 35 inches, from which deducting the 5 inches of the rotten part, which was cut off, there remains 30 inches, or $2\frac{1}{2}$ feet, for the height of the last picket, above General Roy's pipe; which makes the whole descent 33,55 feet; or about $2\frac{1}{4}$ feet more than was determined by the former measurement.

Reduction of the Base to the Temperature of 62°.

Apparent length, namely, 274 chains + 1,7	55 Feet.
feet	27401,755
The correction for the excess of the chair	ns
lengths* above 100 feet, and half their wear,	is
$\frac{236 \times .0956 + 38 \times .05489}{12}$; and this add	- 2,0539
The sum of all the degrees shewn by the the	r+
mometers was 96795,25; therefore $\frac{96795,25}{5}$ _ 5	4°
$\times 274 \times \frac{,0075}{12}$ is the correction for the mean heat	in
which the base was measured, above 54°, the ter	n-
perature in which the chains were laid off; a	nd
this also add	2,8519
Hence these corrections, added to the appare	nt
length, give	27406,6608
Again, for the reduction of the base to the ter	n +/
perature of 62° we have $\frac{8^{\circ}}{12} \times 3,38938$; and this st	ab-
tract	2,2596
By the table, the sum of all the corrections f	or
reducing the several hypotenuses to the plane	of
the horizon is 1,02867 inches = 0,08572 feet; a	nd
this subtract	0,0857
Hence these corrections taken from the abo	ve
length leaves that of the base in the temperatu	re
of 62°	27404,3155

^{*} For the lengths of the chains A and B see ART. v11. of this section.

To compare this length of the base with that assigned by General Roy, it becomes necessary to rectify a small oversight in the 4th step of the process published in the Philsophical Transactions for 1785.

The equation for 6° difference of temperature there specified, should consist of the difference of the numbers for brass and glass, and not of that for brass alone, viz. $\frac{6°}{12} \times \frac{6°}{3,38938} \times \frac{6°}{1,41658} = 0.9864$ feet instead of 1,6946, which makes the base 0,7082 feet too long. Therefore the length of the base, as measured by the glass rods, is 27404,0843 feet, being about $2\frac{3}{4}$ inches less than by the above reduction; consequently 27404,2, the mean of the two results, may be taken as the true length of the base.

ART. VII. Mr. RAMSDEN'S Method of ascertaining the actual Lengths of the Chains A and B. Tab. XLIV.

These chains were originally compared with the brass points inserted in the stone coping of the wall of St. James's church-yard; but the temperature at the time of that comparison was afterwards forgotten by Mr. Ramsden. After the mensuration on Hounslow Heath was finished, the chains were again compared with those points; but the result did not prove to be satisfactory, as there were reasons for supposing that some alteration had taken place in the length of the coping; but, independent of this, the great irregularities between the joints of the stones, some of which projected half an inch above others, rendered it at best a very rude and inaccurate operation. Mr. Ramsden had points remaining on his great plank, which had been transferred from the brass standard, but as the plank

itself was found to be subject to a daily expansion and contraction, he turned his thoughts to the invention of some other method of measuring the lengths of the chains, in a more unexceptionable manner.

On considering that the expansion of cast iron is nearly the same as that of the steel chain, he procured a prismatic bar of that metal, of 21 feet long, judging it to be the most proper material for the present occasion, as well as for establishing a permanent standard for future comparisons of the same kind. The manner in which the bar was fitted up for the purpose will be readily understood by attending to Tab. XLIV.

The great plank was cut to the length of about 22 feet, and on one of its narrow edges 21 brackets were fixed; each of which had a triangular notch to receive and support the bar, with one of its angles downwards, so that the upper surface became one of the faces of the prism. Before the brass points were inserted in this bar, Mr. Ramsden compared his brass standard with that belonging to the Royal Society, for which purpose, on Nov. 22d, 1791, it was sent to their apartments in Somerset house, where, after the two standards had remained together about 24 hours, they were found to be precisely of the same length. Brass points were then inserted in the upper surface of the bar, from Mr. Ramsden's standard, at the distance of forty inches from each other, the whole length of 20 feet being laid off on those points in the temperature of 54°.

The chains were measured in the Duke of Marlborough's riding-house, where the light was very convenient for the purpose, and the whole apparatus was sheltered from the wind and sun. The plank and bar were supported on five of the tressels, or tripods, belonging to the Royal Society, and the upper sur-

face of the bar was brought into an horizontal plane by means of screws and a spirit level. The brass points on the upper surface of the bar were brought into a right line, by stretching a silver wire along the top, and pressing the bar laterally with wedges, till all the points fell under the wire. Part of the chain was then placed on rollers, which rested on narrow slips of wood fixed on the side of the plank, about five inches below, and exactly parallel to the bar; and whilst it was fastened to an adjusting-screw near one end of the plank, it was kept straight on the rollers by a weight of fifty-six pounds.

From the extremities of the 20 feet on the edge of the bar, two fine wires with plummets were suspended, which were immersed in vessels of water, the wires hanging so as nearly to touch the chain. One end of the chain being then brought under its wire, by means of the adjusting-screw, a fine point was made on the chain coinciding with the other wire. This part of the chain was then shifted, and another 20 feet measured in the same manner; and the operation continued till the length of each chain was thus obtained at five successive measurements. The result was, that in the temperature of $51\frac{1}{2}^{\circ}$, in which the operation was performed, the chain A was found to exceed 100 feet by 0,114 inches, and the chain B, by 0,058 inches. Now, according to the table of expansions in Vol. LXXV. Phil. Trans. the expansion due to 1° FAHRENHEIT on 100 feet of cast iron is 0,0074 inches, and that of the chain being 0,0075, their difference is 0,0001, and therefore for $2\frac{1}{2}^{\circ}$ it will be 0,00025; consequently, as the points were put on the bar in the temperature of 54°, and the chains measured in $51\frac{1}{2}$ ° or 210 less, their lengths in the temperature of 540, agreeing with the points on the bar, will be

feet. inches.

$$A = 100 + 0.11425$$

 $B = 100 + 0.05825$

The comparison of the chains with each other, as related in ART. III. together with this determination of their lengths, furnish the *data* necessary for the reduction of the base on Hounslow Heath.

The wear of B, in measuring 38 chains, appeared (vid. ART. III.) to be $1\frac{3}{4}$ divisions of the micrometer head $=\frac{1,75}{260} = 0,00673$ inches: and the wear of A was 9,7 divisions $=\frac{9.7}{260} = 0,0373$ inches.

Then, from the excess of A above Inches. Inches. 100 feet, namely, - - 0,11425, and of B 0,05825 subtract half the wear - 0,01865 0,0936 0,05489

And we get the lengths of the chains in the temperature of 54 deg. before they were used in the measurement, lengths used in the renamely, A = 100 + .05489, thelengths used in the reduction of the base.

ART. VIII. Method of fixing the Iron Cannon at the Extremities of the Base on Hounslow Heath, 1791.

As the pipes were found in a very decayed state, and it became certain, were they suffered to remain as the *termini*, that in a few years the points marking the extremities of the base would be lost, it became necessary to re-establish them in a more permanent manner. Amongst the various means MDCCXCV.

3 L

which were proposed for this purpose, that of heavy iron cannon was adopted, having been previously sanctioned with the approbation of Mr. Ramsden, and other competent judges. Two guns were therefore selected at Woolwich by order of the Master-general, from among those which had been condemned as unfit for the public service, and sent to Hampton by water.

The placing of these guns accurately being an operation of a delicate nature, and attended with some difficulty, on account of their great weight, the mode of performing it was very deliberately considered; and every precaution afterwards taken to render the operation unexceptionable. The method was as follows.

Four oaken circular pickets, of g inches diameter, were driven into the ground, at the distance of 10 feet each from the centre of the pipe, two of them being in the direction of the base, and the others at right angles to it. Melted lead was then run into a hollow made in the head of each picket, and afterwards filed off perfectly smooth. On the brass cup, belonging to the Royal Society, being adjusted in the pipe, silver wires were stretched from the heads of the opposite pickets, and moved till their intersection coincided with the centre of the cup; and in this position a fine line was drawn on the lead of each picket, exactly under and in the direction of the wire. This operation being performed, and the truth of it reexamined, the pipes were taken out of the ground, in doing which it became necessary to make an excavation of about four feet, in order to clear the circumference of the wheel. It had been at first intended to have inserted the gun so far in the ground as that its muzzle should be even with the surface of

the original pipe: but upon considering that this was a matter not absolutely essential to the ascertaining of the actual length of the base by any future measurement, provided the axes of the guns were made to coincide with those of the pipes, it was determined to fix the cannon, without digging the pit to a greater depth than that of ten feet. In this position, however, it was evident, that the muzzle of the gun would rise higher than the surface of the pickets, which had been put into the ground for finding the centre; which rendered it necessary to drive in and adjust four outer pickets, of a proper height, to determine the centre of the bore of the gun, by the intersection of another set of wires. The tops of the first set of pickets were therefore cleared, and the silver wires extended along the fine lines which had been made on the lead. A plummet was then suspended from above, and moved till it fell on the intersection of the wires. Being fixed in this position, another set of wires was stretched across the tops of the four outer pickets, till their intersection also coincided with the vertical wire of the plummet, in which position, fine lines were drawn under the wires on the top of each of the outer pickets. The truth of the operation now depending on these last pickets, they were carefully guarded by another set which surrounded each of them, and these last were again bound round with ropes, to preserve the centre pickets from any possible accident. These precautions being taken, and the pit cleared, a large stone of 21 feet square, and 15 inches deep, containing a circular cavity in its upper surface to receive the cascabel of the gun, was placed in the bottom of it, the centre of the hole being nearly under the intersection of the wires, as determined by a plummet. The gun was then

let into the pit, and resting upon the stone, it was brought into a position nearly vertical, at which time a quantity of earth and stones were thrown into the pit sufficient to steady the gun. This being done, the cross wires were stretched over the outer pickets, and a pointed plummet suspended from above, having its line coinciding with the intersection of the wires, was let fall into the cylinder, in which a cross of wood that exactly fitted it was placed, whose centre corresponded with that of the bore. The gun was then moved till a dot marking the centre of the cross came directly under the point of the plummet; when earth and stones were rammed round the gun, care being taken to force it by that operation into its proper position, as shown by the plummet and cross. this manner were the guns fixed at the extremities of the base; and it remains only to be observed, that to prevent the unequal settling of the earth, rammed within the pit, from moving them out of their proper positions, four beams of wood were placed in an horizontal direction, having their ends resting against the sides of the pit and the gun. It may also be added, that iron caps were screwed over the muzzles to preserve the cylinders from rain.

SECTION SECOND.

Containing Particulars relative to the Commencement of the Trigonometrical Operation.—An Account of the Improvements in the great Theodolite; and a Relation of the Progress made in the Survey in 1792, 1793, and 1794, together with the Angles taken in those Years.

ART. 1. Of Particulars relative to the Commencement of the Trigonometrical Operation.

Having, by the re-measurement of the base on Hounslow Heath, sufficiently determined its accuracy, it became necessary, upon the approach of the following spring, to form some plan which might enable us to commence the survey with the most advantage.

Of those which were suggested, that of proceeding immediately to the southward with a series of triangles seemed the most eligible, not only because, in the first instance, the execution of it would forward one great design of the business, in an early determination of some principal points upon the seacoast, but also because a junction of the eastern part of the series with that of the western of General Roy, would afford an early proof of what degree of accuracy had attended both operations.

To ascertain the truth of the General's work, by verifying some principal distance or distances, was an object which presented itself, not only as interesting and curious, but as highly necessary, in order to determine whether, by the result, the triangles might stand good, and become a part of the general series.

In addition to this reason, there was another which offered itself, and that was, the prospect of being able to obtain the length of a degree of longitude in an early stage of the survey; for it had been suggested, and upon inquiry was found to be true, that Dunnose in the Isle of Wight was visible, in particular moments of fine weather, from Beachy Head on the coast of Sussex: but attention was at the same time given to the recommendation of General Roy, in the selection of Shooter's Hill and Nettlebed, as places for observing the directions of the meridian; and it was resolved, whatever preference might in future be given to those on the coast for this important operation, that at all events such observations should be made, as might determine the distance between the stations recommended by the General.

Having therefore formed an outline for the operation of the year 1792, upon the approach of spring, Captain Mudge and Mr. Dalby explored the country over which it was intended to carry the triangles, and visited such stations in the series of General Roy as were judged to be proper for the above purpose.

In the choice of those stations which were about to be selected, instructions had been given by his Grace the Duke of Richmond to avoid towers and high buildings, as getting an instrument on them had, by the experience which the former operation afforded, been found difficult and dangerous; such of them therefore as were thus circumstanced were avoided, and near the most proper ones, stations were chosen on the ground. From these directions the points of junction were necessarily confined to Saint Ann's Hill, Botley Hill, and Fairlight Down, because the pipe sunk near Hundred Acre House

was found to be destroyed; but this was considered immaterial in its consequence, as it would have been improper to have chosen it for a principal station, because the high ground near Warren Farm took off the view of Leith Hill.

A disadvantage however, which seemed to result from this resolution of avoiding high buildings for stations, occurred in the difficulty which offered itself of proceeding from Hanger Hill and St. Ann's Hill, with a mean distance of that side as given by General Roy; for the station chosen at the former place being on the ground, there was scarcely a possibility of erecting a staff at King's Arbour, sufficiently high to afford a view of its top from Hanger Hill: a quadrilateral therefore, similarly posited, could not be fixed on; but as a proper substitute, a station was chosen upon the elevated ground near Banstead, which was visible from St. Ann's Hill, King's Arbour, and Hanger Hill; and this, together with St. Ann's Hill and Hanger Hill, formed two triangles, which would give the distance between St. Ann's Hill and Banstead, independent of each other.

Upon the return of Captain Mudge and Mr. Dalby from their expedition, in which they had selected many of the principal stations, and, by examining the face of the country, had formed some judgment of the future disposition of the triangles, preparations were made for taking the field; and the party which had been engaged in the measurement of the base, were ordered to be attached to the trigonometrical operation.

Little difficulty was found in determining upon the choice of the necessary apparatus. Lamps were constructed, by Mr. Howard of Old-street, which were afterwards found to equal

every thing which could be expected from them. Instead of the reflector being exposed to the wind, these lamps were inclosed in strong tin cases, having plates of ground glass in their fronts, which effectually prevented the bad effects of an unequal and unsteady light. In the centre of the back of each case, there were straps and semicylinders of tin, which moving upon joints, clasped the staff to which in their use they were braced. Two of the lamps were of twelve inches diameter, and a third of twenty-two; and the last of these, prior to the use of it in the ensuing season, was lighted on Shooter's Hill, and clearly distinguished at the distance of thirty miles. Copper nozles of different sizes were likewise provided for holding the white lights.

During the measurement of the base, an observatory for the reception of the instrument was making at the Tower, as likewise two carriages, to be used in conveying them from station to station. One was made with springs for the greater safety of the instrument, which resting upon a cushion in the carriage, was sufficiently secured from any jolting upon the road.

As it was easily foreseen that upon eminences, on which it was certain the instrument would be placed, it would be hazardous to trust it in a receptacle of slight construction, great pains had been taken to make the observatory strong. It consisted of two parts, the interior one of which, or the observatory itself, was eight feet in diameter, and its floor of a circular form, and from the sides of it eight iron pillars rose to the height of seven feet, which were connected at the extremities by oaken braces. The roof was formed of eight rafters which united at the top, having their ends fastened into the heads of

the iron stauncheons, and were otherwise sufficiently clamped. The sides and roof were each composed of four-and-twenty frames, covered with painted canvas, any of which could be removed at pleasure; and the whole was covered with a tent formed of strong materials.

Having thus detailed, in as short a manner as possible, the heads of such particulars as it may be necessary the public should be acquainted with, it remains only to give some account of the improvements in our great theodolite, before we narrate the progress made in the survey in the summer of the year 1792.

ART. 11. Account of the Improvements in the great Theodolite.

Mr. Ramsden has considerably improved this instrument, which, in other respects, is of the same dimensions and construction as that made use of by General Roy, which has already been described in the Philosophical Transactions. construction of the microscopes render them very superior to those of that instrument; as the means by which the image is proportioned to the required number of revolutions of the micrometer-screw, and also the mode of adjusting the wires to that image, are much facilitated. (See Phil. Trans. Vol. LXXX. p. 146.). For the first, there are three prongs proceeding from the cell which holds the object-glass; these, after passing through slits in the small tube which constitutes the lower part of the microscope, are confined between two nuts which turn on this small tube, so that by turning the nuts, the object-lens is moved towards, or from, the divisions on the circle, as occasion may require. To adjust the wires in the micrometer to the image; in the upper part of the body of the microscope 3 M MDCCXCV.

are two nuts, one sliding within the other. To the upper end of the interior one the micrometer is fixed; and near the lower end are three prongs similar to those above mentioned, but something longer. These prongs pass through slits in the exterior tube, and are confined between nuts, in the same manner as the object-lens. This construction has many advantages over that described in the Philosophical Transactions.

To obviate the necessity of the gold tongue (Phil. Trans. Vol. LXXX. p. 147), besides the moveable wire in the field of the microscope, there is a second one, which may be considered as fixed, having only a small motion for its adjustment. When the instrument is adjusted, and the index belonging to the micrometer-screw stands at the zero on its circle (the moveable wire cutting one of the dots on the limb of the instrument), this fixed wire must be made to bisect the next dot; as by this means it may be perceived at any time, whether the relative position of the wire has varied.

By graduating the limb of the instrument to every ten minutes instead of fifteen, we are enabled to measure by the micrometer-screw, not only the excess of the measured angle above any of the ten minutes, but also its complement to the next division on the circle, and thereby to correct any small inequality which may happen between the divisions.

ART. III. Particulars relating to the Operations of the Year 1792.

Although it might have been reasonably supposed, that the angles of the triangle King's Arbour, Hampton Poor House, and St. Ann's Hill, had been observed with sufficient accuracy in 1787, yet that this operation might not rest on *data* afforded

by any former one, it was considered as proper to determine them with our own instrument.

By a reference to the Philosophical Transactions, (Vol. LXXX. p. 162.) it will be found, that General Roy was obliged to elevate the instrument at the extremities of the base; for which purpose a stage of thirty-two feet high had been constructed. The same necessity existing with us, an application was made to the Royal Society for it; and in the autumn of 1791, that part of it which had been left at Dover, was brought to the Tower.

The first station to which the instrument was taken this year was Hanger Hill, because it was found upon examination, that the part of the stage which had been left at Shepperton was much damaged, and stood in need of considerable repair. It was, however, soon fitted for use, and a new tent for the top having been provided, the half stage was erected over the pipe at St. Ann's Hill, to which from Hanger Hill the instrument was conveyed. Here, as well as at the other stations where the stage was used, a plumb-line was let fall from the axis of the instrument over the point marking the station, being sheltered from the wind by a wooden trough. In the use of the half stage, the instrument was sufficiently steady when the wind blew moderately; but from the crazy state of the lower part, it was only by watching for moments particularly calm, that satisfactory observations could be made when the whole of it was used.

The following obervations will sufficiently explain the detail of this year's operations, which are given in the order of time in which they were made. By an examination of them it will be perceived, that most of the angles have been observed

more than once: indeed it was a position which we laid down upon our commencing this business, and which, as far as circumstances would admit, has since been adhered to, namely, that of observing the angles upon different arcs. When staffs were erected, which was generally the case when the stations were not more remote than fifteen miles, the angles were repeated till their truth became certain, and the same was also done, when angles were determined by the lamps; but it sometimes happened, that only one of the two white lights, which were burned at the distant stations, was seen; in which case, if the observation appeared to be made without any error, but that which an inequality in the division of the instrument might be supposed to produce, it was considered as sufficient; otherwise fresh lights were sent to the station and observed.

In the use of the white lights, it is conceived that sufficient precautions were taken, as the firing of them was always committed to particular soldiers of the party, selected from the rest on account of their capacity and steadiness, who had instructions to place the copper nozle immediately over the point marking the station, by means of a plumb-line let fall from the bottom. In observing them with the instrument, the angle was not taken till the light was going out. But the men commonly guarded against the flame being blown greatly on one side, by erecting something to windward of the light.

In the use of the lamps also, care was taken to give them their proper direction; for when the ground about the station would not admit of the lamp being placed immediately upon it, slender staffs were erected supported by braces, and made upright, by being plumbed in directions at right angles to each other. Precautions were also used to put those staffs precisely over the points, by centering the holes in the cross-boards.

To such a part of the staff as was judged to be the most convenient, the lamp was buckled, and its direction obtained by bringing a mark in the middle of it to correspond with another on the staff, which was determined to be opposite the station, by directing a ruler to it from each side of the staff, and marking the places touched. The distance between those marks was then bisected, which gave the situation for the middle of the lamp.

In a very early stage of the business it was found, that the effects of heat and cold on the limb of the instrument were likely to produce the greatest errors; for if the canvas partitions, forming the sides of the observatory, were open to windward, streams of air passing unequally over the surface of it would cause such sudden effects, that little dependance could be placed on any observations made with the instrument in such a state. To avoid this; it was the constant practice when the wind blew with any degree of violence, to prevent the admission of it as much as possible, by keeping up the walls of the external tent, leaving only a sufficient opening for the discovery of the lamp or light; and at other times when the wind blew moderately, and a greater difference appeared in the readings of the opposite microscopes, than an error in division might be supposed to produce, the walls of the external tent were entirely thrown down, and the instrument kept in an equal temperature by the admission of air on all sides.

In taking the angles, it was a general rule for some person to keep his eye at one of the microscopes, and bisect the dot, as the observer moved the limb with the finger-screw of the clamp. This precaution is very necessary when white lights are used, for should there be a mistake in reading off an angle, when several are taken from the same lamp as the permanent object, it sometimes may prove troublesome to rectify the error, without sending other white lights to the stations. We found that to be the case at Ditchling Beacon, when only one person happened to be at the instrument, and a reading was set down 10" wrong. A similar circumstance occurred at Brightling. For these reasons, lamps are greatly preferable to white lights, when the distances are not too great.

As the instrument was sometimes found to sink on the axis, which was partly owing to wear by the constant use of it, and the screws of the centre work loosening a little by the shaking of the carriage; whenever it came to a new station, the opposite points were examined; and if it was found that the circle had fallen, which would be shown by the runs of the micrometers, it was raised a little, and the microscopes re-adjusted.

At the different stations, after the observations had been made, large stones, from a foot and a half to two feet square, were sunk in the ground, generally two feet under the surface, having a hole of an inch square made in each of them, whose centre was the precise point of the station.

ART IV. Angles taken in the Year 1792.

At Hanger Hill. Between Shooter's Hill and Banstead 62 18 49.5 49.75 50.25

Between St. Ann's Hill and Banstead -
$$6^{\circ}_{2}$$
 4°_{3} $3^{\circ}_{4}.75$ $3^{\circ}_{5}.75$ $3^$

St. Ann's Hill and King's Arbour 61 26
$$33.5$$
 35.5

Between		•	,	u,	Mean.
St. Ann's Hill and Hanger Hill	-	130	3	3	3,25
A. D.	•			3,5	J 3,25
At Banstea	id.				
Shooter's Hill and Botley Hill	-	57	11	36,25	36
St. Ann's Hill and Hanger Hill		<i>5</i> 3	22	39,5	}39,75
Botley Hill and Leith Hill	-	108	5 0	47,5 48,25 51,5	$\left\{ 49\right\}$
Leith Hill and St. Ann's Hill	-	77	37	33,75 37,25	35,5
King's Arbour and St. Ann's Hill	l -	25	15	42 42,5	}42 ,2 5
Shooter's Hill and Hanger Hill	, <u> </u>	62	57		} 22
Leith Hill and Shooter's Hill	-	166	3 2	23,5 23,5	} 23,5
At Leith	Hill.				
Banstead and Botley Hill	-	31	21	8 12	} 10
Banstead and Hind Head -	-	140	28	13,5 13,75	3 13,5
Hind Head and Chanctonbury Ri	•	72	56	49,5	}50 ,2 5
Ditchling Beacon and Chanctonb	oury Rin	ng 32	43	56,25 58,5	5 }57 , 5
St. Ann's Hill and Hind Head	-	82	8	51	
Hind Head and Crowborough Be	eacon	143	<i>5</i> 7	47,5 47,75	}47,5
Hind Head and Bagshot Heath	-	<i>5</i> 6	37	29,5	

Trigonometrical	Survey.
-----------------	---------

Between			PH .	,	Mean.
Shooter's Hill and Nettlebed		***	86	23	79.5.75
Hind Head and Shooter's Hill		•	148	28	- 1
					32,5 33,25 \ 32,5
					33,25
At Shoo	ter's	Hill.			33,75]
Botley Hill and Banstead -		•	27	8	25,75
Banstead and Blackheath	-				48,5
Hanger Hill and Blackheath					1,25
Leith Hill and Blackheath		-	* .		$\left\{ egin{array}{c} 6 \\ 7.5 \end{array} \right\} 6.75$
Nettlebed and Blackheath	***		- 7	58	25,5
Nettlebed and Leith Hill			5 6	48	30 32 }31
St. Ann's Hill and Blackheath		~	12	41	$15,75 \\ 17,25$ } $16,5$
At Bagsh	ot H	eath			
St. Ann's Hill and Hind Head			101	49	23,75
St. Ann's Hill and Leith Hill		_	53	52	13,5
Leith Hill and Hind Head	-	***	47	<i>5</i> 7	7 } 7
Nettlebed and Leith Hill	• •		168	32	
					13 16 }13,75
Nettlebed and Highciere		-	60	10	26 22 }24
Nettlebed and Penn Beacon	•		42	50	$^{12,25}_{12,75}$ 12,5
Leith Hill and Highclere	-	-	131	17	22,5
MDCCXCV.	3 N				

At Hind Head.

At find flead.	
Between . , , ,	Mean.
Nettlebed and Leith Hill 94 9 57.5 57.75	}57, 5
Nettlebed and Bagshot Heath - 18 44 31,25	}3 2,2 5
Leith Hill and St. Ann's Hill - 51 10 38 41,5	39,75
Leith Hill and Rook's Hill - 111 57 2 4.5	
Leith Hill and Butser Hill - 156 25 10,75 8,25	9,5
Leith Hill and Chanctonbury Ring 61 52 25,5	
Chanctonbury Ring and Rook's Hill 50 4 37	
Nettlebed and Highclere 43 8 58,5 9 0,5	59,5
At Rook's Hill.	
Chanctonbury Ring and Butser Hill 147 49 26,5	
Chanctonbury Ring and Hind Head - 82 42 45 46,5	45,75
Chanctonbury Ring and Dunnose - 137 16 48,5	
Chanctonbury Ring and Beachy Head 14 17 34	
Chanctonbury Ring and Motteston Down 153 1 1	
At Butser Hill.	
Rook's Hill and Hind Head 70 25 13 14,5	13,75
Rook's Hill and Dunnose - 80 21 58	
Rook's Hill and Motteston Down - 101 7 7	8
Rook's Hill and Highelere - $154 56 56$ $58,5$	57,2 5
Rook's Hill and Dean Hill 156 34 14 dub	ious.

At Chanctonbury Ring.

Between			,	11	Mean.
Rook's Hill and Leith Hill -	-	92	23	^{° 2} 5 25,2	25
Rook's Hill and Hind Head -					35 }38
Hind Head and Leith Hill -		45	10	46	
Rook's Hill and Ditchling Beacon	-	179	8	4 8	} 6

ART. V. Further Particulars respecting the Operations of the Year 1792.

Excepting the stations Nine Barrow Down, Black Down, Wingreen, Long Knoll near Maiden Bradley, Beacon Hill, Inkpin Beacon, with those about the base of verification, all the stations which constitute the series hereafter given, were selected this year.

From an opinion which we entertain, that triangles, whose sides are from 12 to about 18 miles in length, are preferable for the general purposes of a survey, to those of greater dimensions, we have endeavoured to select such stations as might constitute a series of that description. In those which were chosen to the eastward of Bagshot Heath, Hind Head, and Butser Hill, we have in some degree succeeded; but, from local circumstances, we have not been equally fortunate with those to the westward. Instead of Dean Hill, it was hoped that the ground upon which Farley Monument stands, might have suited our purpose; but the wood to the west of the hill was found to be so high, that even with the whole stage, the

instrument would not be sufficiently elevated. There remained, therefore, no other expedient but fixing upon Dean Hill, which is the highest spot near Farley Monument. It must be also observed, that Highelere is the only situation which affords the means of carrying on the triangles from the side Bagshot Heath and Hind Head, without forming a quadrilateral.

When the instrument was at Shooter's Hill, a staff was erected on Blackheath, for the purpose of enabling us to determine the direction of the meridian with respect to Nettlebed. This, however, was not done, the weather proving too unfavourable; but as some of the stations were referred to this staff, it may be proper to observe, that on account of its being so near Shooter's Hill, a small portfire was placed in a groove cut in it, which afforded the means of taking an angle very exactly, as the light had the appearance of a bright point.

The interior stations which were selected for the use of the small instrument, were Bow Hill, near Rook's Hill; Portsdown Common, on the road to Portsmouth; and Sleep Down, near Steyning. To the first and last of these the instrument was taken, for the purpose of fixing such objects as could not be intersected from the principal stations. The points on the coast were particularly wanted, for the construction of some maps which were making for the use of the Board of Ordnance. Those places so fixed will be given hereafter; but it must be observed, that few opportunities were lost of searching for church towers, and other objects whose situations were to be determined. That the bearings of those might be taken with precision, the observations were made either in the morning or evening, when the air was free from vapour, and with-

out that quivering motion, which, in summer, it generally has in the middle of the day.

ART. VI. Improvement in the Axis of the great Theodolite; and the Progress of the Survey in the Year 1793.

Towards the conclusion of the last year's operation, it was found that the axis of the instrument, by the frequent use of it, was considerably worn, and which was, perhaps, increased by the motion of the carriage, as the arch could not be clamped with tightness sufficient to prevent the circle from moving within the limits of the bell-metal arms, and the upright part of the travelling case. The consequence was, that it sometimes became necessary to let the circle lower by means of the screws; and as it was found to be exceedingly difficult to turn them equally, and by a quantity which was just sufficient, an application was made to Mr. RAMSDEN to apply something to the axis, which might enable us to adjust the circle with greater ease and accuracy. Accordingly, upon the party arriving in town, the instrument was taken to his house, and left there for the winter, during which he made the desired alteration.

The progress made in the survey during the last season, determined the extent of the business for this year: and it was then imagined, that with good weather, we might be enabled to join the triangles to the eastward with those of General Roy, and likewise observe the remaining angles in the series, having first made the necessary observations at Dunnose and Beachy Head for obtaining the directions of the meridian. It had also been foreseen, that it would soon become necessary to select some spot for the measurement

of a new base, not only to verify the triangles remote from Hounslow Heath, but likewise to determine the sides of those which might be hereafter projected for the survey of the west of England. The situation which we had looked forward to, as being the only one which would afford a base line of sufficient extent, was Sedgemoor in Somersetshire, not having then imagined that any place could be found fit for the purpose to the eastward of that situation.

By maturely deliberating upon the steps to be taken for this necessary business, it soon appeared, that Sedgemoor, from its remoteness, would not suit for a base, which was intended to be applied as a test to the sides of the great triangles which were now constituted. Inquiry was therefore made after a spot which might be less exceptionable; and as information was obtained that Longham Common, near Poole in Dorsetshire, was likely to afford such a base, we examined it in the January of this year; but not finding it fit for the purpose, we proceeded to Salisbury Plain, where we found that a base line of nearly seven miles might be measured without much difficulty between Beacon Hill, near Amesbury, and the Castle of Old Sarum. With respect to the nature of the ground, as any observations concerning it will be introduced with more advantage when we treat of the particulars of the measurement, it will be only necessary to observe, that prior to determining upon the possibility of measuring it with the necessary accuracy, we considered of the errors which would be likely to creep in from the many hypotenuses which the base would consist of, and from other circumstances which the ground from its inequality might be supposed to produce.

As the principal object of this year's business was, to deter-

mine the directions of the meridians, the party left London for the Isle of Wight early in the month of March, that it might arrive at Dunnose in proper time for making the required observations. The instrument, however, was first taken to Motteston Down, for the purpose of intersecting many places whose bearings had been last year taken when the instrument was at Rook's Hill, and which were now wanted by the surveyors of the Ordnance. This station had been selected for that purpose, and was never intended to become a principal one in the series; but when the instrument was on the spot, it was considered as proper that some observations should be made to the stations which were at that time chosen. this reason, when the time for observing the star approached, and most of the lights had been fired without our having seen them, it was not considered of consequence to remain there any longer, and the instrument was therefore taken to Dunnose.

A small staff, of about three inches diameter, was erected on Brading Down, which is about six miles from the station, for the purpose of referring the star to it; a small lamp of six inches diameter, constructed upon the same plan as the large ones, being, when made use of, buckled at the bottom of the staff.

As the best method of obtaining the direction of the meridian, is by observing the star upon each side of the pole, whence the double azimuth is nearly obtained without any correction for the star's apparent motions, every opportunity was watched, of observing it at the times of its greatest apparent eastern and western elongations. But in the unsettled season of the month of April, when almost every wind brought

a fog over the station, many days elapsed without our seeing either the star or staff; and it was on that account we continued so long at Dunnose.

As the truth of the deductions must entirely depend on the accurate determination of the directions of the meridians, the greatest care was taken in making the observations. An hour, and generally more, before the star came to its greatest elongation, the observers repaired to the tent for the purpose of getting the instrument ready. The method of adjusting it, was first by levelling it in the common way with the spirit level which hangs on the brass pins; and afterwards, by that which applies to the axis of the transit. The criterion which determined the instrument to be properly adjusted, was the bubble of the latter level remaining immoveable between its indexes, while the circle was turned round the axis.

As the star, four minutes either before or after its greatest elongation, moves only about a second in azimuth, the time was shown sufficiently near, by a good pocket watch, which was regulated as often as opportunities offered. When the star was supposed to be at its greatest elongation, the observer, if at night, brought it upon the cross wires, and bisected it, leaving equal portions of light on each side of the cross: but if it was in the day, when the star appeared like a point, the telescope was moved in the vertical till it came near the vanishing point of the cross. At either of these times, when the observer was satisfied of the star being properly bisected, or brought into the vanishing point formed by the wires, another person who had kept his eye at the microscope, bisected the dot. The transit was then taken off, and the instrument being turned half round, and the telescope replaced, the star

was observed again. This precaution was taken to obviate the errors which might arise, from the arms of the instrument being out of the parallel with the plane of the circle, owing to any imperfections in the position of the Ys, on which the transit rested. It was, however, seldom found, that a greater difference subsisted between the readings of the opposite microscopes, than what might be supposed to be the consequence of a shake in the centre, or errors in division. A mean of the readings was always taken. It must be also mentioned, that out of twenty, three and four inch white lights, which were fired at Beachy Head, only three of them were seen: but the angle between that place and the staff on Brading Down was considered, from the near agreement in the observations, to be determined with the necessary accuracy.

After the business was finished at Dunnose, the instrument was taken to Chanctonbury Ring, and Ditchling Beacon; and from the latter place to Beachy Head, in order to observe the direction of the meridian; but after placing a staff upon the high ground above Jevington, we were obliged to defer the attempt, as it was found, that owing to the effects of heat, the air was not sufficiently steady for the staff to be seen distinctly, when the star came to its greatest elongation in the day time, if the sun shone out. We therefore left Beachy Head, and proceeded to the following stations, viz. Fairlight Down, Brightling, Crowborough Beacon, and Botley Hill; from which latter place we returned in June to Beachy Head, and observed the direction of the meridian.

From this station, the party went to Dean Hill, and thence to Salisbury Plain, for the purpose of fixing on the extremities of the new base. This being done, the instrument was taken 3 O

to Old Sarum, Four Mile Stone, Beacon Hill, Thorny Down, and Highclere, where the operations of this year terminated. But it must be observed, that owing to a strain which the clamp of the instrument sustained when at Thorney Down, no dependance could be placed on the observations which were made at Highclere. Upon this being discovered, and the season too far advanced to permit of any business being done after the instrument might be repaired, the party returned to London.

ART. VII. Angles taken in the Year 1793.

At Motteston Down.

Between	Mean.
Nine Barrow Down and Dunnose -	$159 \ 51 \ 2.5 \ 3.75$
Butser Hill and Dunnose	64 41 2
Rook's Hill and Dunnose -	44 57 46 dubious.
At Dunnose.	
Dean Hill and Brading staff	$\{55,58,38,5,38,5,5\}$
Motteston Down and Brading staff	94 49 19
Nine Barrow Down and Brading staff	109 11 3,5
Butser Hill and Brading staff -	0 15 31,5
Rook's Hill and Brading staff	$egin{array}{cccccccccccccccccccccccccccccccccccc$
Chanctonbury Ring and Brading staff	40 11 44
Beachy Head and Brading staff -	$60\ 42\ 40\\42\\42,25$ $\left\{4^{1},5\right\}$

```
Mean.
Between
Pole star and Brading staff Apr. 21, aftern. 24 4 21,25
                           22, aftern. 24, 4, 22
                           28, aftern. 24 4 23
                           29, morn. 18 24 o
                       May 5, aftern. 24 4 27,25
                           12, aftern. 24 4 29,5
                           13, morn. 18 23 53,25
                At Chanctonbury Ring.
                                      32 49 48,5
49
Beachy Head and Shoreham staff
Dunnose and Shoreham staff
Rook's Hill and Shoreham staff
                                    125 10 2,25
                 At Ditchling Beacon.
Beachy Head and Lewes staff
                                     20 52 0,75
                                     57 8 36
Crowborough Beacon and Lewes staff
Leith Hill and Lewes staff
                                     25 40 18,25
Brightling and Lewes staff
                                    Chanctonbury Ring and Lewes staff
                  At Fairlight Down.
Brightling and Beachy Head
                                     59 33 1,5
                    At Brightling.
                                     80 44 17,5
Fairlight Down and Beachy Head
Crowborough Beacon and Beachy Head 102 58 14 15.5
```

404					
Between		•	,	-11	Mean.
Ditchling and Beachy Head	-	59	29	13,5 14,5	}14
At Crowboro	ugh Beac				
Brightling and Leith Hill	-	168	27	20,5 22	}21,25
Brightling and Ditchling Beaco	n	105	2	43 44,75	}44
Brightling and Botley Hill		145	20	27	
At Botle	y Hill.				
Banstead and Wrotham Hill	-	152	57	2,5 6	}4,25
Banstead and Shooter's Hill	-	85	39	58,5	
Banstead and Crowborough Bea		129	23	3,5	
Crowborough Beacon and Leith	ı Hill	89	35	1	
At Beach	y Head.				
Brightling and Jevington staff		46	59	33,25 34,75	34
Fairlight Down and Jevington	staff	86	42	12 14	}13
Rook's Hill and Jevington staff	-	48	39	59	
Chanctonbury Ring and Jeving	ton staff		-	21 23	}22
Dunnose and Jevington staff	-			23 51,25 52 52 53,25	52
Ditchling Beacon and Brightlin	g -	73	58	25 28	}26,5
Pole star and Jevington staff, Jul.					
	16 nig	ht 30	19	57,5	

Between	0 /	Mean.
Jul. 26 at morn.	24 38	19
30 night	30 19	50,5
Aug. 1 morn.	24 38	20,25
1 night	30 19	49,5
2 night	30 19	50,25
g morn.	24 38	23,5
* 11 night	30 19	47,25
At Dean Hill.		
Beacon Hill and Highelere -	50 18	47,5 }47,5 47,5 }48,5
Beacon Hill and Wingreen 8	32 56	47 50 }48,5
Beacon Hill and Dunnose - 10	0 40	0,5
Beacon Hill and Nine Barrow Down	34 23	$3^{2,25}$ $3^{2,75}$ $3^{2,5}$
Beacon Hill and Motteston Down 17	4 34	${56,5\atop 58,5}$ $\}57,5$
Beacon Hill and Four Mile Stone	39 29	${5 \choose 5} 3,25$
Beacon Hill and Butser Hill - 11	12 41	$ \begin{array}{c} 3^{2,25} \\ 3^{2,75} \end{array} \right\} 3^{2,5} \\ 5^{6,5} \\ 5^{8,5} \end{array} \right\} 5^{7,5} \\ \begin{array}{c} 1,5 \\ 5 \end{array} \right\} 3,25 \\ 3^{6} \\ 3^{6,5} \\ 3^{8} $
At Old Sarum.		J- J
Beacon Hill and Four Mile Stone 8	5 58	$ \begin{array}{c} 21,5 \\ 21,75 \\ 22,25 \\ 23,75 \end{array} $ $ \begin{array}{c} 22,5 \\ 23,75 \end{array} $
Beacon Hill and Thorney Down - 4	8 26	$\left. \begin{array}{c} 3 \\ 4,25 \\ 6,5 \end{array} \right\} 4.5$
் சென்று பார்கள் சென்ற கார்கள் இருந்து	-17. 70.	PARTIES OF S

^{*} Many observations of the star at this station, and also at Dunnose, are rejected on account of their being made under unfavourable circumstances.

At Four Mile Stone.

Between	s		,	Mean.
Beacon Hill and Old Sarum	-	70	1	45,757
				45,75 47,25 48,25 49
				48,25
Person Hill and Deen Hill				49 J
Beacon Hill and Dean Hill		72	4	${46,5}\atop 49,25}48$
At Beac	on Hill.			T O - O
Old Sarum and Four Mile Ston	e -	23	59	50,25
		Ŧ		$5^{\circ,25}$ $5^{\circ,25}$ $5^{\circ,25}$
Old Sarum and Thorney Down	1 -			
			•	23,75 24 26 $24,5$
Dean Hill and Four Mile Stone	; -	6 8	26	8,5
				$ \begin{array}{c} 8,5 \\ 10,25 \\ 11 \end{array} $
				11
Dean Hill and Highclere	•			23,5
Thorney Down and Highclere		113	38	$13,75 \ 16,75$
A . 773	-			16,75] -0,25
At Thorne	ey Down.			2
Beacon Hill and Highclere	-:	53	22	28,5 30 $29,25$ $29,25$ $32,5$ 31
Beacon Hill and Old Sarum	170	98	0	29,25
A. TE	Y 1			32,5 31
At Hig	nclere.			
Dean Hill and Beacon Hill	-	26	<i>55</i>	53 54 }53.5
				54

ART. VIII. Particulars relating to the Operations of the Year 1794.

The party this year took the field the fourth of March, and proceeded from London to the Isle of Purbeck, taking Butser

Hill in its way. In the observations of the year 1792, the angle at that station, between Rook's Hill and Dean Hill, is noted to be dubious. The reason which induced us to be of that opinion was, that the telescope, by some accident, was thought to have been moved after the observation of the light, and just at the time when the angle was about to be read off. As the season was then far advanced, and four lights had been fired, without our having seen more than one of them, it was determined to leave the final observation of that angle till this year. Accordingly upon our arrival at Butser Hill this second time, a lamp was sent to each of the stations, and the angle repeatedly taken, as given in the following article. The party from thence proceeded to Nine Barrow Down in the Island of Purbeck.

The reason of the business commencing so early in the season, arose from the necessity of beginning the measurement of the base on Salisbury Plain, towards the latter end of June, that it might be finished before the year should be far advanced, when the cultivated ground a mile to the northward of Old Sarum would be ploughed. It was also necessary that the angles at Wingreen and Highclere should be observed.

On account of the magnitude of the 24th and 27th triangles, the instrument was kept at the station in the Island of Purbeck till the angles between Dean Hill and the stations in the Isle of Wight were determined very accurately. It was, therefore, not till a month after the two first lights were fired, that as many observations were made as we deemed to be sufficient.

As it will answer our purpose better, to give an account of the stations which were chosen this year, for the further prosecution of the survey, in another part of this work; it remains Between

only to be observed, that from Nine Barrow Down the instrument was taken to Black Down, near Dorchester, and from thence to Wingreen, Highclere, and Beacon Hill; the observations which were made this year being concluded at the latter place in the beginning of June. It may, however, be mentioned, that in addition to the interior stations chosen in the year 1792, for the future use of the small instrument, three others were selected in this and the preceding season, namely, Ramsden Hill, near Christchurch; Thorness in the Isle of Wight; and Stockbridge Hill.

ART. IX. Angles taken in the Year 1794.

At Butser Hill.

Mean.

Rook's Hill and Dean Hill	-	156 34	19,75 20,5 19,75
At Nine B	arrow Do	wn.	י פויש-
Dean Hill and Wingreen	• ,	39 34	27,75 $30,25$ $28,5$ $28,5$
Dean Hill and Motteston Dov	vn –	56 9	55 55,5 }55,25
Dean Hill and Dunnose -	-	61 57	$ \begin{array}{c} 55 \\ 55.5 \end{array} \left. \begin{array}{c} 55,25 \end{array} \right. $ 20,75 20 19 $\left. \begin{array}{c} 20 \end{array} \right. $
Lulworth and Bull Barrow	•	52 47	${34,25 \atop 32}$ }33
Dean Hill and Bull Barrow	-	71 31	55,5 56,5 53 52 }

Between		o	Mean.
Black Down and Bull Barrov	W a	38 5	8 19 19,25
At Bla	ack Down.		
Lyme and Bull Barrow	• • • • • • • • • • • • • • • • • • •	124 3	$\left\{ \begin{array}{cc} 2 & 33,25 \\ 33,25 \end{array} \right\}$
Bull Barrow and Nine Barro	w Down		$ \begin{array}{c c} 18,25 \\ 19,5 \\ 18 \end{array} $
Bull Barrow and Lulworth	439	65 3	$ \begin{array}{c} 19,75 \\ 5 & 40,5 \\ 41 \\ 42,5 \end{array} $
Lulworth and station above Chesil, in Portland -	} -	42	$\begin{bmatrix} 45.5 \\ 45.5 \end{bmatrix}$ $\begin{bmatrix} 16.25 \\ 19.75 \end{bmatrix}$
Lulworth and station near } Portland Light House	* . ••• ×	5 ² 4	19,75 $21,75$ 21 $349,25$
Pilsden Hill and Mintern	- -	66 ₅	$ \begin{array}{c c} 5_{1,25} \\ 53,25 \\ 53,25 \end{array} $ $ \begin{array}{c c} 1 & 19,25 \\ 21 & \end{array} $ $ \begin{array}{c c} 21,75 \\ \end{array} $
Mintern and Bull Barrow		31 2	$egin{array}{c} 24,75 \ 5 & 56,75 \ 57 & 59 \ \end{array} iggr\} 57,5$
At V	Vingreen.		
Beacon Hill and Dean Hill		-30 1	$\left. egin{array}{c} 23,75 \\ 22 \\ 23,5 \end{array} ight\}$
MDCCXCV.	3 P		

Between	•	,	Mean.
Dean Hill and Nine Barrow Down	88	58	$\{45,25\}$
Dean Hill and Bull Barrow -	143	28	47,75 J40,5
Denn Tim and Bun Burton	143	20	22
			23,75
Bull Barrow and Bradley Knoll	- 06	90	25,25 39,25
Buil Builton and Bladley Knon	90	20	36,5
			33,25 37
			38,25 37,25
Bradley Knoll and Beacon Hill -	89	57	40,25
			37,75
			37,75 37,75 37,25
At III abalaya			35
At Highclere.			
Butser Hill and Dean Hill	69	8	33,5
			$36,75 \ 35$
Dean Hill and Beacon Hill	26	<i>55</i>	${50,5\atop 52,25}$ ${51,5}$
Thorney Down and Beacon Hill -	12	59	$\frac{10,5}{9,25}$ }10
Beacon Hill and Inkpin Hill	56		29
	J	Ĭ	30,25 30 29,75
			30
Beacon Hill and White Horse Hill (nea Wantage)	r }90	28	20
8 /	J		21
Nuffield and Bagshot Heath -	46	10	17,5 $\}_{18,5}$
Ragshot Hoath and Wind Hoad	2.	, C	19,5
Bagshot Heath and Hind Head	34	40	14,75 $15,75$ $15,75$
			16,75

Between

Butser Hill and Hind Head

At Beacon Hill.

Dean Hill and Wingreen

- 66 49
$$5^2, 25$$
 $5^1, 75$ 5^2

Wingreen and Bradley Knoll

Butser Hill and Hind Head

- 29 12 22 $22, \frac{1}{4}$ 2^2 $22, \frac{1}{4}$ 2^2 $2^$

ART. X. Situations of the Stations.

Hanger Hill. The station on this Hill is in the field to the eastward of the Tower, and within 13 feet of the eastern hedge. The Tower bears due west of the station.

Shooter's Hill. The station is in the north-west corner of the field, opposite to the Bull Tavern.

Banstead. The station is in a field belonging to Warren Farm, near the road leading to Ryegate. It is fourteen feet north of the hedge, and may be easily found, as Leith Hill and an opening between two rows of trees on Banstéad Common, are in a line with the station.

Leith Hill in Surrey. The station is 32 feet from the northeast corner of the Tower, and in that direction from it.

Crowborough Beacon, Sussex. The station is about 600 feet

due south of the spot on which the beacon was formerly erected.

Brightling, Sussex. The station is about 70 feet south-west of the gate belonging to the field in which stands Brightling Windmill.

Beachy Head. Twelve yards south-west of the Signal-house. The muzzle of the gun is above the surface of the ground.

Ditchling Beacon, Sussex. The station is in the middle of a small rising, which has the appearance of having once been a Barrow.

Chanctonbury Ring, Sussex. This place is near Steyning; and the station is situated 50 feet from the ditch on the west side of the Ring.

Rook's Hill, near Goodwood, Sussex. The station is east of the Trundle, and near it.

Butser Hill, Hampshire. There is no precise way of pointing out the spot on which the instrument was placed: the general situation of it, however, may be known: it is on the middle of the hill, which is itself near, and to the northward of the Fifty-four Mile-stone on the Portsmouth road.

Dunnose, Isle of Wight. The station is 87 feet northward of Shanklin Beacon: the muzzle of the gun is above the surface of the ground.

Motteston Down, Isle of Wight. The station is on the west Barrow.

Nine Barrow Down, Isle of Purbeck. The station on the highest of the Nine Barrows.

Black Down in Dorsetshire. The station is 23 feet west of the North Barrow. Black Down is six miles from Dorchester, and near the village of Winterbourn. Bull Barrow Hill, near Milton Abbey in Dorsetshire. The station is on the Barrow.

Wingreen, Dorsetshire. The hill so named, is four miles east of Shaftesbury, and the station is about 80 feet south-west of the Ring, or clump of trees.

Beacon Hill, about two miles from Amesbury, near the Andover road, Wiltshire. The station may be easily found, as there is a stone whose surface is above that of the ground, placed about 10 feet east of it.

Old Sarum. The station is south-east of the Two Mile-stone, and near it. A large stone with its surface above that of the ground, is placed 11 feet due west of the station.

Four Mile-stone, Wiltshire. The station is in the field west of the Four Mile-stone on the Devizes road, leading from Salisbury. It is on the rising which is in the middle of the field.

Thorney Down, Wiltshire. The Down is near Winterbourn, and the station to the north of the wood.

Dean Hill, Hampshire. This place is near the village of Dean, and about 6 miles east of Salisbury: the station is in the north-west corner of a field belonging to Mr. Haliday.

Inkpin Beacon, Wiltshire. This hill is above the village of Inkpin, and the station is in the centre of the small field circumscribed by a ditch and parapet of an ancient fortification.

Highclere, Wiltshire. The station is in the centre of the Ring on Beacon Hill, about half a mile south-east of Highclere.

Bagshot Heath. The station is on the brow of an eminence two miles north of the Golden Farmer, and directly west of the north corner of Bagshot Park.

Hind Head, Surrey. The station is near the Gibbet, being about 22 feet north-west of it.

The situations of those stations which are common to this operation and that of General Roy, are not described, the same being done in the LXXXth Volume of the Philosophical Transactions.

As it is probable that some individual will avail himself of the particulars given in this performance, by forming more correct maps of the counties over which the triangles have been carried, and who consequently may wish to visit certain of the stations, it is proper to observe, that small stakes are placed over the stones sunk in the ground, having their tops projecting a little above it. For some years there will be little difficulty in finding the stations, as the spots are well known to the neighbouring inhabitants.

SECTION THIRD.

Measurement of the Base of Verification on Salisbury Plain with an Hundred Feet Steel Chain, in the Summer of the Year 1794.

ART. 1. Apparatus provided for the Measurement, and the Method of using particular Articles of it.

The apparatus with which this base was measured arrived at Beacon Hill the 25th of June, and consisted of the two steel chains, the tressels belonging to the Royal Society, and the twenty coffers which were used on Hounslow Heath, together with the pickets, iron-heads, and a few other articles, which in the beginning of this year had been made at the Tower. As it was foreseen that the truth of this measurement would, in a great degree, depend on the accurate reduction of the several hypotenuses to the plane of the horizon, an application was

made to Mr. Ramsden in the foregoing winter, to consider of some means by which their inclinations might be obtained. He therefore applied an arch S to the side of the transit telescope, as exhibited in Tab. XLIII. which he divided into half degrees; and opposite to this he placed a microscope T, with a moveable wire in its focus, by means of which, and the micrometer of the telescope, an angle could be taken.

On the first convenient opportunity after the arrival of the apparatus, we determined the value of any number of revolutions of the micrometer-screw in parts of a degree, by the following method.

At the distance of an hundred feet from the transit, a picket was set up, on which a dot was made with chalk, and the instrument being adjusted, was moved by the finger-screw till the edge of the micrometer-wire touched some prominent part of that mark. The wire in the focus of the microscope was then made to bisect a dot upon the arch, and the telescope moved in the vertical till the next dot was bisected, by which the instrument had described half a degree upon its axis, and the micrometer-wire was afterwards moved till it touched the same part of the chalk mark, the revolutions being counted, which were consequently equal to thirty minutes. This operation was repeatedly tried, with a picket placed from one to six hundred feet successively from the telescope, the runs of the micrometer-screw being in each case nearly the same, as indeed they ought to be according to theory.

The number of revolutions equal to 30' was found, from a mean of these trials, to be $12\frac{10}{100}$.

Having determined this, the chains A and B were compared with each other, when they were found to have the same difference of lengths as when measured by Mr. RAMSDEN.

For the purpose of tracing out the line of the base, as Beacon Hill had a commanding view of almost the whole of it, the instrument was kept in the tent after the observations were finished: and at different times, when the air was sufficiently steady for the purpose, many points in the true direction were found by bisecting the staff erected at Old Sarum, and moving the transit in the vertical, whilst a person placed a campcolour in the proper situation on the ground, by means of signals which were made at Beacon Hill.

As it appeared, when this spot was first selected for the measurement, that in the course of it there would be frequent necessity for changing the directions of the hypotenuses, a brass bar, of a prismatic form, had been provided, by means of which, and a plumb-line, a new direction was easily taken. The method of using them was as follows.

A picket was driven into the ground close to the handle of the chain, having its top eight or ten inches above the place where the preceding hypotenuse was to terminate, one of the register-heads, with the bar, being screwed on it. The chain was then stretched, and the silver wire, or plumb-line, made to pass through the handle, whilst the slider was moved till the wire came upon the dart, marking by this means, the termination of the hypotenuse. In order, however, to give a more perfect idea of this matter, a figure is given in Tab. XLV. where B is the bar, with the wire falling through the handle of the chain, one half of it being left out, for the purpose of showing its coincidence with the arrow on the handle.

The experience which we had obtained in the measurement of the base on Hounslow Heath, led us to discover, that some of the methods we made use of to execute particular parts of it, might have been improved. One of them was, the means by which the heads of the pickets were placed in the plane of the base, which frequently was the cause of the planes of the register-heads being out of the direction of the hypotenuses. In this operation, however, the bottoms, as well as the tops of them, were placed in the true vertical by means of the transitinstrument, and therefore it was not difficult to bring the planes of their tops into the required position.

For the purpose of using the transit as a boning telescope, as well as an instrument for taking the angles of elevation or depression, Mr. Ramsden provided two mahogany boards, one of which was fastened to the register-head, and the other (furnished with levelling screws) rested upon it, the transit-in-strument being placed on the latter.

The level belonging to the transit was then hung on the arms; and if the axis proved to be horizontal, which it would be if the brass heads were rightly placed, the instrument required no farther adjustment; but if that did not prove to be the case, the axis was made parallel to the horizon by the screws of the levelling-board, which were turned in contrary directions, having in the first instance been worked till within half the limits of their adjustment. By this means the axis was kept at a constant height from the brass heads.

A board with a cross piece, whose upper edge from the bottom of it was equal to the distance of the axis of the instrument from the head of the picket, was placed on another picket which had been driven till its head was at a convenient height in the plane of the base, and the transit moved in the vertical till the edge of the wire in the centre of the glass, coincided with that of the cross piece. The rest of the pickets in that hypotenuse were then driven into the ground, till their tops

3 Q

were in the same right line, as discovered by the application of this board to their heads.

The method of determining the angles which the measured lines made with the plane of the horizon was as follows.

After the hypotenuse was measured, the transit-instrument with its boards were placed on the picket, and the levellingscrews moved as before described, if the axis did not happen to be horizontal. The cross board, upon which a black line was drawn whose breadth was about twice the apparent thickness of the micrometer-wire, and its distance from the bottom of it equal to that of the axis of the instrument from the register-head, was placed on another picket in the hypotenuse, having the brass head which had been before fixed on it still remaining. The telescope was then made horizontal, the index of the micrometer being placed to the zero on its circle, and the wire of the microscope set to bisect that dot on the arch which was nearest to the centre of the field. After this, the telescope was moved in the vertical by the finger-screw, till another dot was bisected, at the same time that the line upon the cross board appeared in the glass, by which the angle that the instrument had described on its axis, was measured in half degrees. The remaining part of the angle, or rather the fractional part of an half degree, was measured by the micrometer, the wire of which was brought from the centre of the glass to bisect the black line, and was either added to, or subtracted from, the former quantity, as the angle described by the telescope fell short of, or exceeded, that formed by the hypotenuse and the plane of the horizon.

By this method, all the angles of elevation and depression were taken. And we consider it as probable that they are

within a quarter of a minute of the truth; since the instrument was capable of being used with great accuracy, the arch having been divided by one of Mr. RAMSDEN's best workmen, and the value of one, or any number of revolutions of the micrometer-screw, had been accurately obtained. If, therefore, any considerable errors have taken place in this part of the operation, they must have arisen from the axis of the transit-instrument and the line on the cross board not being of the same height from the brass heads on which they were placed: but we think there is almost a certainty that this difference was confined to such limits as will not introduce any errors of consequence; for even supposing the register-heads were placed on the pickets so unskilfully that it became necessary to turn the screws on the levelling-board as much as they were capable of, whilst the third remained unmoved, in order to adjust the transit, the error introduced on that account would be only half a minute, even though the hypotenuse should consist of but one chain, and be inclined to the horizon eight degrees. We therefore think ourselves justified in the opinion which we entertain of these angles being determined with sufficient accuracy; since, if an error of one minute had taken place in the inclination of each hypotenuse, and those errors lay all one way, the length of the base, as hereafter given, would only be varied three inches by that circumstance.

It may, perhaps, be imagined that some small errors have arisen from the handle of the chain not lying flat upon the brass heads when the new directions have been commenced. To obviate this, precautions were always taken to drive the pickets at the termination of the hypotenuses in such a manner, that the arrow on the handle could be made to coincide

with one of the divisions near the end of the brass scale, by which any error arising from their not being exactly in the same vertical plane, was rendered so trifling as not to be worth notice.

Having now related, with as much conciseness as the subject will admit, the methods which were adopted for the execution of the most essential parts of this operation, there remain only a few other particulars to be related before we give the reduction of the base.

After as many points as were judged necessary had been fixed in the true direction, by the means heretofore described, and the chains compared with each other, the mensuration was begun, and continued without much interruption for seven weeks, when it was finished with that part of the 366th chain which terminated its apparent length.

The method taken to mark this last mentioned chain, was by cutting a small hole in the bottom of the coffer, through which a plumb-line was made to pass, the point of the plummet being brought over the end of the base, and the chain moved till it touched the wire; a slight scratch was then made with a file at the point of contact.

On the first favourable opportunity, subsequent to this conclusion of the measurement, the chains A and B were compared with each other, when it was found that the wear of the former, by the constant use of it, was only one division of the micrometer head, or $\frac{\tau}{260}$ th of an inch. The smallness of this quantity in the measurement of a base of such great length, was doubtless owing to the pivots, and pivot holes of the joints being smoothed, and as it were polished, in the operation on Hounslow Heath; and it may also be adduced as some proof,

that the joints had not rusted while the chains remained in the Tower; but to prevent this, care had been taken to deposite them in a dry place, being afterwards frequently examined and oiled.

Thus concluded the measurement of this base, in which it is certain that great pains were taken to produce an accurate result; and we are not without hopes, that the many obstacles which offered themselves have been surmounted with success; but this is left to the decision of the candid and intelligent reader.

The following table contains the particulars of this operation. The first column showing the number of hypotenuses; the second, that of the chains in each hypotenuse; the third, the observed angles of elevation or depression given to the nearest 10"; the fourth and fifth, the perpendiculars answering to the elevations and depressions; the sixth, the reduction of the hypotenuses to the horizontal lines, or the versed sines of the elevations and depressions to the hypotenuses as radii; the seventh and eighth, the perpendicular distance between the termination and beginning of any two hypotenuses when a new direction was commenced above or below.

ART. 11. Table of the Measurement of the Base of Verification.

Typotenuses No. Chs.	Flow on Done	Perpendiculars. Elevation. Depression.		Reduction.	Below. Above.	
- 1		Feet.	Feet.	Feet.	Inches.	Inches
1 1	7 52 30	Teet.	13,7012	0,9431		
2 I	11 31 40		19,9843	2,0172		1
3 1	10 5 0		17,5080	1,5446		[
4 1	7 25 20	1.	12,9180	0,8379		1
5 1	5 41 50	ľ l	9,9272			
	4 49 30		58,8788	2,4806	-1	
7 6	4 18 40	1	45,1033	1,6977	-	1
	3 48 30	b	19,9257	0,6625	31,5	1
9 3	3 13 0	1	16,8336	0,4727	21,5	ł
10 1	0 9 0		0,2618	0,0003		İ
11 1.	2 27 30	4,2893	Y	0,0920		÷
12 1	0 58 30	1,7016	1 .	0,0145		
13 3	0 5 0	0,4363	2.	0,0003		l
14 6	0 34 10		5,9631	0,0293	11,5	
15 1	3 9 10	5,4999		0,1514	-	l
16 2	I 25 20	4,9640		0,0616	ļ	
17 2	0 24 10	1,4059		0,0049	1	
18 5	0 8 10		1,1878	0,0014		
19 4	0 49 10	5,7206	•	0,0409	1	
20 4	0 10 50	1,2605	A .	0,0020		
21 3	1 19 20		6,9225	0,0799	7,0	
22 7	1 38 20		20,0201	0,2864		ĺ
23 5 24 6	1 33 40		13,6216	0,1856	5,5	l
	I 18 20	1	13,6706	0,1558	14,5	
25 1	I 34 30		2,7485	0,0378		
26 9 27 6	1 15 0		19,6334	0,2142		
- 1	1 0 50		10,6169	0,0939	1, ~	
28 2	0 5 40	0,3297	* * *	0,0003		
29 3	0 49 50	4,3486		0,0315		
30 5	0 15 10,	2,2059		0,0049		1
31 3	0 18 20	0.0	1,5999	0,0043		
32 5	0 8 50	1,2848	Y	0,0017	18,5	
33 3	0 53 30	4,6686	e) l	0,0363		
	0 8 50	2,0556		0,0026		
35 , 10 36 4	0 45 10	13,1381	11 1	0,0863		
	0 14 0	- NE	1,6290	0,0033		
37 5	0 52 0		7,5628	0,0572		
38 2	I 40 10	. [5,8266	0,0849		
39 7	0 35 30		7,2284	0,0373		
40 4	1 3 10		7,3494	0,0675		
4I 3	0 33 50		2,9525	0,0145	19,25	
42 I	0 54 10	1,5756		0,0124	1	
43 2	1 37 0	5,6425	•	0,0796		}

~				,		
Hypotenuses.	Angles of Elev. or Depr.	Perpender Elevation.	Depression. Reduction.		Below.	Above.
44 3 45 3	0 / " 0 8 40 0 50 10	Feet.	Feet. 0,7563 4,3777	Feet. 0,0009 0,0319	Inches.	Inches.
46 4 47 II	0 55 50 0 31 40 0 45 30		6,4962 10,1325 3,9705	0,0529	20,0	
49 3 50 2	1 18 40 1 58 50		6,8644 6,912 1	0,0785		
51 2 52 2 53 2	3 49 30 3 24 20 3 20 50	11,6774	13,3418	0,4455	29,25	
54 2 55 2 56 7	2 31 10 1 7 0 0 25 40	8,7917 3, 8976	5,2262	0,1933		24,5
57 5 58 2	0 55 40 3 2 50		8,0960 10,6318	0,0656	,	r.
60 1	5 34 10 2 4 50 0 34 10	3,9754	19,4104 3,6305	0,9441 0,0659 0,0198	8,5	
62 2 63 3 64 9	0 51 40 1 21 40 3 4 30	48,2788	3,0057 7,1261	0,0225 0,0847 1,2958	33,0	29,0
65 4 66 6 67 6	2 16 10 0 14 20 1 19 10	15,8396 2,5016	13,8160	0,3137 0,0052 0,1591	-	28,75
68 3 69 3 70 2	1 56 30 0 25 10 0 51 10	2,1962 2,9766	10,1646	0,1722 0,0080 0,0222		
71 5 72 4	0 48 20	4,1499	7,0296	0,0494 0,0215		a;
73 4 74 4 75 4	1 30 0 1 5 20 0 38 50	10,4708 7,6014	4,5184	0,1371 0,072 2 0,0 2 55		17,5
76 5 77 12 78 7	1 56 30 0 34 50 1 8 50		16,9410 12,1579 14,0150	0,2871 0,0616 0,1403	42,0	
79 9 80 3	1 37 40 1 49 40		25,5656 9,5686 6,1163	0,3632 0,1526	12,0	
82 7 83 4	0 1 0 1 25 0 1 46 40		17,3061 12,4092	0,2140		•
84 7 85 5 86 3	0 41 50 0 46 20 0 20 40	6,7387 1,8035	8,5180	0,0518 0,0454 0,0054		12,0
87 3 88 3 89 5	1 34 20 3 7 10 1 2 20	16,3253 9,0655	8,2311	0,1129 0,4445 0,082 2		. 2,0
91 3	0 4 20 1 34 50	,	0,7563 8,2747	0,0005 0,1141	4,0	
92 3	0 21 30	1,8762 218,6937	634,8222	20,9158	278,0	117,25

ART. 111. Reduction of the Base measured on Salisbury Plain, to the Temperature of 62°.

The overplus of the 366th chain was measured by Mr. RAMSDEN, and found to be 9,939 feet; there-Feet. fore the apparent length of the base was 36590,061 By the measurement in the Duke of Marlborough's riding-house, the chain A was found to exceed 100 feet in the temperature of 54°, by 0,11425 inches; to which adding half the wear, namely, $\frac{1}{520}$ inch, we get o,11617 feet for the excess of the chain's length above 100 feet; therefore $\frac{0.11617}{12} \times 365.9$ (chains) = 3,542 feet, is the correction for excess and wear; which add +3,542The sum of all the degrees shown by the thermometers, was 146051; wherefore $\frac{140651}{5} - 54^{\circ} \times 365,9$ $\times \frac{0.0075}{12} = 5.232$ feet, is the correction for the mean heat in which the base was measured above 54°, the temperature to which the chains were reduced; and this add +5,232Hence these corrections, added to the apparent 26598,825 length, give Again, for the reduction to the temperature of 62°, viz. for 8° on the brass scale, we have $\frac{0.01237 \times 365.9 \times 80}{12}$ = 3,017 feet; which subtract - 3,017 By the tables, the sum of the versed sines of the

hypotenuses, or the corrections for reducing them to the plane of the horizon, is 20,916 feet; and this subtract - - - - 20

 $\frac{-20,910}{36574,902}$

The sum of the corrections, for the reduction of the several horizontal lines from the height of the different hypotenuses above the centre of the earth, to the height of Beacon Hill above ditto, is 0,521 feet; this add

+ 0,501

Therefore the apparent length of the base, as reduced to the level of Beacon Hill, is - feet


feet 36575,401

But it will be hereafter shown, that the height of Beacon Hill above the sea is 690 feet nearly, and that of King's Arbour 118, and of Hampton Poor House 86 feet; therefore the height of Beacon Hill above the mean point between King's Arbour and Hampton Poor House, is 588 feet, or 98 fathoms.

Now as the base thus reduced, may be supposed to have been measured 98 fathoms farther from the centre of the earth, than that on Hounslow Heath, it must be reduced to the same level. Therefore if we take 3481794 fathoms for the mean semi-diameter, and add 98 fathoms to it, we shall get the length by this proportion, viz. 3481892:3481794::36575,4:36574,4, the length of the base nearly.

With respect to that step by which the base is reduced to the level of Beacon Hill, or the correction 0,501 foot is obtained, it will be proper to show on what principle it is founded.

In the adjoining figure, let B a, a e, e c, and c O be the several hypotenuses, or measured lines; then will the sum of the corrections for their reduction to the plane of the horizon, as given in the table, exhibit that of the differences between the horizontal lines, b a, d e, f c, b O, and their corresponding hypotenuses.



Again, with the radius C B, C being the centre of the earth, describe the arc B I, or that subtended by the base, and through the terminations of the several hypotenuses, draw the lines C A, C D, C H, and C I; then will the lines B A, A D, D H and H I be those to which the horizontal ones b a, d e, f c, and b O are to be reduced, and which may therefore be done by the proportions of the lines, C a, C e, C c, and C O, to the constant radius C B. Upon this principle, the correction 0,501 foot has been obtained, and which is the sum of the differences between the lines b a, d e, f c, and b O, and their corresponding ones in the arc B I.

ART. IV. Height of Beacon Hill above the Southern Extremity of the Base.

The sum of the perpendiculars or elevations in	Feet.
the fourth column, is	218,6937
And of the depressions in the fifth column	634,8222
Therefore the depressions exceed the elevations	416,1285
The difference of the sums in the seventh and	
eighth columns, is, in feet	13,35

Hence the sum is the height of the beginning of the first chain above the end of the last, namely,

429,48

But the handle of the chain at Beacon Hill was 6,7 feet above the stone, and at the other end it was 1,3 feet; therefore their difference is 5,4 feet, which subtract

5,4

Hence the surface of the stone at Beacon Hill is higher than the surface of the stone at Old Sarum.

424,08

ART. V. Conclusion of this Section.

When this situation was first examined, and selected for the measurement, it was imagined that one of the extremities of the base would be fixed on somewhere near the southernmost clump of fir trees, not far from the Amesbury road, because from that spot Highclere can be seen. Those trees are near the 52d hypotenuse, and therefore about a mile from Beacon Hill; consequently, if that situation had been fixed on, the base would have been no more than six miles, and the correction for the reduction of the hypotenuses to the plane of the horizon only about 16 feet.

Now, although we think that the fixing on Beacon Hill as the northern extremity, is justified from the circumstance of a mile being added to the base, which is conceived to be more than a counterbalance for any errors which may arise from measuring down the side of a hill; there were other reasons which made it proper; a principal one is, that by selecting that spot, the base can be applied as a test to the triangles, without making the connection by means of several small ones; and another is, that if a place near the trees had been fixed on, a station must afterwards have been chosen on Beacon

Hill, in order to have a view of Long Knoll, near Maiden Bradley, and Inkpin Beacon towards Hungerford.

We shall now close this section by observing, that the measurement of this base has been almost without an alternative, since Sedgemoor, the only spot west of Salisbury proper for an operation of this kind, is about to be inclosed. Therefore had we not adopted this expedient, the triangles which may hereafter be carried on to the remote parts of the west of England, would probably have depended on the Hounslow Heath base. But we are led to believe, that this base has been measured with nearly the same accuracy which would have attended the operation, had the ground been nearly level; since there is a certainty of the angles, formed by the hypotenuses and the plane of the horizon, being determined within a minute of the truth. Now if an error of a minute in those inclinations, supposing them all to lie the same way, produce only that of three inches in the whole base, it may be concluded that 36574,4 is very nearly its true length.

SECTION FOURTH.

Calculation of the Sides of the great Triangles.

ART. 1. Of the Division of the Series into different Branches.

In order to methodize the contents of this section, it has been considered as proper to divide the series into different branches, as the triangles of which they are composed seem naturally to resolve themselves into distinct classes.

The first branch, is that which immediately connects the

base of departure on Hounslow Heath, with that of verification on Salisbury Plain, and is bounded by the sides connecting the stations, Hanger Hill, St. Ann's Hill, Bagshot Heath, Highclere, Beacon Hill, and Four Mile-stone on the north, and on the south side by Four Mile-stone, Dean Hill, Butser Hill, Hind Head, Leith Hill, and Banstead.

The second branch, is that which proceeds from the side Hind Head and Leith Hill, to the coast of Sussex and the Isle of Wight, and principally affords the sides which will be hereafter used in finding the distance between Beachy Head and Dunnose. This branch also proceeds westward for the survey of the coast, and is bounded by the sides connecting the stations Leith Hill, Hind Head, Butser Hill, Dean Hill, and Wingreen on the north, and on the south by those connecting the stations Nine Barrow Down, Motteston Down, Dunnose, Rook's Hill, Chanctonbury Ring, and Ditchling Beacon.

The third branch, is that which proceeds from the side Hanger Hill and Banstead, to Botley Hill and Leith Hill, and from thence towards Beachy Head and Brightling, joining the series formerly projected at Botley Hill and Fairlight Down; the branch being bounded to the westward by the sides connecting the stations Hanger Hill, Banstead, Leith Hill, Ditchling Beacon, and Beachy Head.

The fourth branch, or remaining class of triangles, is that by which the distance between Beachy Head and Dunnose is obtained, and is formed by the sides connecting the stations Beachy Head, Ditchling Beacon, Chanctonbury Ring, Rook's Hill, and Dunnose. ART. II. Of the Selection of the Angles constituting the principal Triangles, and the Manner of reducing them for Computation.

The angles of the several triangles, constituting the general series, are, with a very few exceptions, those arising from using the means of the several observations given in the foregoing part of this work; for although the rejecting of such as might apparently suit the purpose, would give the sums of the three angles of many of the triangles, nearer to 180 degrees plus the computed excess; yet as all the observations have been made with equal care, and are for the most part to be considered as of equal accuracy, it has been thought proper to select those means, as being the fairest mode of proceeding.

If the observations had been made on a sphere of known magnitude, and the angles accurately taken, the most natural method of computing the sides of the triangles from the measured bases, would be by spherical trigonometry; but if the magnitude was such, that the length of a degree of a great circle was equal to a degree of the meridian in these latitudes nearly, in order to obtain the sides true to a foot from such computation, with any facility, a table of the logarithmic sines of small arcs computed to every $\frac{1}{100}$ of a second of a degree, would be necessary, because the length of a second of a degree on the meridian is about 100 feet. As the lengths of small arcs and their chords are nearly the same (the difference in these between Beachy Head and Dunnose being less than 4 feet) it is evident this business might be performed sufficiently near the truth in any extent of a series of triangles, by plane

trigonometry, if the angles formed by the chords could be determined pretty exact. We have endeavoured to adopt this method in computing the sides of the principal triangles, in order to avoid an arbitrary correction of the observed angles, as well as that of reducing the whole extent of the triangles to a flat, which evidently would introduce erroneous results, and these in proportion as the series of triangles extended.

The length of a degree on the meridian in these latitudes being about 60874 fathoms, and that of a degree perpendicular to the meridian, about 61183; it follows, that the values of all the oblique arcs are between these extremes: now having obtained the sides of the triangles within a few feet by a rough computation, we take their values in parts of a degree, nearly as their inclinations to the meridian; this proportion, though not found on an ellipsoid, is sufficiently true for finding the values of the sides of the triangles; for in this case great accuracy is not necessary. With the sides thus determined, we compute the three angles of each triangle by spherical trigonometry; and taking twice the natural sines of half the arcs, we get, by plane trigonometry, the angles formed by the chords; then, from the differences of these angles we infer the corrections to be applied to the observed angles, to reduce them for computation: an example, however, will make this matter much plainer; for which purpose we shall take the very oblique triangle formed by the stations Beachy Head, Chanctonbury Ring, and Rook's Hill.

Hence the angles by spherical trigonometry will be

At Chanctonbury Ring		-	-	157 5	9 :	3 ["] ,29
Rook's Hill -	••			14 1	7 :	58,32
Beachy Head -		-	-	7 4	2 9	26,56
And the angles formed by	the	chords	` -	157 5	9	27,44
				14 1	8	3,44
				7 4	2 9	29,12

The respective differences are in the fourth column (triang. XXXIX.) In like manner the other differences in the same column have been obtained.

We have given the results to the second place in decimals, though perhaps they are true only to the nearest $\frac{1}{10}$ of a second.

In finding the angles formed by the chords, we have used Rheticus's large *Triangular Canon*, where the natural sines are given to every 10" of the quadrant, and computed to the radius 10000000000.

It is remarked, that great accuracy in the values of the sides in the degrees, &c. is not necessary, and that this is true will be found on examination; for in the foregoing example, if the sides of the triangle be varied, so that the resulting angles are several minutes different from those found above, still the differences between the spherical and plane triangles will be very nearly the same.

When the three angles of any triangle appear to have been observed correctly, by their sum being equal to 180 degrees plus the computed excess, the corrections for the chord angles have been added to, or taken from them, as that correction has been negative or affirmative, and the triangle rendered fit for computation. Also, if in any triangle, where the sum has either fallen short of, or exceeded 180 degrees plus the com-

puted excess, one or two of the observed angles have appeared to have been determined with sufficient accuracy, as shown by the agreement of the angles obtained upon different parts of the arch; the corrections for the chord angles have been added to, or taken from them, and the remaining angle or angles considered as erroneous. In the case of one angle being supposed right, and the other two wrong, the errors have been considered equal between the latter, unless the sum of the angles round the horizon at one of the stations, has indicated, that either the whole, or the greatest part of the excess or defect, was due to a particular angle. Likewise, when any triangle has been found in excess or defect, and all the angles have appeared to be determined with equal accuracy, the corrections for the reduction to the angles formed by the chords have been first applied, and then the errors considered equal.

What is called the spherical excess in the fifth column, is computed according to the rule, page 171. Phil. Transac. Vol. LXXX. These excesses above 180° would, of course, be exactly the same as the respective sums of the differences in the fourth column, if both were not obtained from approximating rules.

It is almost unnecessary to remark, that no computations have been attempted with the chords of the sides of the lesser triangles in the principal series.

ART. III. BRANCH I. Consisting of the Triangles which connect the Base of Departure on Hounslow Heath with that of Verification on Salisbury Plain, being bounded by the Sides connecting the Stations, Hanger Hill, St. Ann's Hill, Bagshot Heath, Highclere, Beacon Hill, and Four Mile-stone on the North; and on the South Side, by those connecting the Stations Dean Hill, Butser Hill, Hind Head, Leith Hill, and Banstead.

Distance from King's Arbour to Hampton Poor House, 27404,2 Feet.

No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error,	Angles corrected for calculation.	Distances.
	St. Ann's Hill - Hampton Poor House King's Arbour -	0 / " 44 18 52,25 61 26 34,5 74 14 35,25	4	#	- ,	0 ', " 44 18 51,75 61 26 33,75 74 14 34,5	Feet.
		180 o 2		0,21	+ 1,79	,	
		St. Ann's Hill	$\operatorname{from} \left\{ egin{array}{l} \mathbf{I} \\ \mathbf{K} \end{array} ight.$	Hamptor King's A	n Poor I arbour	House -	37753,5 34455,2
	Banstead - King's Arbour - St. Ann's Hill	25 15 42,25 71 46 23,25 82 57 58,25			- 42 P H	25 15 41 71 46 22 82 57 57	
		180 0 3,75		0,62	+ 3,13	się V	
		Banstea	d { s	Cing's A St. Ann'	arbour s Hill	 	80131,6* 76687,7
1	Hanger Hill - Hampton Poor House St. Ann's Hill	24 39 16,5 130 3 3,25 25 17 40,75 180 0 0,5	,	0,26	+ 0,24	24 39 16,5 130 3 3, 25 17 40,5	
		Hanger Hill	{ s	Hamptoi St. Ann'	n Poor l s Hill	House -	38670,0 69278,3**

No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles co		Distances.
IV.	Banstead - Hanger Hill - St. Ann's Hill	0 , 7 53 22 39 62 40 34 63 56 46	,75 — 0,35 ,75 — 0,39 ,75 — 0,39	" -	Į!	62 40 63 56	39,5 34,25 46,25	Feet.
		180 0 1	,25	1,1	+ 0,15			
		В	anstead {	Hanger St. Ann	Hill 's Hill		** \	77547,4 * 76688,4

By these triangles, the distances from St. Ann's Hill to Banstead are 76687,7 feet, and 76688,4 feet; the mean of which is 76688 feet; and with this distance the sides marked with asterisks have been determined by working back.

Banstead from St. Ann's Hill, 76688,0 feet.

v.	Leith Hill - Banstead - St. Ann's Hill	44	19 37 3	22,5 35,5 3	- 0,35 - 0,44 - 0,33		O,I	58 77 44	37	22,25 35, 2,75	
				Leith 1	$Hill \left\{ \begin{array}{l} 1 \\ 5 \end{array} \right.$	Banstead St. Ann'	l - 's Hill		•		6265 5,2 88019 ,8

Quadrilateral, formed by the Sides, St. Ann's Hill and Bagshot Heath, Bagshot Heath and Hind Head, Hind Head and Leith Hill, Leith Hill and St. Ann's Hill.

St. Ann's Hill from Leith Hill 88019,8 Feet,

VI.	Hind Head St. Ann's Hill Leith Hill		51 46 82	10 40 8	39,75 30,5 51	- 0,5 - 0,47 - 0,7			51 46 82	10 40 8	39,25 30,25 50,5	
			180	٥	1,25		1,7	- 0,45				
	$egin{array}{ccc} ext{Hind Head} & egin{array}{ccc} ext{St. Ann's Hill} & - \ ext{Leith Hill} & - \ ext{Lei$								111917,4* 82187,8*			
3 S 2												

No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.	Distances.
	Bagshot Heath Leith Hill - Hind Head	47 57 7 56 37 29,5 75 25 25,25	<u> </u>		,,,	47 57 6,5 56 37 29 75 25 24,5	Feet.
*		Bagshot F		•	+ 0,05 H ead		107115,9 * 92425,9*
VIII.	Bagshot Heath Leith Hill - St. Ann's Hill	53 52 14,25 25 31 21,5 100 36 23,5 179 59 59,25	- 0,2 - 0,6		1,71	53 52 14,25 25 31 22 100 36 23,75	
		Bagshot Heatl	n from S	St. Ann'	s Hill	•	46955,3*
ıx.	Bagshot Heath Hind Head - St. Ann's Hill	101 49 22,25 24 14 45,5 53 55 53 180 0 0,75	- 0,21 - 0,17		0,25	101 49 21,75 24 14 45,25 53 55 53	
	Girunal and an	Bagshot Heat	h from S	St. Ann'	s Hill	- ·	46955,4*

Bagshot Heath from Hind Head 92425,9 Feet.

х.	Highelere - Bagshot Heath Hind Head -	83	20	14,25	- 0,81 - 1,36 - 0,88			34 83 61	46 15 20 14 53 31	
		180	0	1,75	-	3,09	_ 1,34	-		
				Highc	lere {	Bagshot Hind He	Heath ead	•		142952,6 * 100972,2 *

No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles co for calcui	rrected lation.	Distances:
XI.	Butser Hill - Hind Head Highclere -	84 31 45,5 66 15 54,5 29 12 22	- 0,72			84 31 66 15 29 12	54,25	Feet.
		Butser l			— 0,7 . ead re		•	78905,7 * 148031,0 *
XII.	Dean Hill - Butser Hill Highclere -	62 22 48,75 48 28 41,5 69 8 35 180 0 5,25	·	4,07	+ 1,18	62 22 48 28 69 8	47 40 33	
		Dean I	Hill { }	Butser I Highcle	Hill re	- ^ _	Ť	156122,1 * 125084,9 *
XIII.	Beacon Hill - Highclere - Dean Hill	102 45 23,5 26 55 51,5 50 18 47,5 180 0 2,5			+ 1,2	102 45 26 55 50 18	22 50,75 47,25	
		Beacon	Hill {	Highcle Dean H	re ill	-	-	98594,4 58086,3

Triangles which connect the Base of Verification with the Sides Beacon Hill and Highelere, and Beacon Hill and Dean Hill.

xıv.	Thorney Down Highelere - Beacon Hill	53 22 30 12 59 10 113 38 16,75			·	53 12 113	22 31,25 59 10,75 38 18	
		179 59 56,75		0,6	<u> </u>			
		Thorney Do	wn { H	igheler eacon F	e Iill	-	•	112656 27634,4

-	the state of the s						-
No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.	Distances.
xv.	Old Sarum - Thorney Down Beacon Hill -	48 26 4,5 98 0 31 33 33 24,75		ll .	II	48 26 4,5 98 0 30,75 33 33 24,75	Feet.
		180 0 0,25		0,13	- ↓ 0,12		
		Old Sarum	from Tl	norney I	Own	-	20416,1
xvı.	Four Mile-stone Dean Hill - Beacon Hill -	72 4 48 39 29 3,25 68 26 10				72 4 47,5 39 29 3 68 26 9,5	v
		180 0 1,25		0,5	+ 0,75		
		Four Mile-s	tone {	Dean Hi Beacon I	ill - Hill	-	56775,0 38818,2
xvII.	Old Sarum - Four Mile-stone Beacon Hill -	85 58 22,5 70 1 47,5 23 59 51,75			6-	85 58 21,75 70 1 47 23 59 51,25	
		, ,,,,		•	+ 1,61		
		Old Sarum f	rom Fo	ur Mile-	stone	-	15826,4

ART. IV. The Length of the Base of Verification deduced from that on Hounslow Heath, and the foregoing Triangles.

The base on Hounslow Heath is 27404,2 feet, which, with the four first triangles, give 76688 feet for the mean distance of St. Ann's Hill and Banstead.

That mean distance, with the 5, 6, 7, 10, 11, 12, 13, 16, and 17th triangles, will give 36574,7 feet for the base of verification.

If the computation be made with the 8 and 9th triangles also, and the mean distance taken between Hind Head and Bagshot, the base will be 36574,3.

And those mean distances of St. Ann's Hill and Banstead, and Hind Head and Bagshot, with the 14 and 15th triangles (excluding the 16 and 17th), will produce 36574,6, and 36574,9 respectively.

Lastly;—if the computations are carried directly from one base to the other, independent of the mean distances and the 14 and 15th triangles, the greatest and least results will be 36574,8, and 36573,8, the mean being 36574,3 feet, or about an inch short of the measurement.

Of the several ways by which the base of verification, or distance between Beacon Hill and Old Sarum is deduced, the first seems to have the preference, because the angles of the 6 and 7th triangles appear to have been observed very correctly. The results from the 14 and 15th triangles cannot be considered as very conclusive, because the angle at Highclere is so acute that a trifling error in it will vary the distance from Beacon Hill to Thorney Down very considerably: and we had some reasons for being dissatisfied with this angle, and also that in the same triangle at Thorney Down, on account of the strain in the clamp. See Sect. 11. Art. VI.

Although the result of this comparison might afford some reason for supposing, that the sides of the triangles in this branch would be sufficiently near the truth, were all of them computed from the base on Hounslow Heath, yet, to approach more nearly to their correct distances, those which are marked with asterisks, have been computed with each base, and a mean of the results taken. The remaining sides have been determined by the bases in their vicinity.

ART. V. BRANCH II. Consisting of the Triangles which are bounded by the Sides connecting the Stations Leith Hill, Hind Head, Butser Hill, Dean Hill, Beacon Hill, Wingreen, Nine Barrow Down, Motteston Down, Dunnose, Rook's Hill, Chanctonbury Ring, and Ditchling Beacon.

Hind Head from Leith Hill 82187,8 Feet, mean Distance.

No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.	Distances.
XVIII.	Chanctonbury Ring Leith Hill - Hind Head -	0 , " 45 10 46,5 72 56 50,25 61 52 25,5 180 0 2,25	-		+ 0,45	45 10 46 72 56 49,25 61 52 24,75	Feet.
		Chanctonbur					102185,7 110774,4
xıx.	Chanctonbury Ring Leith Hill - Ditchling Beacon	86 44 41 32 43 57,5 60 31 24,75 180 0 3,25	- 0,39 - 0,38		+ 1,75	86 44 39,75 32 43 56,5 60 31 23,75	
a.		Chanctonbur					63469,1
~~	Rook's Hill - Chanctonbury Ring Hind Head -	82 42 45,75 47 12 38 50 4 37 180 0 0,75 Rook's Hill fi	— 0,45 — 0,46 —	1,6	0,85		85645,4

Butser Hill and Hind Head. Branch 1. 78905,7 Feet.

xxı.	Butser Hill Hind Head Rook's Hill	-	70 44 65 180	25 13 28 6,25 6 40,75	- 0,39 - 0,3 - 0,36	I,I	— I,I	70 25 44 28 65 6	6,25 40,75	
				Rook's		Hind H Butser I		-	-	81954,4 60933,8

~							1985
No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.	Distances.
XXII.	Dunnose - Butser Hill - Rook's Hill	24 44 15,5 80 21 58 74 53 45	- 0,52 - 0,81 - 0,65		l)	24 44 16 80 21 58,5 74 53 45,5	Feet.
	10	179 59 58,5		1,96	— 3,46		
		Dunnose fro	om Rook		-		143558,9
XXIII.	Dunnose - Butser Hill - Dean Hill -	55 43 7 76 12 22 48 4 32,25 180 0 1,25	- 1,54	5,0	- 3,75	55 43 6,75 76 12 21,5 48 4 31,75	
		Duni	nose $\left\{egin{array}{c} I \end{array} ight.$	Butser H Dean H	Iill ill -		140580,4 183496,2
XXIV.	Dunnose - Dean Hill - Nine Barrow Down	53 12 27,25 64 50 19 61 57 19,75	- 2,26 - 2,22		-0,5	53 12 25,5 64 50 16,75 61 57 17,75	
		Dunnose:				n - *	188181,8
	Distance from Beacon Plain	Hill to Dean	Hill, as	got by	the Bas	se on Salisbury	58086,3
xxv.	Wingreen - Beacon Hill - Dean Hill -	30 13 23 66 49 52,25 82 56 47	0,35 0,39 0,68			30 13 22,5 66 49 51,5 82 56 46	
		180 0 2,25		1,43	+ 0,82		7
) w	Wing	reen $\left\{ \begin{array}{l} 1 \\ 1 \end{array} \right.$	Beacon I Dean H	Hill ill -		1145 22,4 106089

^{*} This distance is the mean, as derived from the Salisbury Base, and from the side Butser Hill and Dean Hill.

3 T

								``
No of triangles.	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles c for calc	orrected ulation.	Distances.
xxvi.	Nine Barrow Down Wingreen - Dean Hill	39 34 28,75 88 58 47,75 51 26 45,5	0,82 1,59 0,82		# 	39 34 88 58 51 26	28,25 46,75 45	Feet.
		180 0 2		3,24	- 1,24			
		Nine Barrow D	$\operatorname{Pown}\left\{egin{array}{l} V \\ V \end{array}\right\}$	Wingree Dean Hi	en II	-	-	130224,5 166497
xxvII.	Motteston Down Nine Barrow Down Dean Hill		- 1,71 - 1,43 - 1,3			72 48 56 9 51 1	53,75	
				4,41				
		Motteston D	own { I	line Bar Dean Hi	rrow Do	own -	-	135489,6 144766
XXVIII.	Motteston Down Dean Hill - Butser Hill -	61 53 20,75	— 1,61 — 1,64 — 1,47			62 39 61 53 55 27	19	
			. 1	4,7			A	
·		Motteston D	own fro	m Butse	er Hill	-		155023,4
xxix.	Motteston Down Butser Hill Dunnose -		- 0,35 - 0,43 - 1,0			64 41 20 45 94 33	9,5	
	- *	179 59 59,5	1	1,8	_ 2,3			
		Motteston D	own fro	m Dun	nose	-	-	55104,3

The four sides of the first Branch, namely; Beacon Hill and Dean Hill, Dean Hill and Butser Hill, and Butser Hill and Hind Head, have been used in the computation of the sides of this branch, because they are supposed to be nearly true: had, however,

these triangles been considered as independent of those in the first branch, and the side Hind Head and Leith Hill been used as derived from the base on Hounslow Heath, nearly the same conclusions would have taken place; for the distance between Beacon Hill and Old Sarum would in that case be 36574,2 feet, which is only two and an half inches less than the measured base. This may be considered as a proof, that the angles of the triangles forming this branch are sufficiently correct, since the series which joins the two bases by this route, is nearly an hundred and twenty miles in extent. Some little variation in that result might be produced by a different correction of the angles of the 24th triangle: but as the angle at Butser Hill must be very nearly true, the other angles cannot, on any reasonable supposition, be so corrected as to make the computed base differ from the measured one more than six inches.

ART. VI. BRANCH III. Proceeding from the Side Hanger Hill and Banstead to Botley Hill and Leith Hill, and from thence to Brightling and Beachy Head, joining the Triangles with those of the late General Roy, at Botley Hill and Fairlight Down, being bounded to the westward by the Sides connecting the Stations Hanger Hill, Banstead, Leith Hill, Ditchling Beacon, and Beachy Head.

Hanger Hill from Banstead 77547,4 Feet.

No. of triangles	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.	Distances.
XXX.	Shooter's Hill - Hanger Hill - Banstead -	54 43 49,75 62 18 50 62 57 22	"	. ,,	"	54 43 49,25 62 18 49,5 62 57 21,25	Feet.
		180 0 1,75		1,4	+ 0,35		
		Shooter's	$egin{array}{c} egin{array}{c} egin{array}$	Hanger l Banstead	Hill l	-	84596 ,3 84107

No. of triangles.	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.	Distances.	
xxxi.	Botley Hill - Shooter's Hill Banstead -	85° 39′ 58″,5 37′ 8′ 25,75 57′ 11′ 36	<i>"</i>	n	"	85 39 58,25 37 8 25,75 57 11 36	Feet.	
	w.	180 0 0,25	4-	0,9	_ 0,65			
	Botley Hill { Shooter's Hill - Banstead -							
XXXII.	Leith Hill - Banstead - Botley Hill -	31 21 10 108 50 48,25 39 48 2,5 180 0 0,75	- 0,53 - 0,06		+ 0,05	31 21 9,75 108 50 47,75 39 48 2,5	-	
	*	Leith H	-			<u>-</u>	92631,5	

In this triangle, using the side from Leith Hill to Banstead as got by the first branch, we find the distance between Leith Hill and Botley Hill to be 92632,9 feet; hence the mean distance is 92632,2 feet.

XXXIII.	CrowboroughBeacon Botley Hill - Leith Hill -	46 12 11,75 89 35 1 44 12 49 180 0 1,75	- 0,98 - 0,45	, ·	46 12 89 35 44 12	0,25	
		Crowborough	Beacon $\left\{egin{array}{l} ext{Botley} \ ext{Leith} \end{array} ight.$	Hill Hill		-	89492,5 128331,9
xxxiv.	Ditchling Beacon CrowboroughBeacon Leith Hill -	78 18 27 63 24 37,25 38 16 59,75	- 0,62		78 18 63 24 38 16	25,5 36,25 58,25	
		180 0 4	2,2	+ 1,8		•	
	de un de la companya	Ditchling Be	${f acon} \; \left\{ egin{array}{l} {f Leith} \; {f H} \\ {f Crowbo.} \end{array} ight.$	ill rough B	eacon		117190,4 81192,2

No. of triangles.	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.	
xxxv.	Brightling - CrowboroughBeacon Ditchling Beacon	43 29 1,5 105 2 44 31 28 17,75 180 0 3,25				0 , " 43 29 I 105 2 42 31 28 17	Feet.
		Brightl	$\log \left\{ egin{array}{l} G \end{array} ight.$	Crowbor Ditchlin	rough B g Beaco	eacon - on -	61597,6 113942,3
XXXVI.		73 58 26,5 46 32 19 59 29 14			- 2,5	73 58 26,5 46 32 19,5 59 29 14	
		Beachy F	$\operatorname{Aead} \left\{ egin{array}{l} \operatorname{I} \end{array} ight.$	Ditchlin Brightlir	g -	· **	102132,4 86048
XXXVII.	Fairlight Down Brightling - Beachy Head -	59 33 1,75 80 44 19,25 39 42 39	- 0,39 - 0,51 - 0,36	1,28	<u> </u>	59 33 1,75 80 44 19,25 39 42 39	/
		Fairlight Do	own { B	rightlin eachy H	ig Iead		63773,1 98513,7

ART. VII. Comparison of the Distances from Botley Hill to St. Ann's Hill, and Fairlight Down, deduced from the recent Observations, and those of General Roy in 1787, 1788.

The stations on St. Ann's Hill, Botley Hill, and Fairlight Down, connect our triangles with those of General Roy; and therefore the two distances from the middle station, Botley Hill, which are common to both series of triangles, afford

the readiest, and indeed almost the only means of comparing independent deductions from both operations; the triangle St. Ann's Hill, King's Arbour, Hampton Poor House excepted.

The distances from the station at the Hundred Acres to St. Ann's Hill and Botley Hill, according to General Roy (see the 4th and 9th triangles in his account) are 79211,22, and 48726,75 feet; and from the 4th, 5th, and 9th triangles it appears, that the included angle at that station is 169° 25′ 21″,25; these give 127424,3 feet for the distance of St. Ann's Hill and Botley Hill; this distance, however, is deduced from the base on Hounslow Heath, supposing it to be 27404,7 feet; but its mean length, according to both measurements, being 27404,2 feet, we shall have 27404,7:27404,2::127424,3:127422 feet, for the distance of the stations from that mean length of the base.

According to our observations, the distances of St. Ann's Hill and Botley Hill from Leith Hill are 88019,8 and 92632,2 feet respectively, and the included angle for computation at Leith Hill 89° 40′ 32″; hence, from our triangles, the distance of the stations will be 127420 feet; which is 2 feet less than that from General Roy's triangles.

Before we compute the distance from Botley Hill to Fairlight Down, it will be necessary to premise, that an error has crept into General Roy's reduction of the measured base on Romney Marsh (see Phil. Trans. Vol. LXXX.); which, however, cannot be discovered without consulting his account of the measurement of the other base on Hounslow Heath. We are informed (page 131, Vol. LXXX.), that when the new points on the chain were laid off from the original points on the great plank in Mr. Ramsden's shop, Fahrenheit's ther-

mometer was at 55°*, but the temperature is omitted when those points in the plank were transferred from the brass standard. The "original points" must be those alluded to in the General's account of the Hounslow Heath base (Phil. Trans. Vol. LXXV. p. 403), which were fixed in the plank from the brass standard in the temperature of 63°; but it is probable that General Roy supposed them to have been transferred in 62°, and, through mistake, subtracted the sum of the two first corrections in page 131, instead of their difference, which in that case would have been the true correction for the contraction of the chain. The error however, is about 33 inches: for since the chain in the temperature of 55° was equal to 100 feet of the brass standard in that of 63°, it follows, from the table of expansions in the General's account of the Hounslow Heath base, that its length in 53°_{10} was equal to 100 feet of the brass standard in 62°; and therefore 53°4 is the temperature to which the measurement by the chain should be reduced. Now the apparent length being 258,36736 chains, and 68290,5 the sum of all the degrees shown by the thermometers

in the table, page 134, we have $285,36736 \times 53\frac{4}{10} - \frac{68290,5}{5} \times$,00763 inches = 12,8 inches, the contraction below $53^{\circ}\frac{4}{10}$; this, with the other corrections applied to the apparent length, give 28535 feet 8 inches, instead of 28532 feet 11 inches.

To determine the distance from Hollingbourn Hill to Fairlight Down from this base (28535,66 feet) by means of the fewest triangles, we suppose, according to General Roy (page

^{*} That this was the temperature, appears in a great degree from various comparisons we made with the chain and the two new ones on Hounslow Heath: Sir J. BANKS very obligingly favoured us with the Society's chain, for the purpose of trying its length with the new chains.

177) that the observed angle at Hollingbourn Hill, between Allington Knoll and Fairlight Down, was 48° 56′ 31″,5, and reduce it to 48° 56′ 30″ for computation; then from the 24th, 23d, and 22d triangles, and the triangle

Hollingbourn Hill - 48° 56′ 30″ Allington Knoll - 88 25 44 Fairlight Down 42 37 46

we get 141759,6 feet for the distance of Hollingbourn Hill and Fairlight Down.

The distance of those stations as deduced from the other base (27404,7) is 141748,5 (see remarks in Vol. LXXX. p. 595); hence 27404,7: 27404,2:: 141748,5: 141746 feet nearly, their distance from the mean of the measurements on Hounslow Heath; therefore the mean distance resulting from both bases is 141753 feet nearly. Now with this distance, and the 13th, 12th, and 11th triangles, we shall find the distance from Hollingbourn Hill to Botley Hill 150971 feet; and the angle at Hollingbourn Hill, between Botley Hill and Fairlight Down 88° 27′ 0″,25; these will give the distance from Botley Hill to Fairlight Down, 204275,5 feet.

To determine this line from our triangles, we have 92632,2 and 117190,4 feet for the distances of Botley Hill and Ditchling Beacon from Leith Hill; also 102132,4 and 98513,7 feet for the distances of Ditchling Beacon and Fairlight Down from Beachy Head; from these, with the included angles at Leith Hill and Beachy Head, we find Ditchling Beacon from Botley Hill 139567,4, and from Fairlight Down 167986,5 feet, and the included angle at Ditchling Beacon 82° 41′ 6″,8; hence the distance from Botley Hill to Fairlight Down will be 204276 feet nearly.

So near an agreement in a length of almost 39 miles, can only be attributed to chance.

Hence it appears, that a difference of 5 or 6 feet in about 27 miles (the distance of the stations Hollingbourn Hill and Fairlight Down), may be supposed in General Roy's deductions on account of the variations, or corrections in the bases on Hounslow Heath, and Romney Marsh; this difference, however, is too trifling to be of consequence in any of his principal conclusions.

ART. VIII. BRANCH IV. Consisting of the nearest Triangles to the northward of Beachy Head and Dunnose, for finding the Distance between those Stations.

No. of triangles.	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.
	Dunnose - Rook's Hill - Chanctonbury Ring	15 43 °° 137 16 48,5 27 °° 13	+ °,55 - 3,88 + 1,37	II.	ll.	15 43 0,5 137 16 44,5 27 0 15
*		180 0 1,5		1,96	— 0,4 6	

By this triangle, using the distance from Rook's Hill to Chanctonbury Ring as found by the first branch, we get the distance between Rook's Hill and Dunnose, 143559,3 feet; but by the same branch, 143558,9 feet was found to be the distance; and if the side Butser Hill and Dean Hill be made the base, we shall get, by the 22d and 23d triangles, the distance from Rook's Hill to Dunnose 143557,1 feet: hence 143558,4, the mean of these three distances with the above triangle, give 214498,4 feet, for the distance between Dunnose and Chanctonbury Ring.

No. of triangles.	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.
XXXIX.	Beachy Head - Rook's Hill Chanctonbury Ring	7 42 37 14 17 33,25 157 59 50,75	+ 2,56 + 5,12 - 8,85	,,,	II .	7 42 40 14 17 38 157 59 42
		180 0 1		1,19	-0,19	

By this triangle, with the side Chanctonbury Ring and Rook's Hill, as found by the second branch, we get the distance between Chanctonbury Ring and Beachy Head, 157592,5 feet; and by the following triangle

XL.	Beachy Head - Ditchling Beacon - Chanctonbury Ring	13 143 22	58 9 52	29,5 31,5 3,25	+ 0,48 - 2,35 + 0,99			13 143 22	58 9 52	28 30 2	•
	Į.	180	0	4,25		0,9	+ 3,35	·			

using the side Chanctonbury Ring and Ditchling Beacon as got by the second branch, we get another distance between Beachy Head and Chanctonbury Ring, namely, 157590,8 feet; wherefore the mean distance is 157591,6; and this, with the 39th triangle, give 239160,2 feet for the distance between Rook's Hill and Beachy Head: hence we have four principal distances, namely,

No. of triangles.	Names of stations.	Observed angles.	Diff.	Spheri- cal excess.	Error.	Angles corrected for calculation.
ÆLI.	Beachy Head - Rook's Hill - Dunnose -	20 46 53 122 59 14,5 36 13 58		n	n	20 46 52,75 122 59 8 36 13 59,25
		180 0 5;5		6,77	- 1,27	
XLII.	Dunnose - Chanctonbury Ring Beachy Head -	20 30 58 130 59 37,75 28 29 30	+ 0,86 - 8,77 + 1,92			20 30 58,75 130 59 29 28 29 32,25
		180 0 5,75	-	6,01	_ 0,26	

give the four distances of Beachy Head from Dunnose, as beneath:

Hence 339397,6, the mean, may be considered as very nearly the true distance.

In the correction of the angles of the triangles which compose this branch, we have been a little more particular than with the others of the series, as it is of much consequence that the distance between Beachy Head and Dunnose should not be left doubtful.

In the 42d triangle, it must be observed, that there is a defect of $\frac{1}{4}$ " nearly in the sum of the observed angles; in the 38th, about $\frac{1}{2}$ a second; and in the 41st, a defect of about 1" $\frac{1}{4}$: the sum in the 39th is nearly right, but the angles of it are considered as residuary, or remaining angles; the triangle being too oblique to be admitted as a principal one in the series, though numbered and inserted as such.

Now it is evident, that if all the angles of the four triangles contained in the quadrilateral formed by the stations on Dunnose, Rook's Hill, Chanctonbury Ring, and Beachy Head, were accurately corrected for computation, the distance from Beachy Head to Dunnose would be found the same from each triangle, by making use of the side Rook's Hill and Chanctonbury Ring (which is common to the two most oblique ones): therefore, having assumed that distance, we found by computation, that if each of the above errors is supposed to be in one angle only of the respective triangles, these angles must be the three observed ones, namely, 28° 29′ 30″; 27° 0′ 13″; and 122° 59′ 14″,5; these are augmented accordingly, before the angles are finally corrected for computation. The angles of the 39th triangle, resulting from those of the other triangles, are

```
Chanctonbury Ring - 157° 59′ 51″,25
Rook's Hill - - 14 17 32,75
Beachy Head - 7 42 37,25
```


before they are reduced to the angles formed by the chords.

ART. IX. Containing the Triangles belonging to the Series which have had only two of their three Angles observed.

Highclere and Beacon Hill 98694,4 feet.

Names of stations.	Observed angles.	Sphe- rical excess.	Angles cor- rected for calculation.	Distances.
Inkpin Beacon - Highclere - Beacon Hill -	56 0 29,75 17 32 38,5		106 26 52,25 56 0 29,5 17 32 38,25	Feet.
Ir	kpin Beacon {	30948 85321		

Wingreen and Beacon Hill 114522,4 feet.



Wingreen and Nine Barrow Down 130224,5 feet.

Bull Barrow - Nine Barrow Down Wingreen -	31 57 25,25 54 29 25,75	93 33 0,75 31 57 25 54 29 34,25	•
Bu	$\frac{1}{1}$ Barrow $\begin{cases} Nine B \\ Wingree \end{cases}$	arrow Down	106212,2 69058

Names of stations.	Observed angles.	Sphe- rical excess.	Angles cor- rected for calculation.	Distances.			
Bull Barrow - Nine Barrow Down Black Down -	98 58 19,25 56 30 18,5		84 31 24 38 58 18,75 56 30 17,25	Feet.			
Black Down {Nine Barrow Down 126781,2 80103,6							

With respect to this last triangle, it must be observed, that in the future prosecution of the survey, the side Bull Barrow and Blackdown will be obtained by another method, the result of which, when combined with that given by this triangle, will afford a more accurate means of determining other distances which will hereafter depend upon it. This triangle, and likewise the rest of them in this article, are inserted here, as the distances deduced from them are supposed to be nearly true; they may possibly be of some service at present; but at a future period they will be given in a more perfect state.

ART. X. Triangles for finding the Distance between Nettlebed and Shooter's Hill.

Shooter's Hill from Botley Hill, 70894,9 feet.

Names of stations.	Observed angles.	Sphe- rical rected for excess. calculation.		Distances.
Leith Hill - Botley Hill - Shooter's Hill -	23 20 51 125 28 1 31 11 7,5	"	23 20 51 125 28 1,25 31 11 7,75	Feet.
	179 59 59,5	1,23		
Leith Hill	from Shooter's	Hill	-	145696,2

St. Ann's Hill and Leith Hill, 88019,8 feet.

Shooter's Hill - St. Ann's Hill - Leith Hill -	36 8 77 31 66 19	50,75 32,75 41,5	*	36 8 77 31 66 19	49,5 30,75 39,75	
	180 0	5	2,77			
Shooter's Hill { St. Ann's Hill - 136665,5 14,5698,6						

Hence the mean distance between Shooter's Hill and Leith Hill is 145697,4.

Hind Head and Leith Hill, 82187,8 feet.

Names of sta	Observed stations. angles.		Sphe- rical excess.	Angles cor- rected for calculation.		Distances.		
Nettlebed Hind Head Leith Hill		94 62	, 9 5	57,5 6		° 23 94 62	$44 5^{8},75 \\ 9 56,25 \\ 5 5$	Feet.
		180	0	5	3,48			
	Nettle	$bed\ ig\{$	H	ind He	ead ill			180325,4 203531,5

Then by using the sides Shooter's Hill and Leith Hill, and Nettlebed and Leith Hill, in the following triangle,

Shooter's Hill Leith Hill Nettlebed	56 48 31 86 23 25,75		56 48 29 86 23 23,25 36 48 7,75	
	ž.	6,97		

we get 242730 and 242732 feet for the distance of Shooter's Hill from Nettlebed, the mean being 242731 feet.

SECTION V.

Of the Direction of the Meridians at Dunnose and Beachy Head; and the Length of a Degree of a great Circle, perpendicular to the Meridian, in Latitude 50° 41'.

ART. 1. Of the Direction of the Meridian at Dunnose with respect to Brading Staff.

On April 28th in the afternoon, the angle between the pole star, when at its greatest apparent elongation from the meridian, and the staff, was observed And on April 29th in the morning 18 24 Wherefore half their sum is the angle between the meridian and Brading staff, namely 21 14 11,5 On May 12th, in the afternoon, the angle between the star and staff was observed 24 4 29,5 And on May 19th, in the morning 18 23 53,25 Wherefore half their sum is the angle between the meridian and Brading staff, namely 21 14 11,4 Hence 21° 14′ 11″,5, may be taken for the angle between the meridian and Brading staff, as determined by the double azimuths.

The apparent polar distances of the star, on those days which do not refer to corresponding observations on the opposite side of the meridian, are as follow:

Azim.

April 21st 1 47 57,2 which, with the lat. of Dunnose, viz. 50° 37′ 8″ 2 50 11,2 April 22d 1 47 57,4 May 5th 1 48 0,7 which, with the lat. of Dunnose, viz. 50° 37′ 8″ 2 50 11,5 muths for those days

And these subtracted from the observed angles $\begin{cases} 21 & 14 & 10,05 \\ 21 & 14 & 10,5 \end{cases}$ (see Sect. II. Art. VII.) give - $\begin{cases} 21 & 14 & 10,05 \\ 21 & 14 & 10,45 \end{cases}$

The mean of which is 21° 14′ 10″,3 for the angle between the meridian and the staff, which is a little more than 1″ different from that obtained by the double azimuths; we shall, however, take 21° 14′ 11″,5 for the true angle.

ART. 11. Of the Direction of the Meridian at Beachy Head with respect to Jevington Staff.

On August 1st, in the morning, the angle between the pole star and the staff was observed 24 38 20,25 And at night 30 19 49,5 Therefore half their sum is the angle between the meridian and Jevington staff, namely On August 2d, at night, the angle between the star and staff was observed 30 19 50,25 And on August 3d, in the morning ` 24 38 23,5 Therefore half their sum is the angle between the meridian and Jevington staff, namely Hence 27° 29′ 6″, the mean by the double azimuths, may be taken as the angle between the meridian and the staff.

The apparent polar distances of the star, on those days which do not refer to corresponding observations on the opposite side of the meridian, are as follow:

Azim.

July
$$\begin{cases} 15 \text{th } \stackrel{\circ}{1} \stackrel{\circ}{48} & \stackrel{\circ}{4,6} \\ 16 \text{th } 1 & 48 & 4,4 \\ 26 \text{th } 1 & 48 & 2,9 \\ 30 \text{th } 1 & 48 & 2 \\ 11 \text{th } 1 & 47 & 59,3 \end{cases}$$
 which, with the latitude of Beachy Head, viz. $50^{\circ} \stackrel{\circ}{44}^{\circ} \stackrel{\circ}{49,4} \stackrel{\circ}{49,1} \stackrel{\circ}{25^{\circ}} \stackrel{\circ}{49,1} \stackrel{\circ$

And these applied to the observed angles, give $-\begin{cases} 27 & 29 & 5,1 \\ 27 & 29 & 8,4 \\ 27 & 29 & 5,7 \\ 27 & 29 & 5,2 \\ 27 & 29 & 6,25 \end{cases}$

The mean of which is 27° 29′ 6″,1, for the angle between the meridian and Jevington staff, being the same as that obtained from a mean of the double azimuths.

ART. 111. Determination of the Length of a Degree of a great Circle, perpendicular to the Meridian, in Latitude 50° 41'.

In Tab. XLV. fig. 1. let D and B be Dunnose and Beachy Head, and P the pole, forming the spheroidical triangle DPB; and let C and A be the staffs at Jevington and Brading Down, respectively.

Now the angle at Dunnose, between the meridian and the staff, or PDA, was found by the double azimuths to be - - - 21 14 11,5

And the angle between the staff and the station on Beachy Head, or ADB - 60 42 41,5

Therefore their sum is the angle between the meridian and the station on Beachy Head, or PDB; which is - - 8

81 56 53

Again; at Beachy Head the angle between the meridian and the staff, or PBC, was found by the double azimuths to be - - - -

27 29 6

And the angle between the staff and the station on Dunnose, or CBD - -

69 26 52

Therefore their sum is the angle between the meridian and the station on Dunnose, namely - 96 55 58

Hence, in the spheroidical triangle DPB, we have the angles PDB and PBD given.

Again. in fig. 2. let PGM be the meridian of Greenwich; then, if MB be the parallel to the perpendicular at G, Greenwich, we shall get (by Sect. vi. Art. ii.) MB = 58848 feet, and GM = 269328 feet; therefore, taking 60851 fathoms for the length of the degree on the meridian, as derived from the difference of latitude between Greenwich and Paris, applied to the measured arc (see Phil. Trans. Vol. LXXX.) we get GM = 44' 15'',26; consequently the latitude of the point M, (that of Greenwich being 51° 28' 40''), is 50° 44' 24'',74; and the co-lat. PM = 39° 15' 35'',26.

With respect to the value of the arc MB, for the present purpose, it is not of consequence on what hypothesis it be obtained; but if 61173 fathoms be assumed for the length of a degree of a great circle perpendicular to the meridian at M, then MB = 9' 37'',19, and the latitude of B, or Beachy Head, will be found = 50° 44' 23'',71.

Again; in fig. 3. let WB be the arc of a great circle perpendicular to the meridian of Beachy Head at B, meeting that of Dunnose in W; and let DR be another arc of a great circle perpendicular to the meridian of Dunnose in D, meeting that of Beachy Head in R; then we shall have two small spheroidical triangles WBD and RDB having in each two angles given, namely, WDB = 81° 56' 53'', and WBD = 6° 55' 58'' in the triangle WBD; and DBR = 83° 4' 2'', with BDR = 8° 3' 7'' in the triangle DBR; and these reduced to the angles formed by the chords, give the following triangles for computation, namely,

In the triangle WBD
$$\begin{cases} WBD = \mathring{6} & 55 & 57,2 \\ WDB = 81 & 56 & 52,4 \\ DWB = 91 & 7 & 10,4 \end{cases}$$

And in the triangle BDR $\begin{cases} BDR = 8 & 3 & 6 \\ DBR = 88 & 4 & 1 \\ DRB = 88 & 52 & 53 \end{cases}$

In which it must be noted, that the reduced angles are given to the nearest $\frac{1}{4}$ ".

Now the chord of the arc BD, or the distance between Beachy Head and Dunnose, is 339397,6 feet (vide Sect. IV. Art. VIII.), which used in the

```
Triangle WBD \left\{ \begin{array}{l} BW \equiv 336115,6 \text{ feet} \\ DW \equiv 40973,4 \text{ feet} \end{array} \right\} and the triangle \left\{ \begin{array}{l} DR \equiv 336980 \text{ feet} \\ BR \equiv 47547,1 \text{ feet.} \end{array} \right\}
```

Again; let BL and DE be the parallels of latitude of Beachy Head and Dunnose, meeting the meridians in L and E: then, to find LW and ER we have two small triangles which may be considered as plane ones, namely, LBW and EDR, in which the angles at W and R are given, nearly.

Now the excess of the three angles above 180° in the triangle DBW, considered as a spherical one, is 3'' nearly; therefore the angle DWB will be 91° 7′ 12″ nearly; hence BWL = 88° 52′ 48'': consequently the angle BLW = 90° 33′ 36'', and LBW = 0° 33′ 36''. Therefore with the chord of the arc WB = 336115.6 feet, we get WL = 3285.2 feet, which added to WD, as found above, gives 44258.6 feet, for the distance between the parallels of Beachy Head and Dunnose.

Again; in the triangle B D R, considered as a spherical one, the excess is about $3''\frac{1}{2}$; hence, from the two observed angles at D and B, namely, 8° 3′ 7′′, and 83° 4′ 2″, we get the third angle BRD=88° 52″ 54″,5; and taking the triangle ERD as a plane one, the other angles will be 0° 33′ 32″,75 (EDR), and 90° 33′ 32″,75 (DER); therefore, with the chord

of the arc DR = 336980 feet, we get RE = 3288.2 feet, which taken from BR, as found above, leaves 44258.9 feet for the meridional arc, or the distance between the parallels of Beachy Head and Dunnose; which is nearly the same as before.

This method of determining the distance between the parallels is sufficiently correct; but the same conclusion may be deduced from a different principle, thus:

Let the difference of longitude, or the angle at P, be found, on any hypothesis of the earth's figure, and likewise the latitudes of Beachy Head and Dunnose; with these compute the latitudes of the points E and L; then it will be found, that the arc R E is $\frac{5}{100}$ " greater than LW; and since $\frac{1}{100}$ of a second on the meridian is nearly a foot, R E is 5 feet more than LW; hence $\frac{47547,1-5+40973,4}{2} = 44257,8$ feet is the distance between the parallels, and which is very nearly the same as found by the other method.

It seems therefore, that whatever be the value of the arch between those parallels in parts of a degree, the distance between them is obtained sufficiently near the truth; therefore, taking 60851 fathoms for the length of a degree on the meridian, we get the arch subtended by 44258,7 feet = 7' 16'',4, which subtracted from the latitude of Beachy Head, namely, 50° 44' 23'',71, leaves 50° 37' 7'',31 for the latitude of Dunnose.

We have therefore, for finding the length of the degree of a great circle perpendicular to the meridian at Beachy Head, or Dunnose, the latitudes of the two stations, and the angles which those stations make with each other and the pole.

Now it is proved in the Philosophical Transactions, Vol. LXXX. that the sum of the horizontal angles (such as PDB, PBD, fig. 1.) on a spheroid, is nearly the same as the sum of those which would be observed on a sphere, the latitudes, and

also the difference of longitude being the same on both figures. We therefore shall have recourse to that determination, and apply it to the present question.

The co-latitudes of D and B, or the arches DP and BP, are 39° 22′ 52″,69, and 39° 15′ 36″,29, therefore half their sum is 39° 19′ 14″,49, and half their difference 3′ 38″,2.

Half the sum of the angles PDB and PBD is $89^{\circ}\ 26'\ 25'',5$; therefore, as tang. $39^{\circ}\ 19'\ 14'',49:tang.\ 3'\ 38'',2::tang.$ $89^{\circ}\ 26'\ 25'',5:tang.\ 7^{\circ}\ 31'\ 57'',71$, or half the difference of the angles: hence the angles for computation are $81^{\circ}\ 54'\ 27'',79$, and $96^{\circ}\ 58'\ 23'',21$, which, with the co-latitudes of D and B, give the difference of longitude between Beachy Head and Dunnose, or the angle DPB = $1^{\circ}\ 26'\ 47'',93$.

We have now two right angled triangles, which may be considered spherical, namely, PBW, and PDR, in which the angle at the pole P is given, and likewise the sides PB and PD; therefore, using these data, we find the arc BW = 54' 56'',21, and the arc DR = 55' 4'',74.

The chords of the two perpendicular arcs are about $g_{\frac{1}{2}}^{\frac{1}{2}}$ feet less than the arcs themselves; therefore BW = 336119,1 feet, and DR = 336983,5 feet; and by proportioning these arcs to their respective values in fathoms, we get the length of the degree of the great circle perpendicular to the meridian in the middle point between W and B = 61182,8 fathoms, and in the middle point between R and D = 61181,8 fathoms. Therefore 61182,3 fathoms is the length of a degree of the great circle perpendicular to the meridian, in latitude 50° 41', which is nearly that of the middle point between Beachy Head and Dunnose.

If the horizontal angles, or the directions of the meridians,

have been obtained correctly, the difference of longitude between Beachy Head and Dunnose, as thus found, must be very nearly true; since the difference between the sums of the angles which would be observed on a spheroid and those on a sphere, having the latitudes and the difference of longitude the same on both figures as those places, is so small as scarcely to be computed: and it is easy to perceive, that the distance between the parallels is obtained sufficiently correct, since an error of 15 or 20 feet in that meridional arc, will vary the length of the degree of the great circle but a very small quantity.

It may possibly be imagined, that because the vertical planes at Dunnose and Beachy Head do not coincide, but intersect each other in the right line joining these stations, neither of the two included arcs is the proper distance between them, and that the nearest distance on the surface must fall between these arcs; but it is easy to show, that in the present case, the difference must be almost insensible.

In fig. 4, let B be Beachy Head, and E B P its meridian, and N and M, the points where the verticals from Beachy Head and Dunnose respectively meet the axis P P.

Now it is known, that if the planes of two circles cut each other, the angle of inclination is that formed by their diameters drawn through the middle of the chord, which is the line of intersection. Therefore, if we draw B M, and also conceive D to be Dunnose, and E P its meridian, and join D N; it is evident, that either of the angles N B M, N D M will be the inclination of the planes very nearly, because of the short distance between the stations, and their small difference in latitude. In the ellipsoid we have adopted, the distance M N

is about 62 fathoms, and hence the angle N B M, or N D M, will be found between 2 and g''. The value of the arc between the stations is about 55' 30'', and its length 339401 feet; hence the versed sine of half the arc will be 685 feet nearly; now, suppose the versed sines to form an angle of g'', the greatest distance of the vertical planes on the earth's surface between the stations, will be but about $\frac{1}{10}$ of an inch.

It may also be remarked, that the inclination here determined, is the angle in which the vertical plane at one station cuts the vertical at the other; and therefore no sensible variation can arise in the horizontal angles, on account of the different heights of the stations.

If the figure of the earth be that of an ellipsoid, (fig. 5.) then B R, which is perpendicular to the surface at the point B, is the radius of curvature of the great circle, perpendicular to the meridian at that point; therefore the length of a degree of longitude is obtained by the proportion of the radius to the cosine of the latitude. Thus at Beachy Head, where the length of the degree of a great circle is 61183 fathoms nearly, we have this proportion; rad.: cosine 50° 44' 24":: 61183: 38718 fathoms, for the length of the degree of longitude. And at Dunnose, as rad.: cosine 50° 37′ 7″:: 61182: 38818 fathoms for the length of the degree of longitude, being about 100 different from the former. But nearly the same conclusions may be otherwise deduced; for the chords of the parallels may be found from the small triangles BWL and DER, (fig. 9.) and these, when augmented by the differences between them and the arcs, give the length of the degree of longitude at Beachy Head 38719 fathoms, and Dunnose 38819 fathoms.

MDCCXCV. 3 Y

ART. IV. PROBLEM.

Having given the length of a degree of a great circle perpendicular to the meridian, in the latitude whose tangent is t, and cosine s, and likewise the length of a degree upon the meridian, to find the diameters of the earth, supposing it an ellipsoid.

In fig. 5. let A P A P be the elliptical meridian, passing through the point B, the tangent of its latitude being t, and cosine s; and put A C = T, C P = C, D = the length of the degree of the great circle, d = that of the degree upon the meridian, and $r = 57^{\circ},29$ &c. the degrees in radius. Then, if B F, and A F be the ordinate and abscissa to the point B;

F C =
$$\sqrt{\frac{T^2}{T^2 + t^2 C^2}}$$
,

$$\begin{cases}
r D = \frac{T^2}{s\sqrt{T^2 + t^2 C^2}} = B \text{ R, the radius of curvature of the great circle,} \\
r d = \frac{C^2 T^2}{s\sqrt{T^2 + t^2 C^2}} \text{ the radius of curvature of the meridional degree.}
\end{cases}$$

These equations give $D C^2 = d s^2 \cdot \overline{T^2 + t^2 C^2}$; hence $C = s T \sqrt{\frac{d}{D - d t^2 s^2}}$; therefore $C : T :: \sqrt{d} : \sqrt{D + D - d \cdot t^2}$, which call as 1 : m; then $rD = \frac{m^2 C}{s\sqrt{m^2 + t^2}}$; and $C = \frac{s rD\sqrt{m^2 + t^2}}{m^2}$; therefore T may readily be found.

Meridian, which have been measured in different Latitudes, with those computed on three Ellipsoids whose Magnitudes have been determined by data applied to the Conclusions derived from the foregoing Problem.

Deg. on meridian in lat. 50° 41' - Deg. perp. to meridian -			1st. Ell 60851 61182		2d. Ell 60870 61182	ipsoid.	3d. Ell 60851 61191	ipsoid.
	Lat. A	Aeasured Fath.	Com- puted.	Diff.	Com- puted.	Diff.	Com- puted.	Diff.
Bouguer, &c	0 0	60482	60122	-360	60183	-299	60103	-379
Mason and Dixon -	39 12	60628	60607	- 2 Į			60600	- 28
Boscovich, &c.	43 0	60725	60687	38	60716	- 9	60683	42
Cassini	45 0	60778	60730	 48	60756	- 22	60727	- 51
Leisganig -	48 43	60839	60806	- 30	60831	8	60808	- 3 I
Betw. Green. and Paris	51 41	60851	60851		60870		60851	0
Maupertuis, &c	60 20	61194	61148	- 46	61150	- 44	61156	— 38

The contents of the above table are computed from the data expressed in the different columns at top. In the third column, 60851 fathoms is nearly the length of the degree upon the meridian, as derived by the application of the measured arc between Greenwich and Paris to the difference of latitude, namely, 2° 38′ 26″. The fifth, contains the degrees on an ellipsoid, computed from a different length of a degree upon the meridian in lat. 50° 41′, in order to show how far the varying the length of that degree, will affect the comparison between the measured and computed degrees on the first ellipsoid: and those in the seventh are determined by using 60851 fathoms for the degree upon the meridian, and 61191 fathoms for that of the great circle perpendicular to it; which last degree is obtained by taking the angle at Dunnose, equal to 81° 56′ 53″, 5, instead of 81° 56′ 53″.

Now this comparison between the measured and computed degrees, sufficiently proves that the earth is not an ellipsoid,

since the differences are, excepting two instances, constantly minus; this, however, presupposes that the degree of the great circle perpendicular to the meridian in lat. 50° 41', as we have found it, and likewise the degree upon the meridian arising from the measured arc between Greenwich and Paris, and their difference in latitude, are nearly right. Also, were it of Mr. Bou-GUER's figure, the degree of a great circle in lat. 50° 41' would be 61270 fathoms, which is 88 fathoms greater than we have derived it; we may therefore safely infer, that his hypothesis is more ingenious than true; since it cannot be supposed that the degree, resulting from these observations, is 88 fathoms in defect; but whether the earth be a figure formed by the revolution of a meridian round its axis, upon which the length of the degrees increase according to any law, or one whose meridians are formed by the combination of many different curves, it appears to be certain, that we may consider 61182 fathoms as nearly the length of a degree of a great circle, in latitude 50° 41', by which we are enabled to settle the longitudes of those places whose situations have been determined in this operation.

The length of the degree, as given by General Roy, from the directions of the meridians at Botley Hill and Goudhurst, is 61248 fathoms, which is 66 fathoms different from this result: but this is not to be considered as extraordinary, since the distance between those places is not more than 23 miles, and the direction very oblique to the meridian. It is an indispensable requisite, that the stations chosen for this purpose be nearly east and west; because if both places were on the same parallel of latitude, the horizontal angles would give the difference of longitude, without adverting to the principle of

the sums of the angles on a sphere and a spheroid being nearly equal, when the places on each have corresponding latitudes, and the same difference of longitude.

Was a degree of a great circle perpendicular to the meridian measured in some place remote from the latitude of 50° 41', the diameters of the earth, supposing it an ellipsoid, might be determined; for if l = the length of a degree of a great circle perpendicular to the meridian, in the latitude whose sine is s and cosine c, and L = the length of the degree in lat. 50° 41', a and b being the sine and cosine of that latitude; then will the ratio of the axes be that of $\sqrt{l^2 c^2 - L^2 b^2}$: $\sqrt{L^2 a^2 - l^2 s^2}$. It is therefore, much to be wished, that such measurements were made in the northern part of Russia, and in the south of France, where the methods we have taken to measure this degree would also be applicable.

Having given the length of a degree of what may be considered a great circle upon the earth's surface, as deduced from the observations which have been made at Beachy Head and Dunnose, and likewise drawn such conclusions as appear to arise from it; we shall close this section with observing, that as the preserving of the points marking these stations has been considered of great consequence, his Grace the Duke of Richmond ordered an iron gun to be inserted in the ground at each of those places, which was done in the autumn of 1794. By these points being rendered permanent, the truth of this part of the operation can be examined, by re-observing the directions of the meridians; and that this may be done with the least trouble, we have preserved the points, where the staffs were erected on Brading Down and the Hill above Jevington, by inserting large stones in the ground, having a small hole in

each of them, for the purpose of denoting the exact points over which the centres of the staffs were placed; therefore the angles which we have given, as being the directions of the meridians with respect to those points, can be examined without the trouble of firing lights at Beachy Head and Dunnose. There is, however, another method of determining whether 61182 fathoms be nearly the length of a degree of a great circle upon the earth's surface; this may be done by observing the directions of the meridians at Shooter's Hill and Nettlebed, whose distance is already determined, being 242731 feet nearly. The points marking these stations are not likely to be soon removed, and can be found without difficulty.

SECTION SIXTH.

Of the Distances of the Stations from the Meridians of Greenwich, Beachy Head, and Dunnose; and also from the Perpendiculars to those Meridians.

ART. I.

In operations of this kind, the usual method of obtaining the distances of the stations from a first meridian, and from a perpendicular to that meridian, is by drawing parallels to those lines through the several stations, and then proceeding in a manner similar to that of working a traverse, after the bearings of the stations, with respect to those parallels, have been deduced from the angles of the triangles. This mode of computation might be considered as accurate, if the surface of the earth to the whole extent of the triangles was reduced to a flat: and it will not produce very erroneous results, if the series

of triangles are in a north and south, or an east and west direction nearly, provided they are on, or near the meridian, or its perpendicular; but if the triangles are considerably extended, and in all directions, the bearings of the same stations (if they may be so termed) must evidently differ, and that sometimes considerably, when obtained from different triangles. To avoid, in a great measure, the errors which might affect the conclusions derived from the present triangles, if all those distances were determined from the meridian of Greenwich only, we have considered the meridians of Beachy Head and Dunnose as first meridians also, and, with two or three exceptions, calculated the distance of each station from its nearest meridian. Bagshot Heath, Leith Hill, Ditchling Beacon, and Beachy Head, with those to the eastward, are from the meridian of Greenwich and its perpendicular; Chanctonbury Ring from the meridian of Beachy Head; and the others to the westward, from that of Dunnose.

The advantages in this mode of proceeding are very obvious; for if the directions of meridians are taken at about 80 miles distance from each other, near the southern coast, the operation may be extended to the Land's End with sufficient accuracy, without making astronomical observations for determining any intermediate latitude, as a new point of departure.

In deducing the bearings of the several stations from the meridians and their perpendiculars, we have taken the observed angles, instead of those formed by the chords, which were used in computing the sides of the principal triangles; because the latter angles at each station may be considered as constituting the vertex of a pyramid, and consequently their sum is less than 360°; but the operation of determining the distances

from the meridians, and their perpendiculars from those reduced, or pyramidical angles and the chords or sides of the triangles, independent of other data, would be very tedious. Great accuracy however, in these cases seems not absolutely necessary; because, if the latitudes and longitudes obtained from those distances can be depended upon to $\frac{1}{4}$ of a second (the latitude of Greenwich, from which the other latitudes are derived, being supposed exact), the conclusions will certainly be considered as sufficiently near the truth: 25 feet answers to about $\frac{1}{4}$ of a second on the meridian; and it is not difficult to show, that no uncertainty of more than about 10 feet has been introduced, even in the longest distances, in consequence of using the observed angles.

As Botley Hill is nearly south of the Observatory at Greenwich, and it may be supposed, that the distance of it from the meridian, as well as perpendicular, must be nearly true, as given in the Philosophical Transactions, it has not been considered as expedient to make this part of the operation entirely independent of General Roy's, by selecting Greenwich for a station, and observing the direction of the meridian at that place with respect to Banstead, or Shooter's Hill.

In order, therefore, to obtain the necessary data, when the instrument was at Botley Hill, the angle between Banstead and the station on Wrotham Hill was observed, as given in a former part of this work, and found to be $152^{\circ}57'4'',25$; from which subtracting $79^{\circ}16'28'',75$, the angle which Wrotham Hill makes with the parallel to the meridian of Greenwich, (Phil. Trans. Vol. LXXX. p. 601.) we get $73^{\circ}40'35'',5$ for the inclination of Banstead to that parallel; this, with 50927 feet, the distance from Banstead to Botley Hill, give 48874,2 feet,

and 14313.5 feet; therefore 48874.2 - 171.5 = 48702.7 feet, is the distance of Banstead from the meridian of Greenwich; and 72881.3 - 14313.5 = 58567.8 feet for the distance from the perpendicular: but it must be remarked, that 171.6 and 72882.5 (see the table of general results, Phil. Trans. Vol. LXXX.) are reduced to 171.5 and 72881.3 feet, by using the proportion of 274.047:274.04.2, the results of the two measurements on Hounslow Heath.

ART. II. Table, containing the Bearings of the Stations from the Parallels to the different Meridians; and likewise their Distances from those Meridians and their Perpendiculars.

Names of stations.	Bearings.	Distance	from the
	-	Meridian.	Perpendicular.
Hanger Hill - Crowborough Beacon Hampton Poor House Hanger Hill - Hanger Hill - King's Arbour - St. Ann's Hill - Crowborough Beacon Leith Hill - Ditchling Beacon - Crowborough Beacon Brightling - Fairlight Down -	° _' "	Feet. 171,5 14899 48702 84792 35227 83084 67234 102261 119400 24468 87304 143312 58848 165234	Feet: 72881,3 3533 58568 109784 155222 18540 16733 1036 28854 210257 188119 218618 269328 39055
Beachy Head - Chanctonbury Ring -	68 26 28 NW	146567	57908
Dunnose Sutser Hill - Dean Hill - Motteston Down Nine Barrow Down Butser Hill - Sutser Hill - Motteston Down Butser Hill - Sutser Hill - Motteston Down Nine Barrow Down Four Mile-stone - Thorney Down - Old Sarum - Old Sarum	45 42 55 NE 20 58 39 NE 34 44 27 NW 73 35 8 NW 87 56 55 NW 34 20 17 NW 34 48 11 NE 15 30 36 NW 54 59 39 NW 4 57 42 SE 28 55 42 SW 81 32 37 SW 9 28 43 NW 5 43 21 NE	102770 50328 104568 52858 188061 } 33174 120101 151073 117871 137793 }209505 110942	100236 131263 150786 15572 6736 253495 206757 183355 179212 174746 135184 181782

ART. 111. Latitudes and Longitudes of the Stations referred to the Meridian of Greenwich.

Names of stations.		Latitu	ıde.			Lon	gitud	e.	
					In de	grees.		In	time.
Shooter's Hill Crowborough Beacon - Brightling Fairlight Down - Beachy Head - Ditchling Beacon - Leith Hill Banstead Hanger Hill Hampton Poor House -	51 50	3 57 52 44 54 10 19 31	9,4 43,3 38,8 23,7 7 35,7	.000000000	3 9 22 37 15 6 22	54.5 9.5 39.3 7.4 11,9 20,5 6,3 44.1 39,6	E W W W	m. 0 0 1 2 1 0 1 0	s. 15,6 36,6
King's Arbour -	51	-	47,1		26	50	W	1	•
St. Ann's Hill	51	•	51,4	1	•			2	0,
Bagshot Heath -	51	22	7,1	ĺΟ	43	15,4	W	2	<i>53</i>

ART. IV. Latitude and Longitude of Chanctonbury Ring.

```
Lat. of Chanctonbury Ring - 50 53 48,5

Long. of Beachy Head, east

of Greenwich - - 0 15 11,9

Long. of Chanctonbury Ring,

west of Beachy Head - 0 37 58,8

Long. of Chanctonbury Ring,

west of Greenwich - 0 22 46,9—in time 1 31,1
```

ART. V. Latitude and Longitude of Dunnose.

Latitude of Beachy Head - 50 44 23,7 And taking 60851 fathoms for the length of the degree upon the meridian, we get 44259 feet, the distance between the parallels of Beachy Head 7,3 lat. of Dunnose. and Dunnose 50 37 The difference of long. between Beachy Head and 1 26 47,9 W Dunnose has been found in the preceding section And the long. of Beachy Head, east of Greenwich 0 15 11,9 E Therefore the long. of Dunnose, west of Greenwich, is 1 11 36 and in time

ART. VI. Latitudes and Longitudes of the Stations referred to the Meridian of Dunnose.

Names of stations.		Latit	ude.		from	Dunno		gitude W	est	of Gree	nwi	ch.
	- 1			_		gille e	, i	_ In c	deg	rees.	In	time.
Hind Head Butser Hill - Mottest.Down Highclere - Dean Hill -	51 50 50 51 51 51 51 51	6 58 39 18 1 11	46,2 50,9 4,4 8,5 30,2 44,7	000000000	28 13 13 8 27 31 39 30 35	53 3,8 37,8 40,4 10,5	W W W W W W	0 4 0 4 0 5 1 2 1 3 1 4 1 5 1 4	44.28.85.08.20.2	5 ⁸ ,3 43 32,2 13,8 16,4 46,5 54,9	m. 2 2 3 5 5 6 6 7 6 7	5. 59,9 50,9 54,1 40,9 21,1 35,1 51,7 23,8 49,1 9,9
W T 7 *	50	<i>5</i> 9				22,9				58,9	8	23,9

ART. VII.

The longitudes and latitudes of the stations have been computed spherically, in which we have taken the degrees upon the meridian, and of the great circle perpendicular to it, from the following table.

Degrees on the merid. perp. Fath. Fath. Fath.

Lat.
$$\begin{cases} 50 & 41 \\ 51 & 5 \end{cases}$$
 $\begin{cases} 60851 & 61182 \\ 60859 & 61185 \\ 51 & 28 & 40 \end{cases}$
Semi-transverse of this ellipsoid - 3491420 Semi-conjugate - 3468007 Ratio of the axes 1: 1,006751

This ellipsoid is determined from the length of the degree obtained from the directions of the meridians at Beachy Head and Dunnose, and that upon the meridian in lat. 50° 41', as resulting from the application of the measured arc between Greenwich and Paris, to their difference in latitude. however, to be understood, that by using it, we consider the earth to be this ellipsoid: we have adopted the hopothesis, because it is obvious some small increase northward must be made to the degree upon the meridian in 50° 41', in order to approximate to a correct scale for the computation of the latitudes. But it is evident, that any of the received hypotheses (supposing the length of the degree upon the meridian in 50° 41' to be 60851 fathoms) would give the degrees sufficiently correct, since the principal stations, together with most of the objects fixed in this operation, are included between the parallels of 50° 37' and 51° 28'.

In obtaining the latitudes of those places which are referred to the meridian of Greenwich, it is easy to perceive, that little error is introduced by spherical computation, since the spheroidical correction for the latitude of Bagshot Heath is only about $\frac{1}{100}$ of a second. Had indeed the latitudes of the stations, which are far to the westward, been computed with distances from the meridian, and the perpendicular at Greenwich, some small errors might have been introduced, from the uncertainty of the earth's figure, and the consequent inability of computing the spheroidical correction with sufficient accuracy; but as the distance between the parallels of Beachy Head and Dunnose is obtained very nearly, the latitude of the latter station may be considered as correct as that of the former one, and consequently the places in the vicinity of Dunnose have their latitudes determined with sufficient precision.

SECTION SEVENTH.

Containing the secondary Triangles, in which two Angles only have been observed. The first seven intersected Places are intended for the small Instrument, on Account of their commanding Situations.

Beachy Head from Ditchling Beacon 102132,4 Feet.

No.	Triangles.	Angles observed.	Distances of the station the point intersecte	
1	Beachy Head - Ditchling Beacon Firle Beacon -	10 19 30 8 53 23	}Firle Beacon - {	Feet. 47956 55621

Chanctonbury Ring from the support of High Down Windmill 29442 feet.

2	Chanctonbury R High Down Win	Ring	64	54	$\left. rac{52}{} \right $ Sleep Down	_	$\{ $	17637 27159
	Sleep Down	-	79	3	33			7 00

Butser Hill from Rook's Hill 60933,8 feet.

3 Butser Hill Rook's Hill Bow Hill		10 28 4 28 19 50 Bow Hill	{	46150 17668
Butser Hill Rook's Hill Portsdown H	- Iill	93 25 15 39 23 59 Portsdown Hi Hampshire	11 {	52729 82926

Dunnose from Motteston Down 55104,3 feet.

5 Dunnose - Motteston Down Thorness	-	30 79	34 9 6 47	Thorness Isle of Wight	- {	57470 29764
---	---	----------	--------------	-------------------------	-----	----------------

Motteston Down from Nine Barrow Down 135489,6.

No.	Triangles.	Angles observed.	Distances of the station the point intersecte	
	Motteston Down - Nine Barrow Down Ramsden Hill	° , " 27 57 12 42 26 2	}Kamsden Hill -	Feet. 97051 67423

Dean Hill from Beacon Hill 58086,3 feet.

7 Dean Hill - Beacon Hill -
$$514566$$
 Stockbridge Hill 54366 Stockbridge Hill 55515

With respect to these triangles, there is nothing to be remarked, except that the angles of the 1st and 3d, from their being very acute, were determined with considerable care: the distances however, from Firle Beacon to Ditchling Beacon, and Beachy Head, may be ascertained, when either the great or small instrument are taken to that station, by the intersection of Hurstmonceux Spire.

Triangles formed by the Intersections of Churches, Windmills, and other Objects.

Fairlight Down from Brightling 63773,1 feet.

No.	Triangles.	Angles.	Distances of the stations from the intersected objects.	
1	Fairlight Down - Brightling - Bexhill Church -	48 18 18 32 6 22	$\begin{cases} \text{Bexhill church} - \begin{cases} 34375 \\ 48294 \end{cases}$	

Triangles.	Angles observed.	Distances of the stations from the intersected objects.
Fairlight Down - Brightling Westham Church	46 56 7 73 7 30	Westham Church $\begin{cases} $
Fairlight Down - Brightling - Pevensey Church	46 46 20 71 21 47	Pevensey Church $ \begin{cases} 68526 \\ 52694 \end{cases} $
Fairlight Down - Brightling - Blackheath Windmill	4 34 13 154 19 13	Blackheath Wind- 76733
Fairlight Down - Brightling <i>Ninefield Church</i>	25 26 4 40 43 54	$\left. \left. \right\}$ Ninefield Church $\left\{ \left. \left. \left \begin{array}{c} 45493 \\ 29943 \end{array} \right. \right. \right. \right\}$
Fairlight Down - Brightling - Mountfield Church	10 32 37 16 44 22	
Beachy Head - Ditchling Beacon - Hurstmonceux Church	76 6 36 26 40 41	Hurstmonceux { 47021
Ditchling Beacon fro	m Crowbor	ough Beacon 81192,2 feet.
Ditchling Beacon - Crowborough Beacon Chittingly Church	41 17 30 58 11 13	Chittingly Church $\left\{\begin{array}{c} 69950 \\ 54320 \end{array}\right.$
	Fairlight Down - Brightling - Westham Church Fairlight Down - Brightling - Pevensey Church Fairlight Down - Brightling - Blackheath Windmill Fairlight Down - Brightling - Ninefield Church Fairlight Down - Brightling - Ninefield Church Beachy Head - Ditchling Beacon - Hurstmonceux Church Ditchling Beacon fro Ditchling Beacon - Crowborough Beacon	Fairlight Down - 46 56 7 Brightling - 73 7 30 Fairlight Down - 46 46 20 Fairlight Down - 4 34 13 Fairlight Down - 4 34 19 13 Fairlight Down - 4 34 19 13 Fairlight Down - 25 26 4 Brightling - 40 43 54 Fairlight Down - 10 32 37 Brightling - 16 44 22 Fairlight Down - 16 32 37 Brightling - 16 44 22 Mountfield Church Beachy Head - 76 6 36 26 40 41 Ditchling Beacon - 41 17 30 Crowborough Beacon - 58 11 13

7 Ditchling Beacon - 41 17 30 Chittingly Church \{ \begin{array}{c} 69950 \ 58 11 13 \end{array} \} Chittingly Church \{ \begin{array}{c} 69950 \ 54320 \end{array} \}

8 Ditchling Beacon - 13 23 46 \ Crowborough Beacon \ Waldron Church \}

9 Waldron Church \{ 75316 \ 19165 \}

MDCCXCV. 4 A

No.	Triangles.	Angles. observed.	Distances of the stations from the intersected objects.
9	Ditchling Beacon - Crowborough Beacon Firle Church	6 [°] 7 16 2 ⁸ 8 36 30 43	
10	Ditchling Beacon - Crowborough Beacon Jevington Windmill	70 32 °C 58 49 56	Jevington Wind- 89861 99016
	Ditchling Beacon - Crowborough Beacon <i>Plumpton Church</i>	34 14 48 3 37 4	
12 D	Ditchling Beacon - Crowborough Beacon <i>Little Horstead Church</i>		Little Horstead 48670 Church - 41436
13	Ditchling Beacon - Crowborough Beacon Spittal Windmill	66 41 33 14 29 24	$ Spittal Windmill \left\{ \begin{array}{c} 20558 \\ 75458 \end{array} \right. $
	Ditchling Beacon - Crowborough Beacon Ditchling Church	61 49 49 4 48 36	

Chanctonbury Ring from Ditchling Beacon 63469,1 feet.

15	Chanctonbury Ring Ditchling Beacon - Thakeham Church	115 13	19 56	$\left. egin{array}{c} 36 \ 34 \end{array} ight. ight.$	19754 74103
16	Chanctonbury Ring Ditchling Beacon - West Grinsted Church	66 28	23 9	40 West Grinsted Church -	30044 583 4 2

		· · · · · · · · · · · · · · · · · · ·		10				
No.	Triangles.	Angles observed.	Distances of the station the intersected object					
17	Chanctonbury Ring Ditchling Beacon - Keymer Church	6 40 15 55 52 17	> Nevmer Church <	Feet. 59208 8309				
18	Chanctonbury Ring Ditchling Beacon - Bolney Church	37 47 12 57 3 58		53461 39029				
19 D	Chanctonbury Ring Ditchling Beacon Slaugham Church	50 26 25 66 41 45	$\Big\}$ Slaugham Church $\Big\{$	65501 54985				
20	Chanctonbury Ring Ditchling Beacon Starting House on the Race Ground near Brighthelmstone.	23 2 19 86 0 59	$\left. \left. \left. \right. \right\} \right.$ Starting House $\left. \left\{ \right. \right. \right. \right.$	66986 2627 9				
21	Chanctonbury Ring Ditchling Beacon - Cuckfield Spire	33 58 20 72 9 49	Cuckfield Spire {	67789 38568				
22	Chanctonbury Ring Ditchling Beacon - Wyvelsfield Church	20 34 55 98 0 8	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7 ¹ 575 25409				
23	Chanctonbury Ring Ditchling Beacon - Hurstpierpoint Church	14 32 35 36 29 25	Hurstpierpoint Church {	4 ⁸ 545 20498				
24 D	Chanctonbury Ring Ditchling Beacon - Lindfield Church	29 51 47 100 41 5	} Lindfield Church {	82079 41590				
	4 A 2							

Chanctonbury Ring from Sleep Down, 17637 feet.

No.	Triangles.	Angles observed.	Distances of the station the intersected obje	
25	Chanctonbury Ring Sleep Down - Goring Church	52 22 45 96 27 23	Goring Church {	Feet. 33866 26995
26	Chanctonbury Ring Sleep Down - Southwick Church	22 46 56 140 53 45	Southwick Church	39584 24302
27	Chanctonbury Ring Sleep Down - Shoreham Church	14 28 30 151 0 0	$iggr\} ext{Shoreham Church} iggr\{$	34094 17578
28	Chanctonbury Ring Sleep Down - Brighthelmst. Church	3 ² 5 47 136 19 20	$igg\} egin{array}{ll} ext{Brighthelmstone} \ ext{Church} & - & igg\{ \end{array}$	60672 46680
2 9	Chanctonbury Ring Sleep Down - Bramber Windmill	43 9 25 83 16 48	Bramber Wind- { mill {	21772 14995
30	Chanctonbury Ring Sleep Down - Templein Findon Park	37 32 41	Temple in Findon Park	13341 21889

Chanctonbury Ring from Rook's Hill, 85645,4 feet.

Chanctonbury Ring Rook's Hill West Tarring Church	17 41 21 Church -	$ \begin{cases} 26426 \\ 86189 \end{cases} $
---	-------------------	--

		-		The same of the sa
No.	Triangles.	Angles observed.	Distances of the stations the intersected object	
32	Chanctonbury Ring Rook's Hill High Down Windmill	56 47 5 19 30 39	High DownWind- mill {	Feet. 29442 73752
33 D	Chanctonbury Ring Rook's Hill Angmering Church	45 44 35 21 55 49	Angmering Church - {	34579 66312
34	Chanctonbury Ring Rook's Hill - Sir R. Hotham's Flag- staff, near Bersted	30 40 1 68 36 53	Sir R. Hotham's { Flagstaff -	80807 44263
35	Chanctonbury Ring Rook's Hill Bersted Church	²⁷ 54 ¹⁵ 64 26 6	$iggr\} ext{Bersted Church} iggr\{$	773 ² 5 40115
36	Chanctonbury Ring Rook's Hill Felpham Windmill	31 22 33 60 52 32	Felpham Wind- { mill {	74 ⁸ 75 44626
37 D	Chanctonbury Ring Rook's Hill Clapham Church	44 29 25 16 3 16	$iggr \}$ Clapham Church $iggr \{$	27201 689 29
38	Chanctonbury Ring Rook's Hill Oving Church	14, 12, 22 71, 6, 26		81303 21089
3 9	Chanctonbury Ring Rook's Hill Pagham Church	27 31 18 89 41 40	Pagham Church {	96306 44502

Butser Hill from Rook's Hill 60933,8 feet.

No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.	
40	Butser Hill Rook's Hill Lantern of the Vessel moored over the Ower Rocks	1.04	Ower Rocks - {	Feet. 134605 84889
41	Butser Hill Rook's Hill Selsea Church	27 45 25 117 47 2	Selsea Church - {	95276 50154
42	Butser Hill Rook's Hill Selsea High House	34 42 20 110 6 12	}Selsea High House {	99290 60199
43	Butser Hill Rook's Hill Selsea Windmill	34 4° 45 109 9 31	}Selsea Windmill {	97545 58756
44	Butser Hill Rook's Hill Cackham Tower	43 21 26 85 21 20	}Cackham Tower {	77835 53613
45	Butser Hill Rook's Hill Bosham Church	32 2 23 74 11 15	}Bosham Church {	61061 33667
46	Butser Hill Rook's Hill Princested Windmill	43 28 50 57 30 20	Princested Wind- { mill {	52354 42712

No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.	
47	Butser Hill Rook's Hill Del Key Windmill -	25 41 30 92 32 2	$\left. \left. \right\} Del \ Key \ Windmill \left\{ \right. \right. \right $	Feet. 69090 29981
48	Butser Hill Rook's Hill West Thorney Church	43 30 10 68 27 23	West Thorney { Church -	61110 45 ²² 7
49	Butser Hill Rook's Hill South Hayling Church	58 31 52 65 13 29		66544 62510
50	Butser Hill Rock's Hill Bourn Church -	43 27 20 46 55 22	Bourn Church - {	44509 41911
51	Butser Hill Rook's Hill Flagstaff at the Watch- bouse near Chichester Harbour	49 48 19 75 49 16	} Flagstaff - {	72681 57262
52	Butser Hill Rook's Hill Clark's Folly	69 28 9 .44 0 16	Clark's Folly - {	46151 62212
53	Butser Hill Rook's Hill Portsdown Windmill	83 38 24 41 29 17	Portsdown Wind- mill -	49356 74°45
54	Butser Hill Rook's Hill West Chimney on the Governor's House, Cumberland Fort.	69 19 25 61 5 43		70049 74863

No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.
<i>55</i>	Butser Hill Rook's Hill South Sea Castle	78 14 5 59 2 3	$\left\{\begin{array}{c} 4\\4\\2\\2\end{array}\right\}$ South Sea Castle $\left\{\begin{array}{c} F_{\text{cet.}}\\77038\\87953\end{array}\right\}$
<i>5</i> 6	Butser Hill Rook's Hill - St. Cath. Light House	71 26 3	St. Catherine's $\begin{cases} 159328 \\ \text{Light House} - \\ \text{Isle of Wight} \end{cases}$
57	Butser Hill – – Rook's Hill – SirR.Worsley's Obelisk	84 30 5 72 3 5	Sir R. Worsley's 145861 Obelisk - 152608 Isle of Wight
58	Butser Hill Rook's Hill - Ashey Down Sea Mark	8 ₃ 29 2 67 44 3	Ashey Down Sea \
<i>5</i> 9	Butser Hill Rook's Hill - Flagstaff of Cowes Fort	103 12 1 50 10 4	Flagstaff, Cowes $\begin{cases} 104463 \\ Fort - \\ Isle of Wight \end{cases}$
6 0	Butser Hill Rook's Hill - Summer House of the Horse-shoe Inn above Cowes	100 21 1 54 17 5	Summer House - J = 00/0
61	Butser Hill – – Rook's Hill – Needles Light House	109 32 4 54 19 5	Needles Light . 178277 House 206796 Isle of Wight
61*	Butser Hill Dean Hill - Southampton Spire	23 25 4 32 58 4	Southampton $\left\{\begin{array}{c} 102010 \\ 74522 \end{array}\right\}$

	Rook's Hi	ll from Bow	Hill 17668 feet.	
No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.	
62	Rook's Hill Bow Hill Box Grove Church	132 28 11 21 57 31	$iggr\} Box Grove Church iggr\{$	Feet. 15306 30194
63	Rook's Hill Bow Hill Portfield Windmill	87 10 9 47 44 17	$iggr\} ext{PortfieldWindmill} iggr\{$	18462 24916
64	Rook's Hill Bow Hill North-west Chimney on Goodwood House	116 1 21 18 38 9	Goodwood House	7938 22321
65	Rook's Hill Bow Hill Chichester Spire	75 29 10 59 11 56	$iggr\}$ Chichester Spire $iggr\{$	21345 24057
	Rook's Hill	from Hind	Head 81954,4 feet.	
66	Rook's Hill Hind Head - Sir H. Fetherston- haugh's Tower	57 8 41 27 50 34	Sir H. Fetherston- { } haugh's Tower {	38424 69110
67	Rook's Hill	100 00 00	Windmill near	0210

66	Rook's Hill Hind Head - Sir H. Fetherston- haugh's Tower	57 27		41 34		38424 69110
67	Rook's Hill Hind Head - Windmill near Rook's Hill	122 2	22	23 34	Windmill near { Rook's Hill - {	3512 83887
	Rook's Hill Hind Head - Harting Windmill	53 25	56 52	49	Harting Wind- mill {	36328 67319
M	IDCCXCV.			4	В	

Chanctonbury Ring from Hind Head 110774,4 feet.

	J J J J J J J J J J J J J J J J J J J					
No.	Triangles.		of the stations from			
69 	Chanctonbury Ring Hind Head - Petworth Spire	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Spire $\left\{ \begin{array}{c} \text{Feet.} \\ 62080 \\ 52576 \end{array} \right.$			
	Chanctonbury Ring Hind Head - Wisborough Green Church	12 50 23 11 28 10 \} Wisborough	nGreen 53508 59799			
71	Chanctonbury Ring Hind Head - Kirdford Church	$\left.\begin{array}{ccc} 5 & 12 & 39 \\ 6 & 29 & 12 \end{array}\right\}$ Kirdford C	Thurch $\left\{ \begin{array}{c} 6_{1725} \\ 496_{23} \end{array} \right.$			
72	Chanctonbury Ring Hind Head - Billing burst Church	24 48 50 16 58 51 Billingh Chur	urst $\left\{egin{array}{c} 48543 \ 69755 \end{array} ight.$			
73	Chanctonbury Ring Hind Head - Rusper Church		hurch { 85901			
***************************************	Chanctonbury R	ing from Butser Hill 14	1003 feet.			
74	Chanctonbury Ring Butser Hill - The Earl of Egre- mont's Tower, near Petworth	20 22 27 18 0 51 The Earl o mont's T				
75 D	Chanctonbury Ring Butser Hill - Pulborough Church	25 12 40 8 5 46 Pulboro				

Leith Hill from Hind Head 82187,7 feet.

No.	Triangles.	Angles observed.	Distances of the stations the intersected objects	
76	Leith Hill Hind Head - St. Martha's Chapel	4 ¹ 3 ² 4 ⁰ 27 9 5	St. Martha's Cha- pel { near Guildford	Feet. 402 <i>5</i> 7 58505
7 7	Leith Hill Hind Head - Euburst Windmill	11 39 40 3 49 39		20544 62206
78	Leith Hill Hind Head - Euburst Church	12 25 16 3 27 43	Euhurst Church {	18135 64596
79	Leith Hill Hind Head - Norris's Obelisk, Bag- shot Heath	51 3 46 77 52 38	Norris's Obelisk {	03310 82191
80	Leith Hill Hind Head - Horsham Spire	86 36 23 28 38 34	} Horsham Spire {	43558 90710
81	Leith Hill Hind Head - Farnham Castle	24 34 44 101 49 30	Farnham Castle {	9994 ⁸ 42474

Leith Hill from Ditchling-Beacon 117190,4 feet.

Leith Hill Ditchling Beacon - Beddingbam Windmill	152	38 2 37 5	9	Beddingham Windmill	$\left\{ \right.$	159594 461 53
	."	4	B 2			•

No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.		
83	Leith Hill Ditchling Beacon - Firle Windmill	9 19 46 149 13 1	Firle Windmill $ \begin{cases} $		

Leith Hill from Crowborough Beacon 128331,9 feet.

Crowborough Beacon from Fairlight Down 125303 feet.

- , •	Crowborough Beacon Fairlight Down - Willington Church	45 43	4 32 6 42	Willington Church	{	85678 88764
-------	---	----------	--------------	-------------------	---	----------------

Crowborough Beacon from Brightling 61597,6 feet.

86	Crowborough Beacon Brightling - Homeburst Church	12 2 70 1	21 46 .8 45	Homehurst { Church	5 ⁸ 474 13297
87	Crowborough Beacon Brightling Hailsbam Church	37 3 85 3	8 24 89 48	$igg\}$ Hailsham Church $igg\{$	73490 45009
88	Crowborough Beacon Brightling Dallington Church	6 2 83 3	5 16 32 52	Ballington Church	61208 6889

Crowborough Beacon from Botley Hill, 89492,5 feet.

]				2
Ng.	Triangles.		ngles erved		Distances of the station the intersected obje	
89	Crowborough Beacon Botley Hill East Grinsted Church	31 24	6 17		East Grinsted { Church	Feet. 44729 56173
90	Crowborough Beacon Botley Hill - Fairden Tower	17 18	4 51	46 52	} Fairden Tower {	49 ² 95 44777
91	Crowborough Beacon Botley Hill - Crowborough Chapel	93	16 3	22 11	Crowborough { Chapel	3220 89734
92	Crowborough Beacon Botley Hill - Rotherfield Spire	121 7	34 42	38 43	$\left. \left. \right. \right\}$ Rotherfield Spire $\left. \left\{ \right. \right. \right. \right.$	15517 98509
93	Crowborough Beacon Botley Hill - Mayfield Spire	137 9	42 35	2 19	Mayfield Spire {	27585 111453
94	Crowborough Beacon Botley Hill - Bestbeech Windmill	108 18	47 39	35 16	Bestbeech Wind- { mill	36056 106714
95	Crowborough Beacon Botley Hill - Tatesfield Church	5 90	2 24	39 37	$iggr\}$ Tatesfield Church $iggr\{$	89897 7904

		0.5 (0.5)	
No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.
96	Crowborough Beacon Botley Hill Godstone Windmill	13 26 7 53 50 7	Godstone Wind- $\begin{cases} 78333 \\ \text{mill} - \end{cases}$
~	Botley Hill	from Leith	Hill 92632,2 feet.
	Botley Hill Leith Hill Charlwood Church	17 5 35 36 33 33	$ \begin{cases} $
	Botley Hill Leith Hill Evelyn's Obelisk	54 41 39 33 25 22	Evelyn's Obelisk $\begin{cases} 5^{10}5^{1} \\ 75636 \end{cases}$
× .	Butser Hill fi	rom Hind I	Head 78905,7 feet.
99	Butser Hill Hind Head - Petworth Windmill	36 49 10 83 42 37	Petworth Wind-
	Portsdown Hi	ll from But	ser Hill 52729 feet.
100	Portsdown Hill Butser Hill Southwick Church	41 34 33 4 31 23	Southwick Church $ \begin{cases} 57710 \\ 48564 \end{cases}$
	Dunnose fro	om Butser H	Hill 140580,4 feet.
101	Dunnose Butser Hill - Flag staff of Carisbrook Castle	67 7 31 14 59 6	Flagstaff, Caris- 36697 brook Castle - 130763

No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.		
	Dunnose - Butser Hill - <i>Halifax Tower</i>	15 4 28 49 11 35	Halifax Tower - $ \begin{cases} $		

Portsdown Hill from Dunnose 90007 feet.

Portsdown Hill - Dunnose Kingston Church, Port- sea Island	33 53 34 9 20 28 Kingston Church	21328 73274
Portsdown Hill - Dunnose Horndean Church	$\left. egin{array}{c c} 150 & 33 & 55 \ 7 & 45 & 58 \end{array} ight. ight. ight. Horndean Church$	33430
Portsdown Hill - Dunnose - Titchfield Church	$\begin{bmatrix} 72 & 28 & 16 \\ 18 & 46 & 40 \end{bmatrix}$ Titchfield Church	28980 85848

Dunnose from Motteston Down 55104.3 feet.

	of the great House at the	t Boat Back of	13 22 10 30	Great Boat	House	43127 15849
--	---------------------------	-------------------	----------------	------------	-------	----------------

-					
No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.		
107	Dunnose Motteston Down - Brixton Church, Isle of Wight	5 3 4 25 53 6	Brixton Church {	Feet. 46795 9437	
108	Dunnose Motteston Down - East Cowes Sea Mark, Isle of Wight	54 ² 3 57 62 29 15	East Cowes Sea Mark {	54796 50235	
109	Dunnose Motteston Down - Luttrell's Folly	50 34 24 82 14 9	$igg\}$ Luttrell's Folly $igg\{$	74424 58020	
110	Dunnose Motteston Down - Fawley Church	48 58 19 90 32 45	$\left. ight\}$ Fawley Church $\left\{ \left ight. ight. ight.$	84875 64032	
111	Dunnose Motteston Down - Flagstaff, Calshot Cast.	54 43 0 80 53 17	Flagstaff, Calshot Castle	77771 64296	
112	Dunnose Motteston Down - Fareham Church	77 13 3 66 57 30	$iggr\}$ Fareham Church $iggl\{$	86636 91814	
118	Dunnose Motteston Down - Porchester Church	87 30 58 57 50 55	$igg $ Porchester Church $igg\{$	82086 96863	
114	Dunnose Motteston Down - Hamble Church	56 5 32 87 4 16	Hamble Church {	91792 76281	

No.	Triangles.	Angles observed.			Distances of the stations from the intersected objects.		
115	Dunnose Motteston Down - Hamble Saltern	56 84	40 55	5° 52	} Hamble Saltern {	Feet. 88390 74150	
116	Dunnose Motteston Down - Gov. Hornsby's House, Centre Pediment.	82	49 52	18 7	Gover. Hornsby's { House {	86309 73621	
117	Dunnose Motteston Down - Warblington Church	106 48	36 57	6 49	Warblington { Church -	100482 127660	
118	Dunnose Motteston Down - Burzledon Windmill	58 89	39 30	40 11	Burzledon Wind- { mill {	1044 62 8922 5	
1 19	Dunnose Motteston Down - Porchester Castle	87 58	8 16	20 27	Porchester Castle {	82 <i>5</i> 68 969 <i>5</i> 2	
4.	Dunnose Motteston Down - Havånt Church	104 50	5 25	1 55	} Havant Church {	9872 5 12422 1	

Dean Hill from Four Mile-stone 56775 feet.

Dean Hill Four Mile-stone - Winterslow Church	$\left\{ \begin{array}{cccc} 42 & 54 & 34 \\ 21 & 6 & 1 \end{array} \right\}$	Winterslow Church - {	²² 739 43004
---	---	--------------------------	----------------------------

			· v	
No.	Triangles.	Angles observed.	Distances of the station the intersected obje	
122	Dean Hill Dunnose Farley Monument	6° 2° 37 16 44 23	}Farley Monument{	Feet. 53239 160629
	Motteston Down fro	m Nine Bar	rrow Down 135489,6	feet.
123	Motteston Down - Nine Barrow Down Hordle Church	33 29 46 16 13 59	} Hordle Church {	49640 98000
124	Motteston Down - Nine Barrow Down Mitford Church	36 52 51 15 13 46	} Mitford Church {	45098 103035
125	Motteston Down - Nine Barrow Down Hurst Light House	33 17 31 9 49 13	Hurst Light House	33813 108820
* 125	Motteston Down - Nine Barrow Down Hurst Castle	33 32 2 9 48 47	} Hurst Castle {	33564 109043
126	Motteston Down - Nine Barrow Down Cupola of Sir J. Doy- ley's House	67 18 34 20 13 51	Sir J. Doyley's House . {	46896 125118
	Motteston Down - Nine Barrow Down Mitton Church	34 4 47 23 22 56	} Milton Church {	63782 90057
128	Motteston Down - Nine Barrow Down North Chimneyon Lord Bute's House	27 1 16 24 13 18		71283 78937

No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects.		
N Ce	otteston Down - ine Barrow Down intre Pediment of Bel- videre House	28 48 39 25 29 5©	} Belvidere House {	Feet. 71813 80396	

Dean Hill from Motteston Down 144766 feet.

5. 3			1 1	\	
130 Dean Hill	66	5 5) Summ	er House	107973
Motteston Down -	44	20 32	Kilmins	ton Down	1 141217
Summer House on Kil-					
minston Down				•	I

Nine Barrow Down from Black Down 126782 feet.

Nine Barrow Down Black Down Poole Church	89 46 55 13 3 59 } Poole Church	29399
Nine Barrow Down Black Down Funtingdon Church	7 54 30 28 11 54 Funtingdon Church	101661 29601
Nine Barrow Down Black Down Dorchester Church	$ \begin{array}{ccc} 7 & 54 & 33 \\ 3 \circ & 35 & 42 \end{array} $ Dorchester Church	103647
Nine Barrow Down Black Down Wyke Church, near Weymouth	15 28 23 54 29 40 } Wyke Church	109854
	Nine Barrow Down Black Down Funtingdon Church Nine Barrow Down Black Down Dorchester Church Nine Barrow Down Black Down Wyke Church, near	Nine Barrow Down 7 54 30 Funtingdon Church Nine Barrow Down 7 54 30 Church Nine Barrow Down 7 54 33 30 Church Nine Barrow Down 7 54 33 30 35 42 Nine Barrow Down 15 28 23 54 29 40 Wyke Church Nine Barrow Down 15 28 23 54 29 40 Wyke Church Nine Barrow Down 15 28 23 S4 29 40 Wyke Church Nine Barrow Down 15 28 23 S4 29 40 Nine Barrow Down 15 28 23 S4 29 40 S4 29 40 Nine Barrow Down 15 28 23 S4 29 40 S4 2

Nine Barrow Down from Wingreen 130224,5 teet.

No.	Triangles.		Angles observed.		Distances of the stations from the intersected objects.		
134	Nine Barrow Down Wingreen Obelisk near Milbourn, St. Andrew's	41 35	5° 56	35 53	Obelisk near Mil- bourn {	Feet. 78218 88882	
135	Nine Barrow Down Wingreen Mr.Trenchard's Tower near Lytchet	12 9	9	2 17	Mr. Trenchard's { Tower {	56660 75778	
136	Nine Barrow Down Wingreen Flagstaff, Mr. Pitt's Factory, Isle of Purbeck	113	10 30	7 19	Flagstaff, Mr. { Pitt's Factory	14240 136456	
137	Nine Barrow Down Wingreen Centre of the Barrow on Creech Hill, Isle of Purbeck	10	32 38	14, 14,	Barrow on Creech { Hill {	24163 125534	
138	Nine Barrow Down Wingreen Vane on the Castle, Branksea Island	7	45 37			23101 113731	
139	Nine Barrow Down Wingreen Horton Observatory	18 27	12 4	9 38	Horton Observa- {	83424 57250	

No.	Triangles.	Angles observed.			Distances of the stations from the intersected objects.		
140	Nine Barrow Down Wingreen Staircase of Alfred's Tower, in Stourbead Park	14 138	51 58	23 56	}Alfred's Tower - {	Feet. 193843 75729	
Ď	Nine Barrow Down Wingreen Ringwood Church	42 45	27 8	24 30	$ brace$ Ringwood Church $\{$	92391 87983	
~	Nine Barrow Down Wingreen Summer House at Moyle's Court	41 53	55 51	41 18	Summer House, { Moyle's Court {	105698 87461	
143	Nine Barrow Down Wingreen Christchurch Tower	66 29	36 45	o 57	}Christchurch - {	6505 2 120256	
144	Nine Barrow Down Wingreen Warren Summer House, Christchurch Head	72 29	43	29 29	Warren Summer { House {	64989	

Wingreen from Blackdown 149140 feet

Wingreen Blackdown - Barrow, Swyre Head, Isle of Purbeck	44 36 0 62 1 41 Swyre H	lead - { 137466 109289
--	----------------------------	----------------------------

The Account of a

Motteston Down from Wingreen 197090 feet.

No.	Triangles.	Angles observed.	Distances of the stations from the objects intersected.		
145 M D W Sc	Iotteston Down - Vingreen opley Church	11 6 40 10 13 47	Sopley Church - { 96183 104370		

Dean Hill from Beacon Hill 58086,3 feet.

		- 8°6 −	- I	· ·	1	- (2
146 Dean Hill - Beacon Hill Salisbury Spire	A 1 18	53 21 35 37	33 Salis	sbury Spire -	{	33834 4661 5

Beacon Hill from Four Mile-stone 38818,2 feet.

147	Beacon Hill Four Mile-stone - Altar-piece at Stone Henge	34	20 52	34 8	Altar - piece at Stone Henge	2 3900 22978
148	Beacon Hill Four Mile-stone - Amesbury Church	20 11	44 52	17	Amesbury Church{	1481 7 25506
149	Beacon Hill Four Mile-stone - South Chimney on Old Hartford Hut, Salis- bury Plain	-	26 13	51 33	}Old Hartford Hut {	33801 11513
150	Beacon Hill Four Mile-stone - Everley Church	132 23	24 7	37 41	Everley Church {	36822 69215

No.	Triangles.	Angles observed.	Distances of the stations from the intersected objects		
151	Beacon Hill Four Mile-stone - Summer House on Martincel's Hill, near Marlborough	39 11 38	Summer House on Martincel's Hill	Feet. 67794 93285	
	Beacon Hill Four Mile-stone - North Windmill, Salis- bury Plain		North Windmill {	48082 343 ⁸ 7	
153	Beacon Hill Four Mile-stone - South Windmill, Salis- bury Plain	41 55 52 74 6 39	South Windmill {	4 ¹ 554 28871	

Beacon Hill from Wingreen 114522,4 feet.

Beacon Hill 42 46 45 Clay Hill Barrow, 6 or Copt Heap - 845 Or Copt Heap - 845	216 554
--	------------

Triangles for finding the Distance of Portsmouth Observatory from Dunnose.

Dunnose from Motteston Down 55104,3 feet.

No.	Triangles.	Angles observed.			Distances of the stations from the intersected objects.		
155	Dunnose Motteston Down - Spindle of the Wind Vane on Portsmouth Church Tower	48	, 44 44	48 27	$\left\{\begin{array}{c} F_{\text{eet.}} \\ 66524 \\ Church \end{array}\right\}$		
156	Dunnose Motteston Down - Ball of the Cupola of Portsmouth Academy	50	35 43	3 ² 36	Portsmouth Aca- 69787 demy - 69713		

In order to ascertain the situation of the Observatory, Mr. BAYLY, Master of the Academy, measured two angles in the following triangle, viz.

The included angle at Dunnose between the Ball on the Cupola of the Academy, and the Spindle of the Wind Vane on Portsmouth Church, is 1° 9′ 16″, and the distances of those objects from Dunnose are 66524 and 69787 feet; therefore the distance between the Academy and the Church will be 3540 feet:

this distance, used as a base in the above triangle, gives the distance between the Observatory and the Church 3663 feet; now the angle at the Church, comprehended by the Academy and the Observatory, being 2° 44′ 30″, we shall find the angle at Dunnose, between Portsmouth Church and the Observatory, to be 1° 3′ 30″, and the distance of the Observatory from Dunnose 69962 feet.

Remarks.

In an operation of this kind, it naturally follows, when the objects intersected are at considerable distances from the stations, there must be great difficulty in ascertaining their precise situations from the appearance of the country. Under such circumstances their names sometimes cannot be discovered; and it has been found, that the best maps of which we are in possession, were by no means sufficiently correct to be of much service in that particular. It is obvious also, without a very intimate knowledge of the interior parts of the country, (of which it is impossible, in the present state of the survey, we can be altogether possessed), there must be some difficulty to identify them, when their distances exceed twelve or fourteen miles. We have, therefore, when such an uncertainty existed, had recourse to some intelligent person well acquainted with the country, by whom we have been informed of their names. In this respect we have to acknowledge the services of Mr. GARDNER, chief Draftsman at the Tower, by whose assistance. from his intimate knowledge of the county of Sussex, we have been able to determine, with certainty, the names of many places, which we might otherwise have considered as doubtful. Of the triangles here given, there is not much reason to believe MDCCXCV. 4 D

there has been any misnomer; but, as there is not altogether a certainty that all are rightly named, or the objects actually intersected, we have prefixed a D to those we consider as doubtful.

It may be proper to observe, that in taking the angles, the most defined parts of the objects have been selected, unless they were church towers without spires or pyramidical roofs, when the angles were taken to the middles of the towers. If the objects were windmills, resting (as they sometimes do) on great spindles, the observations have been made to those spindles; but in other cases, when the supports were undefined, the mills themselves were intersected.

SECTION EIGHTH.

Containing the Distances of the Objects intersected in the Course of the Survey, from the Meridian of Greenwich, Beachy Head, or Dunnose; and from the Perpendiculars to those Meridians; with their Bearings, at the several Stations, from the Parallels to the Meridians. Also the Latitudes and Longitudes of those Objects.

ART. 1. Bearings and Distances.

Meridian of Greenwich.

Bearings from the Parallel	Distances from merid.	Distances from perp.	
At Brightling. Bexhill Church - Westham Church - Pevensey Church - Black Heath Windmill Ninefield Church - Mountfield Church -	29 19 25 SE 11 41 43 SW 9 56 0 SW 87 6 34 NW 20 41 53 SE 78 10 9 SE	Feet. 110956 76392 78214 73212 97887 112221	Feet. 230225 240833 240023 187407 216129 193338
At Ditchling Beacon. Chittingly Church - Waldron Church - Firle Beacon Station - Firle Church - Jevington Windmill - Plumpton Church -	88 37 2 NE 60 43 18 NE 63 33 11 SE 65 24 0 SE 62 8 28 SE 81 34 20 NE	45462 41227 25332 20759 54978 16211	208569 173423 235029 230963 252248 209034

Bearings from the Paralle	Distances from merid.	Distances from perp.	
At Ditchling Beacon. Little Horsted Church Spittal Windmill - Ditchling Church - Thakeham Church - West Grinsted Church Keymere Church - Bolney Church - Slaugham Church - Starting House, Brighton Cuckfield Church - Wyvelsfield Church - Hurstpierpoint Church Lindfield Church -	70 53 38 NE 65 58 55 SE 14 30 17 NW 77 33 40 NW 63 20 56 NW 35 37 57 NW 34 26 16 NW 24 48 29 NW 2 28 47 SW 12 20 25 NW 6 29 54 NE 55 0 49 NW 9 10 51 NE	Feet. 21521 5690 26325 96831 76612 29309 46539 47538 25605 32711 21592 41262 17832	Feet. 194326 218625 203077 194295 184087 203504 178068 160346 236511 172580 185011 198504 169199
At Crowboro. Beacon. Willington Church - Homehurst Church - Hailsham Church - Dallington Church -	14 31 53 SE 70 4 58 SE 20 4 48 SE 51 17 56 SE	56724 90204 60458 82994	238159 175142 224245 193493
At Botley Hill. East Grinsted Church Rotherfield Church - Mayfield Church - Crowborough Chapel Bestbeech Windmill - Fairden Tower Tatesfield Church - Godstone Windmill - Charlwood Church - Evelyn's Obelisk	1 14 6 SW 30 46 22 SE 32 38 58 SE 25 6 50 SE 41 42 55 SE 4 11 47 SE 66 31 44 NE 30 46 28 SW 49 25 48 SW 11 49 44 SW	1039 50573 60300 38257 71183 3448 7422 11363 51866 10294	129041 157520 166723 154132 152539 117538 69733 92251 117435 122847

	1	
Bearings from the Parallels to the Meridian.	Distances from merid. Distance from pe	
At Leith Hill.	Feet. Feet.	-8:
	E 21292 23489	
- T	E 14819 23447	
2	E 75805 15240	
	W 183432 9366	
	W 105295 11108	
Euhurst Church - 62 16 42 S	W 100845 11821	15
	W 120899 9198	
Norris's Obelisk (Bag-		
shot Heath) 54 14 15 N	W 168622 4940	7
	E 12367 14652	
	W 224159 3854	
	2.55	
At Beachy Head.	+	
Hurstmonceux Church 21 26 48 N	E 76041 22556	32
Meridian of Beachy l	Head.	
At Chanctonbury Ring.		
U. U.	E 137183 4297	
	E 91925 3159	39
	E 121788 3449	
01000	E 114171 3516	
T	$W \mid 158281 \mid 2619$	-
10 700	E 125507 5238	_
Findon Temple 1 56 38 48 S	W 157711 5057	73
Meridian of Dunno	se.	
	·	
At Hind Head.		
	E 135688 13539)4
9 9	E 149419 15044	
00 10	E 160414 14810	
	E 172148 14832	
Rusper Church - 87 55 49 N	E 211158 18540	⁾ 4

Bearings from the Paralle	Distances from merid.	Distances from perp.	
At Butser Hill. Pulborough Church - E. of Egremont's Tower Bosham Church - Selsea Church - Prinsted Windmill - Del Key Windmill - Horse-shoe Summer House - Southampton Spire - Selsea Windmill - Flagstaff, Chichester Harbour - Cackham Tower - Selsea High House - Bourn Church - Ower Rocks - South Hayling Church West Thorney Church Bow Hill Station - St. Cath. Light House Needles Light House Worsley's Obelisk - Ashey Down Sea Mark Cowes Fort - Portsdown Windmill	86 21 25 SE 83 43 30 NE 27 20 55 SE 31 37 53 SE 15 54 28 SE 33 41 48 SE 41 57 52 SW 73 45 14 SW 24 42 33 SE 9 34 59 SE 16 1 52 SE 24 40 58 SE 15 55 58 SE 15 55 58 SE 15 53 8 SE 48 55 14 SE 27 54 46 SW 50 9 27 SW 24 6 10 SW 43 49 1 SW 24 15 6 SW	Feet. 159482 128906 78379 100296 64678 88659 26952 47618 91103 62428 71823 91791 62546 122570 51324 67055 85116 24258 86554 11607 2471 21998 30055	Feet. 124313 139903 77027 50141 80914 73781 45327 102722 42649 59596 56455 41045 88464 17687 64727 72486 100937 79486 100937 796 24292 55887 86262
Clark's Folly	10 4 51 SW	42250	85825
South Sea Castle -	18 51 36 SW	25425	58361
Portsdown Hill Station	34 2 0 SW	20816	87565
Petworth Windmill -	87 0 38 NE	141258	136012
At Rook's Hill. West Tarring High Down Windmill Angmering Church Pagham Church	73 52 32 SE	185568	76299
	72 3 14 SE	172934	77511
	69 38 4 SE	164937	77159
	1 25 13 SE	104222	55757

			1
Bearings from the Parallel	Distances from merid.	Distances from perp.	
	*		
At Rook's Hill.	_	Feet.	Feet.
Bersted Church -	27 7 47 SE	121063	64535
Clapham Church -	75 30 37 SE	169507	82990
Oving Church -	20 27 27 SE	110141	80477
Felpham Windmill -	30 41 22 SE	125546	61860
Boxgrove Church -	40 11 21 SE	112647	88543
Goodwood House -	23 44 31 SE	105966	92970
Portfield Windmill -	5 6 41 SW	101125	81847
Chichester Spire -	16 47 40 SW	96603	, 79801
Harting Windmill -	48 13 28 NW	75678	124438
Sir H. Fetherstonhaugh's	* 1	-	
Tower	51 25 10 NW	72732	124196
Sir R. Hotham's Flagstaff	22 57 o SE	120029	59477
At Dunnose.			
Kingston Church -	22 42 52 NE	28294	67591
Horndean Church -	21 8 22 NE	43392	112223
Titchfield Church -	5 24 16 NW		85466
Porchester Castle -	13 33 12 NE	19350	80269
Halifax Tower -	36 3 7 NE	69517	95499
Carisbrook Castle -	46 10 52 NW	1.7	25408
Thorness Station -	43 o 59 NW	1 00 1	42020
Luttrell's Folly -	23 0 44 NW	001	68502
Great Boat House -	85 48 30 NW	10	3152
Brixton Church -	78 38 12 NW	107	9220
Calshot Castle -	18 52 8 NW	00	73592
Fawley Church -	24 36 49 NW	1 0000	77163
East Cowes Sea Mark	19 11 11 NW	1	51752
Bursledon Windmill -	14 55 28 NW	U	100938
Hamble Church -	17 29 36 NW	27592	87546
Hamble Saltern	16 54 18 NW		84570
Gov. Hornsby's House	15 45 50 NW	1 011	83063
Warblington Church	33 0 58 NE 18 0 4 NW	54750	84255
Farley Monument - Portsmouth Church -		1 10 1	152765
1 of tsinouth Church - 1	19 9 40 NE	21835	62839

Bearings from the Paralle	Distances from merid.	Distances from perp.	
At Dunnose.	0 , "	Feet.	Feet.
Portsmouth Academy	18 0 24	NE 21573	66369
	18 6 10	NE 21739	66499
Fareham Church -	3 37 55	NE 5488	86462
Porchester Church -	13 55 50	NE 19762	79672
Havant Church	30 29 53	NE 50104	85066
At Dean Hill.			
Salisbury Spire -	68 52 9	NW 136127	162983
Stockbridge Hill Station	55 40 12	NE 59673	181446
Winterslow Church -		NW 09329	173021
			. 0
At Four Mile-stone.			
North Windmill, Salis-		NINI C. A	7.
bury Plain -	21 11 6	NW 161506	210275
South Windmill, Salis-	-0.0	NTXX7	_
bury Plain	28 56 44	NW 167717	213446
At Motteston Down.	4		
Ramsden Hill Station	~ ~ .	NW 141369	55377
Hordle Church -	A 0	NW 95952	40210
Mitford Church -	0 0	NW 90619	40228
Milton Church -	00 0	NW 107904	4779 2
Hurst Light House -		NW 82272	32250
Hurst Castle		NW 81985	32249
Lord Bute's House - Summer House, Kil-	66 43 2	NW 118336	43747
minston Down -	23 24 52	NE 3259	145161
Sir J. Doyley's House -		NW 73731	57566
Belvidere House -	64 55 39	NW 117904	46004
Sopley Church -	1 00 00	NW 139119	58118
At Nine Barrow Down.			
Wyke Church	84 7 0	SW 297337	AFOA
Horton Observatory -	8 43 26	7.75	4524 80106
Branksea Castle -	ro o	NE 175408 NE 176067	89196
Swyre Head	31 16 48 65 41 52	SW 208018	26479 2275

Marie Control of the				-
Bearings from the Paralle	Distances from merid.	Distances from perp.		
At Nine Barrow Down. Ringwood Church - Moyle's Court Summer House Christchurch Tower Christchurch Head - Poole Church - Pitt's Factory - Creech Barrow - Mr. Trenchard's Tower Obelisk, near Milbourn Funtingdon Church - Dorchester Church - Alfred's Tower -	J	NE NE NE NE NW NW NW NW NW NW	Feet. 137771 131348 133429 130030 183274 200051 212045 208946 249123 285016 286911 267938	Feet. 84242 95932 42051 35992 35743 945 9675 59407 55619 37303 37901 183357
At Beacon Hill. Amesbury Church - Summer House, Martin- cel's Hill Everley Church - Stone Henge Old Hartford Hut - Clay Hill, or Copt Heap	73 39 50 7 28 54 5 20 10 86 16 7 69 22 24 85 54 8	SW NW NE SW SW NW	134320 128928 116677 143950 151735 237017	202589 273974 243419 205202 194850 215133

The bearings of the objects from the parallels to the meridians at the different stations, are inserted in the above table, in order that the numbers in the two last columns may be examined with greater facility. They have been obtained thus:

At Beacon Hill, the bearing of Clay Hill is 85° 54′ 8″ NW; this, with the distance between Beacon Hill and Clay Hill, give 116916, and 8376 feet, for the distances of the latter MDCCXCV.

4 E

place from the parallels to the meridian of Dunnose, and its perpendicular. But the distances of Beacon Hill from that meridian, and perpendicular, are 120101 feet, and 206757 feet; therefore 120101 + 116916 = 237017 feet, and 206757 + 8376 = 215133 feet, are the distances of Clay Hill from the meridian of Dunnose, and its perpendicular.

ART. 11. Containing the Latitudes and Longitudes of such Places upon the Sea Coast, and near it, as have been referred to the Meridian of Greenwich.

Names of objects.	Latitude.	Longitude from G	reenwich. In time.
Bexhill Church - Pevensey Church - Westham Church - Willingdon Church Jevington Windmill Firle Beacon Station Firle Windmill - Firle Church Beddingham Windmill Hailsham Church - Spittal Windmill - Starting House, Brighton	50 50 46,7 50 49 11,9 50 49 4 50 49 31,2 50 47 12,3 50 50 2,7 50 50 4,8 50 50 42,9 50 50 8,3 50 51 48,2 50 52 44,7 50 49 48,1	° 28 43,3 E ° 20 14,1 E ° 19 45,8 E ° 14 40,6 E ° 14 12,8 E ° 6 33,3 E ° 5 30,6 E ° 5 22,4 E ° 3 50,1 E ° 15 39,3 E ° 1 28,3 W	m. s. 1 54,9 1 20,9 1 19 0 58,7 0 56,9 0 26,2 0 21,5 0 15,3 1 2,6 0 26

ART. III. Containing the Latitudes and Longitudes of such Places upon the Sea Coast, and near it, as have been referred to the Meridian of Beachy Head.

Names of objects.	Latitude.	Longitude west of Beachy Head.	Longitude west of Greenwich. In degrees. In time.
Brighthelmstone Church Southwick Church Shoreham Church Bramber Windmill Sleep Down Station Goring Church Findon Temple	50 49 59,5 50 52 55,7 50 51 22,1 50 48 34,2	0 29 32,8 0 31 31	o , " m. s. o 11 55,2 o 47,7 o 14 20,9 o 57,3 o 16 19,1 i 5,3 o 17 18,9 i 9,3 o 20 19,2 i 21,3 o 25 44,6 i 43 o 25 38,9 i 42,6

ART. IV. Containing the Latitudes and Longitudes of such Places upon the Sea Coast, and near it, as have been referred to the Meridian of Dunnose.

Names of objects.	Latitude.	Longitude from Dunnose.	Longitude west of Greenwich. In degrees. In time.
West Tarring Church High Down Windmill Clapham Church Angmering Church Felpham Windmill Bersted Church Gov. Hornsby's House Sir R. Hotham's Flagstaff Oving Church Pagham Church Chichester Spire Selsea Church Selsea High House Selsea Windmill Del Key, or Dalkey Windmill Bosham Church Cackham Tower West Thorney Church Prinsted Windmill Watch House, Chichester Harbour West Bourn Church South Hayling Church Clark's Folly	50 50 46,1 50 46 49,6 50 50 17,3 50 46 14 50 50 11,4 50 45 18,8 50 43 49,6 50 44 5,4 50 49 12,5 50 49 45	0 44 45 E 0 43 52,6 E 0 42 40,8 E 0 32 27,6 E 0 31 18,2 E 0 6 4,2 W 0 31 1,7 E 0 28 30,4 E 0 26 56,1 E 0 25 54,7 E 0 23 42,2 E 0 23 31,6 E 0 22 56,3 E 0 20 16,9 E 0 18 33,7 E 0 17 20,8 E 0 16 44,4 E 0 16 8,3 E 0 16 11,7 E 0 14 10,4 E	0 23 35 1 34,3 1 47,4 1 50,9 0 28 55,2 1 55,7 0 39 8,4 2 36,6 0 40 17,8 2 41,2 1 17,4 40,2 5 10,7 0 40 34,3 2 42,3 0 43 5,6 2 52,4 0 44 39,9 2 58,7 0 46 35,9 3 6,4 0 45 41,3 3 2,7 0 47 53,8 3 11,5 0 48 4,4 3 12,3 0 48 39,7 3 14,6 0 51 19,1 3 25,3 0 54 15,2 3 37 0 54 51,6 3 39,4 0 55 27,7 3 41,8 0 55 24,3 3 41,6 0 57 25,6 3 49,7 0 58 19,9 3 53,3 1 0 39,7 4 2,6

Names of objects.	Latitude.	Longitude from Dunnose.	Longitude west of Greenwich.
			In degrees. In time.
Cumberland Fort Kingston Church Havant Church Portsdown Windmill Portsdown Station Portsmouth Church Portsmouth Academy Portsmouth Observatory South Sea Castle Porchester Church Porchester Castle Fareham Church Titchfield Church Hamble Saltern Hamble Church Calshot Castle Luttrell's-Folly Fawley Church Hurst Castle Hurst Light House Ashey Down Sea Mark East Cowes Fort St. Catherine's Light House Needles Light House Mitford Church Hordle Church Lord Bute's-House Christchurch Head Christchurch Tower Ramsden Hill Castle, Branksea Island Poole Church Flag-staff, Mr. Pitt's Factory Creech Barrow Barrow, Swyre Head Boat House Wyke Church Brixton Church Horse-shoe Summer House Sir R. Worsley's Obelisk Ower Rocks	50 44 14 5 50 42 57,3	0 7 19,1 E 0 12 58,3 E 0 7 46,9 E 0 5 38,7 E 0 5 34,7 E 0 5 34,3 E 0 5 34,3 E 0 5 34,3 E 0 6 39,2 W 0 6 39,6 W 0 7 31,5 W 0 9 8,4 W 0 21 14,5 W 0 22 19,2 W 0 23 23,9 W 0 24 46,5 W 0 23 23,9 W 0 24 46,5 W 0 30 32 W 0 24 46,5 W 0 30 33 4,8 W 0 30 32 W 0 47 18,6 W 0 30 32 W 0 47 18,6 W 0 54 38,9 W 0 47 18,6 W 0 51 31,9 W 0 51 31,9 W 0 51 34,8 W 0 11 4,9 W	m. s. 1 1 43 4 6,9 1 4 16,9 4 17,1 0 58 37,7 3 54,5 1 3 49,1 4 15,3 1 6 12,6 4 24,8 1 5 57,3 4 23,9 1 6 1,3 4 24,1 1 5 58,7 4 23,9 1 5 1,7 4 20,1 1 6 29,1 4 25,9 1 6 35,5 4 26,3 1 10 10,7 4 40,7 1 13 41,6 4 54,8 1 18 15,2 5 13 1 18 44,6 5 15 1 18 5,6 5 12,4 1 19 7,5 5 16,5 1 19 7,5 5 16,5 1 19 7,5 5 16,5 1 10 57,8 4 43,8 1 16 15,2 5 5 11,3 1 10 57,8 4 43,8 1 16 15,2 5 5 11,3 1 10 57,8 4 43,8 1 16 15,2 5 5 11,3 1 17 17,1 5 9,1 1 17 50,7 5 11,3 1 33 55,2 6 15,7 1 34 59,9 6 20 1 39 28,4 6 37,9 1 36 22,5 6 48,6 1 45 10,5 7 0,7 1 46 3,4 7 4,2 1 48 8 7 12,5 1 57 1,5 7 48,1 1 58 54,6 7 55,6 2 3 7,9 8 12,5 2 6 14,9 8 25 2 5 10,8 8 20,7 1 22 40,9 5 30,7 2 28 10,2 9 52,7 1 18 33,7 5 14,2 1 14 35,4 4 58,3 0 39 59,5 2 40

ART. v. Containing the Latitudes and Longitudes of those Places, remote from the Sea Coast, which have been referred to the Meridian of Greenwich.

Names of objects.	Latitude.	Longitude from (In degrees.	Greenwich. In time.
East Grinsted Church Fairden Tower Tatesfield Church Evelyn's Obelisk, Felbridge Park Godstone, or Tilburster Windmill West Hoathly Church Plumpton Church Lindfield Church Dimpton Church Little Horsted Church Little Horsted Church Cuckfield Church Cuckfield Church Cuckfield Church Crowborough Chapel Hurstpierpoint Church Chittingly Church Bolney Church Slaugham Church Slaugham Church Charlwood Church Charlwood Church Homehurst Church Bestbeech Windmill Rlackheath Windmill (near Heathfield) Horsham Church Hurstmonceux Church Dallington Church Ninefield Church Thakeham Church Euhurst Windmill Mountfield Church St. Martha's Chapel Norris's Obelisk Farnham Castle Nettlebed Station	51 7 27,9 51 9 21,3 51 17 12,6 51 8 28,9 51 13 30,5 51 4 35,4 50 54 19,1 51 0 55 58 16 50 56 44,1 50 55 17,8 50 55 13,6 51 0 18,3 51 0 9,8 51 3 20,1 50 56 2,5 50 54 23,2 50 59 23,9 51 2 18,7 51 2 46,3 51 15,3 51 3 34,8 50 57 50,9 51 3 36 50 51 34,6 50 58 23,5 50 56 50,4 50 58 23,5 50 56 50,4 50 58 23,5 50 56 50,4 50 57 50,9 51 10 21,7 50 56 50,4 50 56 50,4 50 56 50,4 50 56 50,4 51 13 29 51 20 24,8 51 13 6,9 51 34 45,1	0 0 16,2 E 0 0 53,9 E 0 1 56,4 E 0 2 40,9 W 0 2 57,9 W 0 3 13 W 0 4 12,1 W 0 4 38 W 0 5 36,3 W 0 5 35 E 0 6 49,5 W 0 7 35,9 W 0 10 42,5 E 0 9 56,8 E 0 10 42,1 W 0 11 47 E 0 12 21,4 W 0 13 8,8 E 0 13 8,8 E 0 13 8,8 E 0 15 40 E 0 23 25,5 E 0 18 30,7 E 0 19 42,7 W 0 19 41,7 E 0 19 53,2 E 0 19 42,7 W 0 19 41,7 E 0 19 53,2 E 0 19 53,2 E 0 26 16,6 W 0 27 26,9 W 0 29 6,7 E 0 31 33,1 W 0 44 7 W 0 47 52 W 0 58 57,1 W	m. s. 0 1,1 0 3,6 0 7,7 8 10,7 0 11,9 0 12,9 0 16,8 0 18,5 0 22,4 0 22,3 0 27,3 0 30,4 0 42,8 0 39,7 0 42,8 0 47,1 0 48,3 0 49,4 0 52,6 0 54 1 2,7 1 33,7 1 14 1 16 1 18,9 1 18,8 1 19,5 1 26,1 1 41,4 1 40,5 1 45,9 1 56,4 2 6,2 2 56,5 3 11,5 3 55,8

ART. VI. Containing the Latitudes and Longitudes of those Places, remote from the Sea Coast, which have been referred to the Meridian of Dunnose.

Dumose.	T		1.		L	ongitud	e west of	
Names of objects.	Latitude.			Longitude from Dunnose.		Greenwich.		
					In d	egrees.	In time.	
Rusper Church Billinghurst Church Pulborough Church Fetworth Windmill Petworth Church Earl of Egremont's Tower Wisborough Green Church Boxgrove Church Portfield Windmill Rook's Hill Windmill Halifax Tower Goodwood House Bow Hill Station Harting Windmill Sir H. Fetherstonhaugh's Tower Horndean Church Southwick Church Summer House, Kilminston Down Carisbrook Castle Bursledon Windmill Thorness Station Farley Monument Southampton Spire Stockbridge Hill Station Sir J. Doyley's House Winterslow Church	51 7 51 7 51 7 50 57 50 50 57 50 50 57 50 50 57 50 57 50 57 50 57 50 57 50	22,4 20,6 22,5 44,1 22,5 17 20,1 36,7 47,5 47,5 47,5 47,5 47,5 47,5 47,5 47	0 54 0 44 0 38 0 36 0 36 0 36 0 26 0 25 0 26 0 27 0 29 0 18 0 11 0 0 6 0 10 0 12 0 15 0 19 0 28	7	In d 0 10 0 20 0 30 0 32 0 32 0 42 0 45 0 45 0 45 1 10 1 18 1 12 1 12 1 23 1 27 1 30 1 40	Green 1, 36,99 1, 36,99 1, 36,99 1, 53,33 1, 53,33 1, 53,98 1, 53,93 1, 55,98 1, 56,98 1, 56,98	In time. m. s. i 6,5 i 47,5 2 0,9 2 11,1 2 19,6 2 25,7 2 32,5 i 59,7 2 49,7 3 3,1 3 34,4 2 56,6 3 18,2 3 27,8 3 30,9 4 1,4 4 25,6 4 43 5 13,7 5 14,3 5 26,9 5 38,8 5 48,5 6 40,2	
Belvidere House				27,3 W	I 42	•	6 48,2	
Everley Church	51 17	3,3	-	29,3 W	1 4.2		6 48,3	
Ringwood Church Summer House, Martincel's Hill	50 50 51 22	58	0 35	40 W	I 47		7 9,1 7 1,4	
Summer House, Martineer's 11111 Summer House, Moyle's Court		J/~ [0 33	45 W	I 45	37,5	7 1,4 7 2,5	
Amesbury Church	51 10		0 35	0,8 W	1 46		7 6,5	
Salisbury Spire	51 3	48,9	0 35	24,2 W	1 47	0,2	7 8	
Sopley Church	50 46	34.7	0 35	57,5 W	I 47	33,5	7 10,2	
Stonehenge	51 10	44,3	0 37	31,8 W	I 49	7,8	7 16,5	
Old Hartford Hut	51 9	1,8	0 39	32,1 W	I 51	8,1	7 24,5	
S. Windmill on Salisbury Plain	51 11	33	0 42	7,2 W	1 53	43,2	7 34,9	
N. Windmill \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	51 12	3,4	0 43	44,8 W	1 55	20,8	7 41,4	
Horton Observatory	50 51		0, 45	25,3 W	1 57	1,3		
Mr. Trenchard's Tower -		40,5		0,5 W	2 5	36,5	8 22,4	
Clay Hill, or Copt Heap -	_	12	1 1	49,8 W	2 13	- 1	8 53,7	
Alfred's Tower	51 6	54,4	1 9	45,5 W	2 21		9 25,4	
Milbourn Obelisk	50 45		•	22,8 W	2 15	58,8	-	
Funtingdon Church		<i>-</i>	1 13	35,5 W	2 25		9 40,7	
Dorchester Church	50 42	57,7	I 14	4,1 W	2 25	40,1	9 42,7	
		1						

SECTION NINTH.

Heights of the Stations. Terrestrial Refractions.

ART. I. Height of the Station at Dunnose.

With a view to obtain the heights of the stations nearly, from their elevations or depressions, we determined the height of that at Dunnose above low water in May, 1793, by levelling down to the sea shore near Shanklin, a distance of about a mile. Instead of a levelling telescope, we made use of the transit instrument, which, on account of its very accurate spirit level, seems extremely well adapted for the purpose. Two circular wooden platforms were provided, broad enough for the feet of the transit stand; these platforms rested on pegs driven into the ground, and were always made horizontal at the time of levelling, by means of a mahogany spar, or straight-edge, furnished with a spirit level. The graduated rods, of course, were constantly set vertical on the lowest platform, while the transit stood on the other.

The ground is favourable enough down to Shanklin Chine: this is a large deep chasm, opening to the sea; but the descent is not so sudden on the western side, which is by far the steepest, and to which we levelled, but a person may get up or down with safety. We found its perpendicular height by means of several rods placed end ways against the sloping side, and supported in an horizontal position, and then letting fall a measuring tape from one rod to another: but this was the most troublesome and difficult part of the whole operation. The fall from the bottom of this chasm or opening, to the water's edge, was found in the usual manner.

The whole perpendicular descent thus determined, was 792 feet; which, we have no reason to suppose, is more than 2 or 3

feet wide of the truth. We finished at low water on May 10; and therefore the height of the station above low water at spring tides will, no doubt, be some very few feet more.

ART. II. Heights of Rook's Hill and Butser Hill. With Tables containing the Heights of the Stations, and the mean terrestrial Refractions.

At the ground	at Rook's Hill was depressed	12	14
Dunnose (at Butser Hill depressed -	6	10
At Rook's the ground Hill	at Dunnose was depressed at Butser Hill elevated -	7 7	37 17
At Butser the ground Hill the top of a	at Dunnose was depressed - a flagstaff at Rook's Hill depr.	12 15	36 12

Dunnose and Rook's Hill 23 31 Dunnose and Butser Hill 23 3 Butser Hill and Rook's Hill 9 59 contained arcs nearly.

The flagstaff at Rook's Hill was 20 feet high. And the axis of the telescope about $5\frac{1}{2}$ feet above the ground at each station.

From these observations, the mean refraction between Dunnose and Rook's Hill will be found 1' 58"; between Dunnose and Butser Hill 2^{t} 16''; and between Butser Hill and Rook's Hill 39''; which are about $\frac{1}{12}$, $\frac{1}{10}$, $\frac{1}{15}$ of the contained arcs respectively, as in the table.

By the observations across the water, the ground at Rook's Hill would be 97 feet lower, and that at Butser Hill 131 feet higher than Dunnose; the sum is 228 feet for the difference of heights of Butser Hill, and Rook's Hill, obtained in this manner; but from the reciprocal observations, the ground at Rook's Hill is only 208 feet lower than at Butser Hill, which is less than the former difference by 20 feet; therefore, supposing each of the mean refractions to have produced an equal

error in the heights, we have $792 - 97 + \frac{20}{3} = 702$ feet, for the height of Rook's Hill; and $792 + 131 - \frac{20}{7} = 916$ for that of Butser Hill. From those two determinations, the others in table 1. have been obtained (the stations to the westward of Dunnose excepted) by taking the mean of the heights as derived from different routes. Those distinguished by an asterisk, were found by taking $\frac{1}{12}$ of the contained arc for refraction.

The refractions at the end of table 2, obtained from the dip of the horizon, are very consistent; each being nearly $\frac{r}{TO}$ of the contained arc. The following were the observations:

At Leith Hill, on July 2, 1792, at 10 in the forenoon, the horizon of the sea through Shoreham Gap was depressed 30' 6". At Rook's Hill about noon on Sept. 2, 1792, the depression of the sea, in the direction of Chichester spire, was 25' 30". At Nine Barrow Down, about noon on April 11, 1794, in a south direction nearly, the depression was 24' 16".

The axis of the telescope was about $5\frac{1}{2}$ feet from the ground at each of those stations.

Table 1.

Stations.			Ground above low water.		
				Feet.	
	Dunnose			792	
	Rook's Hill		-	702	
	Butser Hill	***		916	
	Hind Head	-	-	923	
	Chanctonbury	Ring	-	814	
MDCCXCV			4 F		

The Account of a

Stations.	Ground above low water.
Leith Hill	Feet.
	993
Ditchling Beacon -	858
Beachy Head	<i>5</i> 64
Fairlight Down -	599
Brightling Down -	646
Crowborough Beacon -	804
Botley Hill	890*
Banstead	576
Shooter's Hill	446
Hanger Hill	230
King's Arbour	118
Hampton Poor House -	86
St. Ann's Hill	240
Bagshot Heath -	463
Dean Hill	539
Beacon Hill	690
Old Sarum	266
Nine Barrow Down -	642
Highclere	900
Wingreen	941
Motteston Down -	698*
Bow Hill	702*
Portsdown Hill -	447*

Table 2.

Between Mean Refraction.
Banstead and Shooter's Hill - $\frac{1}{7}$ of the contained arc.
St. Ann's Hill and Hampton Poor House $\frac{\tau}{8}$
Brightling and Beachy Head $-\frac{\pi}{8}$
Beachy Head and Fairlight Down - To
Dunnose and Butser Hill $ \frac{1}{10}$
Highclere and Butser Hill - ¹ / ₁₀
Butser Hill and Hind Head - To
Beachy Head and Chanctonbury Ring Ti
Highelere and Hind Head $-\frac{1}{11}$
Rook's Hill and Dunnose $-\frac{1}{12}$
Leith Hill and Hind Head $-\frac{1}{12}$
Bagshot Heath and St. Ann's Hill - T
Dean Hill and Beacon Hill - $-\frac{1}{12}$
St. Ann's Hill and Banstead $-\frac{1}{12}$
Dunnose and Nine Barrow Down $-\frac{r}{12}$
Leith Hill and Crowborough Beacon $\frac{1}{13}$
Rook's Hill and Hind Head $-\frac{t}{13}$
Dunnose and Dean Hill - $\frac{1}{13}$
Brightling and Fairlight Down - T
Leith Hill and Chanctonbury Ring $\frac{\tau}{13}$
Leith Hill and Shooter's Hill $-\frac{1}{13}$
Brightling and Crowborough Beacon T
Hanger Hill and Banstead - 1/1/4
Hanger Hill and St. Ann's Hill
Leith Hill and Banstead 1/14
Beacon Hill and Wingreen $-\frac{1}{15}$
Rook's Hill and Chanctonbury Ring 16
4 F 2

Between	Mean Refraction.
Dean Hill and Wingreen -	- $\frac{1}{15}$ of the contained arc.
Rook's Hill and Butser Hill	15
Nine Barrow Down and Wingreen	- <u>r</u>
Leith Hill and Ditchling Beacon	<u>18</u>
Mean of all the above, nearly	- <u>I</u> <u>I</u> 2
Leith Hill and the Horizon -	<u>I</u>
Rook's Hill and the Horizon -	$\frac{1}{10}$
Nine Barrow Down and the Horizo	$n = \frac{r}{L\Omega}$

ART. III. Remarks on the foregoing Tables.

The height of the ground at the station on St. Ann's Hill, table 1, is 240 feet; but according to General Roy (Phil. Trans. Vol. LXXX. p. 232) it is 321 feet: this very great disagreement, however, principally arises from the variableness in the terrestrial refraction. In 1787, at the station near Hampton Poor House, the ground at St. Ann's Hill was elevated 17' 39"; but at the same station in 1792, when the axis of the instrument was at the same height above the ground, the elevation was only 8' 11". General Roy took To of the contained arc for the effect of refraction, and considered the height of St. Ann's Hill, when deduced from that of the station near Hampton Poor House, as more accurate than could be obtained by way of the station at the Hundred Acres. But, previous to the survey in 1787, he found by the barometer, that the station on St. Ann's Hill was 200 feet higher than the Thames at Shepperton; and he added 33 feet for the descent to low water at the sea; the sum is 233 feet, agreeing nearly with our determination.

We take the height of Botley Hill (890 feet) a mean of 900,885,885, which the observations at Leith Hill, Banstead, and Crowborough Beacon respectively produce, by making use of $\frac{1}{12}$ of the contained arcs for refraction: this height exceeds that in General Roy's table by 31 feet; but we are not certain of its being nearer the truth: only it may be remarked, in the table, p. 246 (Phil. Trans. Vol. LXXX.), that between the several stations from High Nook to Botley Hill, the mean refractions are very great.

From the reciprocal observations at Leith Hill, Banstead, and Shooter's Hill, the height of the last station is 446 feet, which is the same, in fact, as that obtained in the following manner. General Roy found by levelling, that the floor of the upper story of the Bull Inn at Shooter's Hill was 444 feet above the Gun Wharf at Woolwich; and he allowed 22 feet for the fall to low water at the sea; the sum is 466 feet. In 1794, we levelled from the Inn to the Station, and found the latter 21 feet lower than the floor, which taken from 466, there remains 445 feet for the station's height.

Notwithstanding this consistency, and also that in the height of St. Ann's Hill, found by different methods, it is evident from the observations at Dunnose, Rook's Hill, and Butser Hill, that relative heights deduced from elevations, or depressions, cannot always be depended upon to less than about 10 feet, even supposing those heights are the means of two or three independent results, except, perhaps, reciprocal observations were made exactly at the same time. The very great difference in the observed elevations of St. Ann's Hill, proves that no dependance can be placed on single observations. But that was not the only instance; for, at the station on Rook's

Hill, we found the depression of the ground at Chanctonbury Ring, vary from 1' 41" to 2' 30". The observations, however, on which the tables are founded, were made in close cloudy days, or toward the evenings, when the tremulous motion in the air is commonly the least.

It has been conjectured, that the variations in terrestrial refraction, depend on the changes in the atmosphere indicated by the barometer and thermometer: this, however, cannot be the case when the rays of light pass near the earth's surface for any considerable distance. M. DE LA LANDE, in his Astronomy (Art. Terrest. Ref.), remarks, that the mountains in Corsica are sometimes seen from the coasts of Genoa and Provence, but at other hours on the same days, they totally disappear, or are lost as it were in the sea. And the late General Roy frequently mentioned an instance of extraordinary refraction, which himself and Colonel CALDERWOOD observed on Hounslow Heath, when they were tracing out the base. Their levelling telescope at King's Arbour was directed towards Hampton Poor House, where a flagstaff was erected at that end of the base; this for a long time they endeavoured in vain to discover, till at last, very unexpectedly, it suddenly started up into view, and so high it seemed to be lifted, that the surface of the ground where it stood, became visible. This will appear the more extraordinary, when it is considered, that a right line drawn from the eye at King's Arbour to the other end of the base, would pass 8 or 9 feet below the surface of the intermediate ground near the Duke of St. Albans Park. The following is still more singular. "I observed," says Mr. Dalby, " what seemed to me a very uncommon effect of ter-" restrial refraction, in April, 1793, as I went from Freshwater

"Gate, in the Isle of Wight, towards the Needles. Soon after " you leave Freshwater Gate, you get on a straight and easy " ascent, which extends 2 or 3 miles; a mile, or perhaps a mile " and an half beyond this to the westward, is a rising ground, " or hill; and it is to be remarked, that its top and the afore-" said straight ascent, are nearly in the same plane: now in "walking towards this hill, I observed that its top (the only "part visible) seemed to dance up and down in a very extra-"ordinary manner; which unusual appearance however, evi-"dently arose from unequal refraction, and the up-and-down " motion in walking; but when the eye was brought to about "2 feet from the ground, the top of the hill appeared totally "detached, or lifted up from the lower part, for the sky was "seen under it. This phænomenon I repeatedly observed. "There was much dew, and the sun rather warm for the sea-"son, consequently a great evaporation took place at that "time." Here, and also on Hounslow Heath, the rays of light passed near the earth's surface a great way before they arrived at the eye; and it is more than probable, that moist vapours were the principal cause of the very unusual refractions: the truth of which conjecture seems to be verified by the following circumstance. In measuring the base on Hounslow Heath, we had driven into the ground, at the distance of 100 feet from each other, about 30 pickets, so that their heads appeared through the boning telescope to be in a right line; this was done in the afternoon. The following morning proved uncommonly dewy, and the sun shone bright; when having occasion to replace the telescope, we remarked that the heads of the pickets exhibited a curve, concave upwards, the farthermost pickets rising the highest; and we concluded they were

not properly driven, till in the afternoon, when we found that the curve appearance was lost, and the ebullition in the air had subsided.

The new raised earth about the gun at King's Arbour, prevented a very accurate measurement of the height of the instrument above the point of commencement of the base; and therefore two opportunities only presented themselves for determining the actual terrestrial refraction; namely, at the ends of the base of verification. From the depression taken at Beacon Hill, the refraction was 38"; but the elevation of Beacon Hill, observed at the lower end, near Old Sarum, gives 50". These deductions, perhaps, cannot be deemed very conclusive; because, as they depend on the difference in the vertical heights of the ends of the base, every 2 inches of error in that difference will produce an error of about 1" in the computed refraction. We shall close this section with the data whence those refractions were obtained.

At Beacon Hill, the top of the flagstaff near Old Sarum was depressed 42' 6".

At the other end of the base, near Old Sarum, the top of the flagstaff at Beacon Hill was elevated 38' 42".

The axis of the telescope at Beacon Hill was 15 inches above, and the top of the flagstaff 91 inches above the point where the mensuration began. Near Old Sarum it was 28 inches higher, and the top of that flagstaff 95 inches above where the base terminated. This end (see Sect. 111.) is 429,48 feet lower than the other. Lastly, the value of the base is 6' of a degree, very nearly.

CONCLUSION.

Having communicated to the public, through the very respectable medium of the Royal Society, the particulars relating to the trigonometrical operation, we shall close the work with a few remarks concerning it.

In this early stage of the survey, the first object in view, has been to determine the situations of the principal points on the sea coast, and those objects which are near it. Having executed this resolution, the result will sufficiently explain its importance; as it will be found, that by the intersections of churches, or other edifices, the coast is laid down from Fairlight Head to Portland. Thus, Bexhill Church, Pevensey Church, the station on Beachy Head, Brighthelmstone Church, Southwick Church, New Shoreham Church, Goring Church, Pagham Church, Selsea Church, Selsea High House, Cackham Tower, and the Watch House at the mouth of Chichester Harbour, mark the coast of Sussex. In like manner, it will be found, that the coast of Hampshire is laid down from the intersections of many remarkable objects, of which the principal ones, are South Hayling Church, Portsmouth Church, Calshot Castle, East Cowes Sea Mark, St. Catherine's Light House or Sea Mark, Ashey Down Sea Mark, the Needles Light House, Hurst Castle Light House, with Christchurch Head, or, as it is more frequently called, Hengistbury Head. The coast of Dorsetshire also, has many places laid down: -Poole Church, Branksea Castle, the Barrow on Swyre Head near St. Albans 4 G MDCCXCV.


Head, and Wyke Church near Weymouth. Those are some of the principal objects which mark the coast, being very near it.

Upon the commencement of the present business, the design was to divide it into two parts; namely, one for ascertaining distances from the triangles, whose angles were to be observed with the large theodolite; and the other, the interior survey of the country, in which a small instrument, made upon the same plan with the great one, was intended to be used. This instrument being now nearly finished, that design will be carried into execution; and as two or three hundred single bearings have been taken from the different stations, which cannot at present be made use of, an important addition will be made to the number of places already fixed, independent of others, whose situations will be determined with it, in the course of the survey. The result of this, as well as the other parts of the trigonometrical operation, will be given to the public, in the Philosophical Transactions. And should it be discovered, from the use of the small instrument, that any of the secondary triangles are erroneous, such errors will be corrected, as well as any errata which we may find in this account.

From the instructions given to those who have the honour to be employed in this undertaking, namely, to consider the survey of the sea coast, in the first stage of the business, their principal object, the design is to carry on a series of triangles to the Land's End. For that purpose, there are already five new stations selected; two in the Isle of Portland; one on Charton Common, near Lyme; another on Pilsden Hill, near Broad Windsor, and the other on a hill near Mintern; all in Dorset-


- e How those stations connect with each other, will be easily seen, on having recourse to a map. The distances between the stations in Portland, and that on Charton Common, will serve as bases for fixing the points on the coast of Devonshire, and the side Charton Common and Pilsden Hill will connect with the high land near Honiton.
- N.B. In the plan of the triangles (Tab. XLVI), the line from the station near the Four Mile-stone to Old Sarum, is drawn a little out of its true position, otherwise it would very nearly coincide with that which joins the former station and Dean Hill.

PORTABLE TRANSIT INSTRUMEN




MDCCXCV. Tab. XLIII. p. 592.









John Warner del et sculp.




ELEVAT



EVATION of the PLANK and BAR used in determining the lengths of the




s of the CHAINS



LANK

n

Tab. XLIV. p 592.









Table of the Trefsel

John Warner scutp.












Wire and Handle of the Chain.











 $\odot Trombridge$


Long Knoll








	*					
		2,			Ph	ilos. Trans.
	Greenwich	×.		Beachy Head		
rpendicular to t		idian of G	Freenwich	Beac	e.	
Blackheath ⊙ FlagStaff	100	Shooters 1	Control of the Contro	to		
				u		
	Meridian			Mendian		
anstead Station					Wrotham H	;;;;
	Botley	v Fill		9		
				The second second second		
			Crowboroug	h Beacon		eree Albaya


Trans. MDCCXCV. Tab. XLVI. p. 592.











Battel

Pairlight Down

Hastings ①

f Beachy Head



